



- NOTES:
1. PLACE BIOBAGS UPSTREAM OF OUTLET PIPE/HEADWALL. OVERLAP BIOBAGS TO PREVENT FLOW BETWEEN

POND OUTLET PROTECTION
SCALE=N.T.S.



1
C3.9



- NOTES:
1. BURY BOTTOM OF FILTER FABRIC 6" MIN. VERTICALLY BELOW FINISHED GRADE.
 2. 2"x2" FIR, PINE, OR STEEL FENCE POSTS.
 3. STITCHED LOOPS TO BE INSTALLED UPHILL SIDE OF SLOPE.
 4. COMPACT NATIVE FILL IN ALL AREAS OF FILTER FABRIC TRENCH.

SEDIMENT FENCE
SCALE=N.T.S.



2
C3.9



- NOTES:
1. ENSURE THAT NO GAPS EXIST BETWEEN BAGS AND 1/2 BAG OVERLAP OF OPENING.

COMBINATION INLET PROTECTION
SCALE=N.T.S.

3
C3.9



- NOTES:
1. USE REGULAR FLOW ONLY. DO NOT USE HIGH FLOW INSERT BAGS

CATCH BASIN INSERT BAG
SCALE=N.T.S.

4
C3.9

APPROVED FOR CONSTRUCTION BY
CITY OF WEST LINN
This approval is only for general conformance with the design concept and general compliance with applicable codes and requirements and shall not be construed as relieving the Design Engineer of full responsibility for accuracy and completeness of the drawings. This plan review approval does not prevent the City from requiring further code compliance.
DATE 9-6-11 BY [Signature] ENGINEERING
DATE 7-6-11 BY [Signature] PLANNING

DESIGN GROUP
901 N. Brutscher, Ste. 202
Newberg, Oregon 97132
Phone: 503-537-9347
www.thesaunderscompany.net

REGISTERED PROFESSIONAL ENGINEER
50644PE
Oregon
EXPIRES 12/31/13
CHARLES EDWARD GROSSER
RENEWS: JUNE 30, 2013

J.T. SMITH companies
[Logo]

Teresa's Vineyard
Public Improvements
Sub-07-02/NDW-07-02/VAR-07-01
West Linn, Oregon

REV	DATE	SUMMARY
1	8/5/11	Client/Agency Comments

Project #: 9130 Drawn: CL
STANDARD PLANS AND DETAILS
EROSION CONTROL
Date: April 15, 2011

C3.9