

INVITATION FOR BID

CONSTRUCTION PROJECT

Public Works Department 22500 Salamo Road West Linn, Oregon 97068 Telephone: (503) 722-5500 Fax: (503) 656-4106

City of West Linn Plans and Bid Documents

Project Number: PW-14-17

Project Description: 2015 Sanitary Sewer Rehabilitation Project

Prospective Bidders' Conference: January 14, 2015 2:00 p.m., local time

Due Date: January 21, 2015 2:00 p.m., local time

Plans and Specifications are available for download at no charge from the City's website at <u>http://bids.westlinnoregon.gov</u>

Alternately, copies may be reviewed or picked-up for a \$25.00 fee per set at: Public Works Department Engineering Division 22500 Salamo Road West Linn, Oregon 97068

PROSPECTIVE BIDDERS' CONFERENCE ATTENDANCE IS OPTIONAL

It is highly encouraged that Contractors and Subcontractors visit the site.



City of West Linn, Oregon

Notice of Invitation for Bid and Contract

GENERAL

NOTICE OF INVITATION TO BID AND CONTRACT	3
STANDARD TERMS AND CONDITIONS	4
GENERAL TERMS AND CONDITIONS	11
SPECIAL TERMS AND CONDITIONS	23

APPENDIX A

FORMS REQUIRED FOR SUBMITTAL WITH BID (In addition to Notice of Invitation to Bid and Contract and any addenda)

1. BID FORM

est

- 2. BID BOND
- 3. NONCOLLUSION AFFADAVIT
- 4. THREE YEAR EXPERIENCE RECORD
- 5. FIRST-TIER SUBCONTRACTOR DISCLOSURE (WH-179) Submit within 2 hours of bid closing.

FORMS NOT REQUIRED AT TIME OF BID

- 1. PERFORMANCE BOND
- 2. PAYMENT BOND
- 3. CONTRACTOR'S AFFADAVIT, SETTLEMENT OF CLAIMS
- 4. PUBLIC WORKS FEE INFORMATION FORM (WH-39)
- To be completed and paid by City upon award
- NOTICE OF PUBLIC WORKS (WH-81) To be completed by City upon award.
- PUBLIC WORKS FEE ADJUSTMENT FORM (WH-40) To be completed by City after final completion of project.
- 7. PAYROLL INSTRUCTIONS (WH-38A)
- 8. PAYROLL/CERTIFIED STATEMENT FORM (WH-38)
- 9. CURRENT PREVAILING WAGE RATE COVER AND AMENDMENTS
- The complete prevailing wage rate documents can be downloaded from the Oregon Bureau of Labor and Industries website at <u>http://www.oregon.gov/boli/WHD/PWR/pages/pwr_state.aspx</u>

APPENDIX B

TECHNICAL PROVISIONS

APPENDIX C

PLANS



City of West Linn, Oregon

Notice of Invitation for Bid and Contract

Project Number:	PW-14-17			Bid Due Date:	January 21, 2015
Project Name:	2015 Sanitary Sewer Rehab. Project			Bid Due Time:	2:00 p.m.
D'd Ogenier Legetier	City of West Linn – City Hall			Contact:	Erich Lais, P.E.
Bid Opening Location:	Council Chambers	Council Chambers 22500 Salamo Rd., West Linn, OR 97068			Asst. City Engineer
Time of Completion:	90 calendar days			Phone:	(503) 722-5514
Project Description:		of 8-inch, 3,500 feet of 10-inch, of 21-inch diameter sanitary rspection.			
Sealed bids for the project identified a cited above. Bids received by the co- identified bidding department on or price Linn Procurement Policy. <i>Bids shall bidder's name and address clearly</i> works project subject to ORS 279C.800	rect date and time shall b r to the exact date and time be submitted in a sealed indicated on the front of	e publicly o e indicated d envelope the envelo	ppened and the bid pri- above. Late bids will n with the Invitation for ppe. All bids shall be o	ce read. Bids shall b ot be considered, exc or Bid Project Numb completed in ink or ty	be in the actual possession of the ept as provided in the City of West er, Project Description, and the pewritten. This Bid is for a public
		BID	DER		
To the City of West Linn: The undersigned hereby Bids and agr Notice of Invitation for Bid except for an City of West Linn Standard Terms and	y written exceptions in the				
Is the Bidder a "Resident" Bidder per Construction Contractors Board	ORS 279A.120?Ye	es/No	For clarification of	this Bid contact:	
Registration Number:			Name:		
Federal Employer Identification Number:			Telephone:		
Company	Name			Authorized Signatu	ire for Bidder
Addr	255			Printed Na	ame
City	State Zip Co	de		Title	
ACCEPTANC	E OF BID AND CON	ITRACT	AWARD (For Cit	ty of West Linn	Use Only)
Your bid is hereby accepted. The C solicitation, including all terms, condit	contractor is now bound to	sell the m	aterials and/or services	s listed by the attache	ed award notice based upon the
			City of West Linn, C)regon.	
Approved as to form:			Awarded on		,
Megan Thornton Assistant City Attorney			Chris Jordan, City N	lanager	



Public Works Department 22500 Salamo Road West Linn, Oregon 97068 Telephone: (503) 722-5500 Fax: (503) 656-4106

1. PREPARATION OF BID:

- a. All bids shall be submitted on the forms provided in this *Invitation to Bid* package. It is permissible to copy these forms if required. Telegraphic (facsimile), electronic or mailgram bids will not be considered.
- b. The Bid and Contract Award document shall be submitted with an original ink signature by a person authorized to sign the Bid.
- c. Erasures, interlineations, or other modifications in the bid shall be initialed in original ink by the authorized person signing the Bid.
- d. If price is a consideration and in case of error in the extension of prices in the bid, the unit price shall govern. No bid shall be altered, amended, or withdrawn after the specified bid due date and time.
- e. Periods of time, stated as a number of days, shall be calendar days.
- f. Bid due date and time is stated as local Oregon time.
- g. The following items must be completed as part of the Bid submittal; Notice of Invitation for Bid and Contract (indicating Oregon Construction Contractors Board License Number), Bid Form, Bid Guaranty (Bond), Non-Collusion Affidavit, Three-Year Experience, and Addenda. Within two (2) hours of the Bid submittal, or with the Bid submittal, the First Tier Subcontractor Disclosure Form must be submitted if the bid is greater than \$100,000.
- h. It is the responsibility of all Bidders to examine the entire *Invitation For Bid* package and seek clarification of any item or requirement that may not be clear and to check all responses for accuracy before submitting a bid. Negligence in preparing a Bid confers no right of withdrawal after bid due date and time.
- 2. INQUIRIES: Any question related to the *Invitation For Bid (IFB)* shall be directed to the Buyer whose name appears as the Contact on the *IFB*. The Bidder shall not contact or ask questions of the department for which the requirement is being procured. Questions should be submitted in writing when time permits. The Buyer may require any and all questions be submitted in writing at the Buyer's sole discretion. Any correspondence related to an *Invitation For Bid* should refer to the appropriate *IFB* number, page, and paragraph number. All requests for additional information or interpretation of the *IFB* shall be submitted to the Buyer no later than five (5) calendar days before the deadline for submission of bids. If, in the opinion of the City, additional information or clarification is required, an addendum will be issued to all plan holders on record. Any addenda issued by the City seventy-two (72) hours or more before the scheduled closing time for filing bids shall be binding upon the Bidder. Addenda may be downloaded from the City's website. Bidders shall frequently check the City's website until closing including at least daily the week of the closing. Failure of the Bidder to receive or obtain such addenda shall not excuse them from compliance therewith if they are awarded the contract. Oral instructions or information given by City Officers, employees or agents to Bidders concerning this *IFB* or the work in general shall not bind the City.
- 3. **PROSPECTIVE BIDDERS CONFERENCE:** A prospective Bidders conference will be held. If scheduled, the date and time of this conference will be indicated on the cover page of this document. The purpose of this conference will be to clarify the contents of this *Invitation For Bid* in order to prevent any misunderstanding of the City's position. Any doubt as to the requirements of this *Invitation For Bid* or any apparent omission or discrepancy should be presented to the City at this conference. The City will then determine if any action is necessary and may issue a written addendum to the *IFB*.
- 4. LATE BIDS: Late Bids received after the scheduled bid due date and time will be returned to the Bidder unopened.
- 5. WITHDRAWAL OF BID: At any time prior to the specified bid due date and time, a Bidder (or designated representative) may withdraw the bid.
- 6. ADDENDUM OF BID: Receipt of Addendum shall be acknowledged by signing and returning the document with the Bid at the specified bid due date and time.
- 7. **CONSTRUCTION CONTRACTORS REGISTRATION:** A person shall not submit a bid or proposal to work as a construction contractor unless that person is first registered with the Construction Contractors Board as required by ORS 701.021 or licensed by the State Landscape Contractor's Board as required by ORS 671.530. Bids from persons who fail to comply with this requirement shall be deemed non-responsive and be rejected.

8. AWARD OF CONTRACT:

- a. Notwithstanding any other provision of this *Invitation For Bid*, The City expressly reserves the right to: waive any immaterial defect or informality, reject any bids that do not comply with the prescribed public contracting procedures (including the requirement to demonstrate the bidder's responsibility under ORS 279C.375 (3)(b)), reject all bids for good cause if in the public interest, or reissue an *Invitation For Bid*.
- b. A response to an *Invitation For Bid* is a Bid to contract with the City based upon the terms, conditions and specifications contained in the City's *Invitation For Bid* and the written addenda thereto, if any. Bids do not become contracts unless and until they are accepted and executed by the City Local Contract Review Board, City Manager or Department Director in accordance with the City of West Linn Procurement Policy. A contract is formed when written notice of award(s) is provided to the successful Bidder(s). The contract has its inception in the award document, eliminating a formal signing of a separate contract. For that reason, all of the terms and conditions of the procurement contract are contained in the *Invitation For Bid*; unless modified by an Addendum.



Public Works Department 22500 Salamo Road West Linn, Oregon 97068 Telephone: (503) 722-5500 Fax: (503) 656-4106

THE FOLLOWING TERMS AND CONDITIONS ARE AN EXPLICIT PART OF THE SOLICITATION AND ANY RESULTANT CONTRACT.

1. **APPLICABLE LAW:** In the performance of this agreement, contractors shall abide by and conform to any and all laws of the United States, State of Oregon and City of West Linn including but not limited to federal and state executive orders providing for equal employment and procurement opportunities, the Federal Occupational Safety and Health Act and any other federal or state laws applicable to this agreement.

Attention is called to the requirements of Oregon Revised Statutes (O.R.S.) Chapter 279A, 279B, and 279C. This contract shall be governed by the laws of the State of Oregon. Any action or suits pertaining to this contract may be brought only in courts in the Circuit Court of Clackamas County or the U.S. District Court in Portland. Each and every provision of law and any clause required by law to be in the contract will be read and enforced as though it were included herein, and if through mistake or otherwise any such provision is not inserted, or is not correctly inserted, then upon the application of either party, the contract will forthwith be physically amended to make such insertion or correction.

The City may cancel this contract without penalty or further obligations by the City or any of its departments or agencies if any person significantly involved in initiating, negotiating, securing, drafting or creating the contract on behalf of the City or any of its departments or agencies, is at any time while the contract or any extension of the contract is in effect, an employee of any other party to the contract in any capacity or a consultant to any other party of the contract with respect to the subject matter of the contract.

- 2. AMERICANS WITH DISABILITIES ACT, DISCRIMINATION & AFFIRMATIVE ACTION: Bidders agree that if awarded a contract, the successful Bidder will comply with all applicable provisions of the Americans with Disabilities Act of 1990, 42 UFC Section 12101 et seq. If any Bidder requires special assistance or auxiliary aids during the bidding process, please notify the City of West Linn, 503-657-0331 or TDD 503-657-7845 at least two (2) business days prior to the required assistance. To the extent applicable, the Contractor represents that it will comply with Executive Order 11246 as amended, Executive Order 11141, Section 503 of the Vocational Rehabilitation Act of 1973 as amended and the Age Discrimination Act of 1975, and all rules and regulations issued pursuant to the Acts. It is the policy of the City of West Linn that suppliers of goods or services to the City adhere to a policy of equal employment opportunity and demonstrate an affirmative effort to recruit, hire, and promote regardless of race, color, religion, gender, national origin, age or disability. By submitting the first tier subcontractor disclosure form, Bidder certifies that it has complied with ORS 279A.110(1), which states that a bidder may not discriminate against a subcontractor in awarding a subcontract because the subcontractor is a minority, women or emerging business enterprise certified under ORS 200.055 or a business enterprise that is owned or controlled by, or that employs a disabled veteran.
- 3. **BUSINESS LICENSE:** A current business license is required before doing business with the City. Information related to complying with the business license requirements is available by contacting the City Finance Department at 503-657-0331 or online at https://westlinnoregon.gov/finance/online-business-license-registration.
- 4. CONSTRUCTION AND LANDSCAPE CONTRACTORS BOARDS: Construction contractors must be licensed with the State of Oregon Construction Contractors Board in accordance with O.R.S. 701.005 and any other specialty licensing as required in the bid specification prior to submitting a bid to the City. For information contact:

CONSTRUCTION CONTRACTORS BOARD 700 Summer St. NE, Suite #300, Salem, OR 97310 (503) 378-4621 (website) <u>http://www.ccb.state.or.us</u>

A Landscape Contractors Board license is required in accordance with O.R.S. 671.510 if the bid specification includes landscape work as defined by O.R.S. 671.510. For information contact:

LANDSCAPE CONTRACTORS BOARD 2111 Front St. NE, Suite #2-101, Salem, OR 97310 (503) 378-5909 (website) <u>http://www.oregon.gov/LCB/</u>



Public Works Department 22500 Salamo Road West Linn, Oregon 97068 Telephone: (503) 722-5500 Fax: (503) 656-4106

- 5. **LEGAL REMEDIES:** All claims and controversies shall be subject to resolution according to the terms of the City of West Linn Procurement Policy.
- 6. **BID GUARANTY:** All construction contracts shall be accompanied by a bid guaranty. No bid for construction will be considered unless accompanied by a certified check, cashier's check, or a bid bond for an amount not less than ten percent (10%) of the aggregate amount of the bid by a surety company authorized to issue such bonds in the State of Oregon. It shall be payable to the City of West Linn as a guaranty that the bid shall be irrevocable for a period of sixty (60) calendar days, unless otherwise specified, after the bid opening date and time and as liquidated damages should the Bidder fail or neglect to furnish the required performance bond and insurance and execute a contract within ten (10) calendar days after receiving said contract from the City for execution. The City will hold all bid security during the evaluation process. As soon as is practical after the completion of the evaluation, the City will issue a contract award notice for those Bids accepted by the City and return all checks to those who have not been issued a contract award notice.

All bid security from contractors who have been issued an award notice shall be held until the successful execution of all required contractual documents and bonds (performance bond, insurance, etc.). If the contractor fails to execute the required contractual documents and bonds within the time specified, or ten (10) days after notice of award if no period is specified, the contractor may be found to be in default and the contract terminated by the City. In case of default, the City reserves all rights inclusive of, but not limited to, the right to purchase material and/or to complete the required work in accordance with the City of West Linn Procurement Policy and to recover any actual excess costs from the contractor. Collection against the bid security shall be one of the measures available toward the recovery of any excess costs.

- 7. **CONFLICT OF INTEREST:** A Bidder submitting a bid hereby certifies that no officer, agent or employee of the City who has a pecuniary interest in this bid has participated in the contract negotiations on the part of the City, that the bid is made in good faith without fraud, collusion, or connection of any kind with any other Bidder of the same Invitation for Bids, and that the Bidder is competing solely in its own behalf without connection with, or obligation to, any undisclosed person or firm. No bid will be considered unless accompanied by the notarized Non-Collusion Affidavit form included in the Invitation for Bid.
- 8. PRE-BID REQUIREMENTS: Before submitting a bid, each Bidder shall carefully examine the Drawings, read the Specifications and all Addenda and visit the work site, if applicable. Each Bidder shall fully inform themselves prior to submitting a bid as to all existing conditions and limitations under which the Work is to be performed, and shall include in the bid a sum to cover all costs of all items necessary to perform the Work as set forth in the Bid Documents. No allowance will be made to any Bidder because of lack of such examination or knowledge. Submission of a bid will be construed as conclusive evidence that the Bidder has made such examination.
- 9. LOCAL BUSINESS PREFERENCE: ORS 279A.120 requires that, in all public contracts, the public contracting agency shall prefer good or services that have been manufactured or produced in this State if price, fitness, availability and quality are otherwise equal. As such the City desires to employ local businesses in the purchase, lease, or sale of any personal property, public improvements or services that have been manufactured or produced by a local business if price, fitness, availability and quality are otherwise equal. When a public contract is awarded to a nonresident bidder and the contract price exceeds \$10,000, the bidder shall promptly report to the Department of Revenue on forms provided by the department all information as required by ORS 279A.120(3).
- 10. **COST OF BID/PROPOSAL PREPARATION:** The City shall not reimburse the cost of developing, presenting, or providing any response to this solicitation. Bids submitted for consideration should be prepared simply and economically, providing adequate information in a straightforward and concise manner. The Invitation For Bid does not commit the City to pay any costs incurred by a Bidder in the submission of their bid, or in making any necessary studies or designs for the preparation thereof.
- 11. **CONTRACT:** The contract between the City and the Contractor shall consist of (1) the Invitation for Bid, including instructions, all terms and conditions, specifications, scopes of work, attachments, price sheet(s) and any amendments thereto, and (2) the Bid submitted by the Contractor in response to the Invitation for Bid (IFB). In the event of a conflict in



Public Works Department 22500 Salamo Road West Linn, Oregon 97068 Telephone: (503) 722-5500 Fax: (503) 656-4106

language between the IFB and the Bid, the provisions and requirements in the IFB shall govern. However, the City reserves the right to clarify, in writing, any contractual terms with the concurrence of the Contractor, and such written contract shall govern in case of conflict with the applicable requirements stated in the IFB or the Vendor's Bid. The IFB shall govern in all other matters not affected by the written contract. The contract, if awarded, will be made to the lowest, responsive and responsible Bidder offering the lowest unit price base bid. Determination of the lowest responsive, responsible bid is subject to review by the City. Adversely affected or aggrieved bidders shall have seven calendar days after notice of award to submit to the City a written protest of the notice of award. Any written protest must be submitted in accordance with the adopted City Local Contract Review Board Rules.

- 12. **CONTRACT AMENDMENTS:** This contract may be modified only by a written Contract Amendment signed by persons duly authorized to enter into contracts on behalf of the City and the Contractor.
- 13. **CONTRACT APPLICABILITY:** The Bidder shall substantially conform to the terms, conditions, specifications and other requirements found within the text of this IFB. All previous agreements, contracts, or other documents, which have been executed between the Bidder and the City are not applicable to this IFB or any resultant contract.
- 14. **DRUG TESTING PROGRAM:** Pursuant to O.R.S. 279.505 (2) (1), the Contractor awarded the contract shall demonstrate that an employee drug-testing program is in place. The Contractor demonstrates that a drug-testing program is in place by signing of the contact. The drug testing program will apply to all employees and will be maintained for the duration of the Contract awarded. Failure to maintain a program shall constitute a material breach of contract.
- 15. **RELATIONSHIP TO PARTIES:** It is clearly understood that each party will act in its individual capacity and not as an agent, employee, partner, joint venturer, or associate of the other. An employee or agent of one party shall not be deemed or construed to be the employee or agent of the other for any purpose whatsoever. The Contractor is advised that taxes or Social Security payments will not be withheld from any City payments issued hereunder and that the Contractor should make arrangements to directly pay such expenses, if any.
- 16. **INTERPRETATION-PAROL EVIDENCE:** This contract represents the entire agreement of the Parties with respect to its subject matter, and all previous agreements, whether oral or written, entered into prior to this contract are hereby revoked and superseded by this contract. No representations, warranties, inducements or oral agreements have been made by any of the Parties except as expressly set forth herein, or in any other contemporaneous written agreement executed for the purposes of carrying out the provisions of this contact. This contract may not be changed, modified or rescinded except as provided for herein, absent a written agreement signed by both Parties. Any attempt at oral modification of this contract shall be void and of no effect.
- 17. SUBCONTRACTS ASSIGNMENT & DELEGATION: Contractor shall submit a list of Subcontractors for approval by the City, and Contractor shall be fully responsible for the acts or omissions of any Subcontractors and of all persons employed by them, and neither the approval by City of any Subcontractor nor anything contained herein shall be deemed to create any contractual relation between the Subcontractor and City.

This agreement, and all of the covenants and conditions hereof, shall inure to the benefit of and be binding upon the City and the Contractor respectively and their legal representatives. Contractor shall not assign any rights nor delegate any duties incurred by this contract, or any part hereof without the written consent of City, and any assignment or delegation in violation hereof shall be void.

18. **APPROVAL OF SUBSTITIONS:** The materials, products, and equipment described in the Documents and Addenda establish a standard or required function, dimension, appearance, and quality to be met by any proposed substitution. No substitute will be considered unless written request for approval has been received by the City or its representative at least five (5) days prior to the scheduled closing time for receipt of bids. Each such request shall include the name of the material or equipment for which it is to be substituted and a complete description of the proposed substitute including any drawings, cuts, performance, and test data and any other information necessary for evaluation of the substitute. If a substitute is approved, the approval shall be acknowledged in writing. Bidder shall not consider approvals made in any other manner.



Public Works Department 22500 Salamo Road West Linn, Oregon 97068 Telephone: (503) 722-5500 Fax: (503) 656-4106

- 19. RIGHTS AND REMEDIES: No provision in this document or in the vendor's Bid shall be construed, expressly or by implication, as waiver by the City of any existing or future right and/or remedy available by law in the event of any claim of default or breach of contract. The failure of the City to insist upon the strict performance of any term or condition of the contract or to exercise or delay the exercise of any right or remedy provided in the contract, or by law, or the City's acceptance of and payment for materials or services, shall not release the Contractor from any responsibilities or obligations imposed by this contract or by law, and shall not be deemed a waiver of any right of the City to insist upon the strict performance of the Contract.
- 20. **INDEMNIFICATION:** Contractor warrants that all its work will be performed in accordance with generally accepted professional practices and standards as well as the requirements of applicable federal, state and local laws, it being understood that acceptance of a contractor's work by City shall not operate as a waiver or release.

Contractor agrees to indemnify and defend the City, its officers, agents and employees and hold them harmless from any and all liability, causes of action, claims, losses, damages, judgments or other costs or expenses including attorney's fees and witness costs and (at both trial and appeal level, whether or not a trial or appeal ever takes place) that may be asserted by any person or entity which in any way arise from, during or in connection with the performance of the work described in this contract, except liability arising out of the sole negligence of the City and its employees. If any aspect of this indemnity shall be found to be illegal or invalid for any reason whatsoever, such illegality or invalidity shall not affect the validity of the remainder of this indemnification. The amount and type of insurance coverage requirements set forth herein will in no way be construed as limiting the scope of the indemnity in this paragraph.

- 21. **EARLY TERMINATION:** This agreement may be terminated without cause prior to the expiration of the agreed upon term by mutual written consent of the parties and for the following reasons:
 - a. If work under the Contract is suspended by an order of a public agency for any reason considered to be in the public interest other than by a labor dispute or by reason of any third party judicial proceeding relating to the work other than a suit or action filed in regard to a labor dispute; or
 - b. If the circumstances or conditions are such that it is impracticable within a reasonable time to proceed with a substantial portion of the Contract.

Payment of Contractor shall be as provided by ORS 279C.660 and shall be prorated to and include the day of termination and shall be in full satisfaction of all claims by Contractor against City under this Contract. Termination under any provision of this paragraph shall not affect any right, obligation, or liability of Contractor or City which accrued prior to such termination.

- 22. CANCELLATION WITH CAUSE: City may terminate this Contract effective upon delivery of written notice to Contractor, or at such later date as may be established by City, under any of the following conditions:
 - a. If City funding from federal, state, local, or other sources is not obtained and continued at levels sufficient to allow for the purchase of the indicated quantity of services. This Contract may be modified to accommodate a reduction in funds,
 - b. If Federal or State regulations or guidelines are modified, changed, or interpreted in such a way that the services are no longer allowable or appropriate for purchase under this Contract,
 - c. If any license or certificate required by law or regulation to be held by Contractor, its subcontractors, agents, and employees to provide the services required by this Contract is for any reason denied, revoked, or not renewed,
 - d. If Contractor becomes insolvent, if voluntary or involuntary petition in bankruptcy is filed by or against Contractor, if a receiver or trustee is appointed for Contractor, or if there is an assignment for the benefit of creditors of Contractor, or



Public Works Department 22500 Salamo Road West Linn, Oregon 97068 Telephone: (503) 722-5500 Fax: (503) 656-4106

e. If Contractor fails to maintain reasonable relations with the public. Verbal abuse, threats, or other inappropriate behavior towards members of the public constitutes grounds for termination.

Any such termination of this agreement under this section shall be without prejudice to any obligations or liabilities of either party already accrued prior to such termination.

City, by written notice of default (including breach of contract) to Contractor, may terminate the whole or any part of this Contract:

- f. If Contractor fails to provide services called for by this Contract within the time specified herein or any extension thereof, or
- g. If Contractor fails to perform any of the other provisions of this Contract, or so fails to pursue the work as to endanger performance of this Contract in accordance with its terms, and after receipt of written notice from City, fails to correct such failures within ten (10) days or such other period as City may authorize.

The rights and remedies of City provided in the above clause related to defaults (including breach of contract) by Contractor shall not be exclusive and are in addition to any other rights and remedies provided by law or under this Contract.

If City terminates this Contract per clause f or g above, Contractor shall be entitled to receive as full payment for all services satisfactorily rendered and expenses incurred, an amount which bears the same ratio to the total fees specified in this Contract as the services satisfactorily rendered by Contractor bear to the total services otherwise required to be performed for such total fee; provided, that there shall be deducted from such amount the amount of damages, if any, sustained by City due to breach of contract by Contractor. Damages for breach of contract shall be those allowed by Oregon law, reasonable and necessary attorney fees, and other costs of litigation at trial and upon appeal.

- 23. **SEVERABILITY:** In the event any provision or portion of this Contract is held to be unenforceable or invalid by any court of competent jurisdiction, the remainder of this Contract shall remain in full force and effect and shall in no way be affected or invalidated thereby.
- 24. FORCE MAJEURE: Neither City nor Contractor shall be considered in default because of any delays in completion of responsibilities hereunder due to causes beyond the control and without fault or negligence on the part of the party so disenabled, including, but not restricted to, an act of God or of a public enemy, volcano, earthquake, fire, flood, epidemic, quarantine, restriction, area-wide strike, freight embargo, unusually severe weather or delay of Subcontractor or suppliers due to such cause; provided that the party so disenabled shall within ten (10) days from the beginning of such delay, notify the other party in writing of the causes of delay and its probable extent. Such notification shall not be the basis for a claim for additional compensation. Each party shall, however, make all reasonable efforts to remove or eliminate such a cause of delay or default and shall, upon cessation of the cause, diligently pursue performance of its obligation under Contract.
- 25. **RIGHT TO ASSURANCE:** Whenever one party to this contract in good faith has reason to question the other party's intent to perform he may demand that the other party give a written assurance of this intent to perform. In the event that a demand is made and no written assurance is given within five (5) days, the demanding party may treat this failure as an anticipatory repudiation of the Contract.
- 26. **RIGHT TO ACCESS RECORDS:** City shall have access to such books, documents, papers and records of Contractor and Subcontractors as are directly pertinent to this Contract for the purpose of making audit, examination, excerpts, and transcripts.
- 27. WARRANTIES: All work shall be guaranteed by the Contractor for a period of 18 months after the date of final acceptance of the work by the Owner. Contractor warrants that all practices and procedures, workmanship, and materials shall be the best available unless otherwise specified in the profession. Neither acceptance of the work nor payment



Public Works Department 22500 Salamo Road West Linn, Oregon 97068 Telephone: (503) 722-5500 Fax: (503) 656-4106

therefore shall relieve Contractor from liability under warranties contained in or implied by this contract. Additional warranty requirements may be set forth in the solicitation.

- 28. **TITLE AND RISK OF LOSS:** The title and risk of loss of material and/or service shall not pass to the City until the City actually receives the material or service at the point of delivery, unless otherwise provided within this Contract.
- 29. **CONFLICT BETWEEN TERMS:** It is expressly agreed by and between the parties hereto that should there be any conflict between the terms of this instrument and the bid of the Contractor, this instrument shall control and nothing herein shall be considered as an acceptance of the said terms of said bid conflicting herewith.
- 30. **NONWAIVER:** The failure of the City to insist upon or enforce strict performance by Contractor of any of the terms of this contract or to exercise any rights hereunder shall not be construed as a waiver or relinquishment to any extent of its right to assert or rely upon such terms or rights on any future occasion.
- 31. **LIENS:** All materials, service or construction shall be free of all liens, and if the City requests, a formal release of all liens shall be delivered to the City.
- 32. **LICENSES:** Contractor shall have at the time of bid submittal, and shall maintain in current status, all Federal, State and Local licenses and permits required for the operation of the business conducted by the Contractor as applicable to this Contract. The conclusion of the issuing authority in each case is to be deemed conclusive for the purposes of complying with this provision. By submitting a bid for this public contract, you agree that, with respect to the contract, substantial compliance does not meet the minimum requirements of this or any provision hereof, or of any applicable law or other authority, and that strict compliance alone is adequate to meet those requirements, unless the City consents to such substantial compliance in writing at the time of bid submittal. The determination shall be made by the City.
- 33. **ATTORNEY'S FEES:** In case suit or action is instituted to enforce the provisions of this contract, the parties agree that the losing party shall pay such sum as the Court may adjudge reasonable attorney's fees and court costs including attorney's fees and court costs on appeal.
- 34. **PUBLIC RECORD:** All Bids submitted in response to this solicitation shall become the property of the City and shall become a matter of public record available for review, subsequent to the award notification, in accordance with the City's Procurement Policy.
- 35. WORK IS PROPERTY OF THE CITY: All work performed by Contractor under this Contract shall be the property of the City.
- 36. **ADVERTISING:** Contractor shall not advertise or publish information concerning this Contract, without prior written consent of the City.



Public Works Department 22500 Salamo Road West Linn, Oregon 97068 Telephone: (503) 722-5500 Fax: (503) 656-4106

1. **<u>DEFINITIONS</u>**: The terms, as used in or pertaining to the contract, are defined as follows:

<u>CITY</u>: The word *"City"* shall refer to the City of West Linn, Oregon.

<u>CONTRACTOR</u>: The word "*Contractor*" is defined as the person, firm or corporation with whom the contract is made by the City.

<u>CONTRACT</u>: The word "*Contract*" will include; the Invitation to Bid Notice and Contract, Instructions to Bidders, Bid Form, Bid Guaranty, Performance Bond, Payment Bond, Notice of Award, Notice to Proceed, Change Order, Certificate of Insurance, Certificate of Completion, Contractor's Affidavit Regarding Settlement of Claims, Contractor's Affidavit Certifying Non-Collusion in Bidding, Standard Terms & Conditions, General Terms & Conditions, Special Terms & Conditions, Technical Provisions, Plans and Addenda thereto.

ENGINEER: The word *"Engineer"* is defined as the person, firm or corporation duly authorized by the City to act as agent in providing professional services including studies, planning, engineering design and construction administration services, inspecting materials and construction, and interpreting plans and specifications.

MATERIALS: The word "*Materials*" will include, in addition to materials incorporated in the project, equipment and other material used and/or consumed in the performance of the work.

SUBCONTRACTOR: The word "Subcontractor" is defined as those persons or groups of persons having a direct contract with the contractor and those who furnish material worked to a special design according to the plans and/or specifications for this work, and includes those who merely furnish materials not so worked.

WORK: The word *"Work"* shall include all labor necessary to accomplish the construction required by the Contract and all materials and equipment incorporated or to be incorporated in said construction.

2. <u>REFERENCE STANDARDS</u>:

- a. The "2010 City of West Linn Public Works Standards" which are sponsored and distributed by the City of West Linn Engineering Division, and which are hereinafter referred to as the "COWL Specifications," are hereby adopted as part of these contract documents.
- b. If any contradiction exists between "COWL Specifications" or "ODOT Specifications" and this solicitation document, the solicitation language shall prevail.
- 3. <u>LAWS AND REGULATIONS</u>: The Contractor shall keep himself fully informed of all existing and future City and County ordinances and regulations and state and federal laws and Occupational Safety and Health Standards (OSHA) in any manner affecting the work herein specified. He shall at all times observe and protect and indemnify the City of West Linn, Oregon, and its officers and agents against any claim or liability arising from or based on the violation of any such ordinances, regulations or laws. It is the responsibility of the Contractor to obtain any and all information regarding the laws and regulations which may be referenced in the Specifications.
- 4. **<u>RIGHTS OF WAY</u>**: The Contractor shall not enter or occupy with workers, tools, equipment or materials any private ground outside the property or easement right of the City of West Linn, without the consent of the owner.

The Contractor, at his own expense, is responsible for the acquisition of any additional easements or rights-of-way that he may desire to complete the work of this contract.



Public Works Department 22500 Salamo Road West Linn, Oregon 97068 Telephone: (503) 722-5500 Fax: (503) 656-4106

- 5. <u>PROPOSAL QUANTITIES</u>: It is expressly understood and agreed by the parties hereto that the quantities of the various classes of work to be done and the material to be furnished under this Contract, which have been estimated as stated in the Bids, are only approximate and are to be used solely for the purpose of comparing, on a consistent basis, the bids for the work under this Contract. The Contractor further agrees that the City of West Linn will not be held responsible if any of the quantities shall be found incorrect; and the Contractor will not make any claim for damages or for loss of profits because of a difference between the quantities of the various classes of work as estimated and the work actually done. If any error, omission, or misstatement is found to occur in the estimated quantities, the same shall not invalidate this Contract or the whole or any part of the work in accordance with the Specifications and Plans herein mentioned, and for the prices herein agreed upon and fixed therefore, or excuse him from any of the obligations or liabilities hereunder, or entitle him to any damage or compensation except as may be provided in this contract.
- 6. PREVAILING WAGE RATE DETERMINATION: The Contractor shall pay the applicable prevailing wage rates that are in effect at the time the Contract is bid. If the contract price exceeds \$50,000 and is not otherwise exempt, workers shall be paid not less than the specified minimum hourly rate of wage in accordance with ORS 279C.838 and ORS 279C.840. Hard copies of the prevailing wage rates publication may be obtained by contacting the Oregon Bureau of Labor and Industries via telephone at: (971) 673-0839. The applicable prevailing wage rates may be accessed via the internet at: http://www.oregon.gov/BOLI/WHD/PWR/pwr_book.shtml. If the Project is subject to the Davis-Bacon Act and the state prevailing rate of wage is higher than the federal prevailing rate of wage, the contractor and every subcontractor on the Project shall pay at least the state prevailing rate of wage as determined under ORS 279C.815.

The Contractor and all subcontractors must have a public works bond filed with the Oregon Construction Contractors Board before starting work on the Project, unless exempt under ORS 279C.836(4), (7), (8) or (9). If the contractor fails to pay for labor or services, the City can pay and withhold these amounts from payments due the contractor in accordance with ORS 279C.515. Daily, weekly, weekend, and holiday overtime will be paid as required in ORS 279C.540. The Contractor shall provide workers with a written schedule showing the number of hours per day and days per week the employee may be required to work in accordance with ORS 279C.520. Contractor must promptly pay for any medical services they have agreed to pay per ORS 279C.530.

The City will not receive or consider a bid unless the bid contains a statement by the bidder that the bidder will comply with ORS 279C.838, ORS 279C.840, or 40 U.S.C. 3141. By signing and submitting the Bid, the Contractor agrees to comply with ORS 279C.838 or 279C.840 and/or 40 U.S.C. 3141 et seq. for a public works project subject to the state prevailing wage rates under ORS 279C.800 to 279C.870, the federal prevailing wage rates under the Davis-Bacon Act (40 U.S.C. 3141 et seq.) or both.

For contracts \$50,000 or greater, the City shall pay a fee to the Bureau of Labor and Industries and shall be mailed or otherwise delivered to the Bureau in accordance with Form WH-81 & WH-39.

- 7. <u>PAYMENTS TO CONTRACTOR</u>: City agrees to pay Contractor for performance of those services provided hereunder, which payment shall be based upon the following applicable terms:
 - a. Payment: Payment shall be based upon the unit prices bid by the Contractor, as listed in attached bid. Contractor shall prepare and submit each month to the Buyer identified in the Invitation for Bid at the address listed, a statement of services rendered, (indicating the description of each service used in the bid and the dollar amount of each service completed through the stated date), together with a request for payment duly verified by the Contractor's Representative.

Payment by the City shall release the City from any further obligation for payment to Contractor for services performed or expenses incurred as of the date of the statement of services. Payment of installments shall not be considered acceptance or approval of any work or waiver of any defects therein. City certifies that sufficient funds are available and authorized for expenditure to finance costs of this contract. Contractor shall include proof of payment to any and all



Public Works Department 22500 Salamo Road West Linn, Oregon 97068 Telephone: (503) 722-5500 Fax: (503) 656-4106

subcontractors and suppliers with each statement submitted to the City. The City shall retain the right to withhold payments if required proof of payment to subcontractor and suppliers is not included with a statement.

- b. Timing of Payments: Progress payments, less a five percent retainage as authorized by ORS 279C.555, shall be made to the Contractor within twenty (20) days of the City's receipt of the statement of services.
- c. Final Payment: The Contractor shall notify the City in writing when the Contractor considers the project complete, and the City shall, within 15 days after receiving the written notice, either accept the work or notify the Contractor of work yet to be performed on the contract. If accepted by the City, the remaining balance due to the Contractor, including the retained percentage, shall be paid to the Contractor by the City within 30 days after the date of said acceptance.

The City shall pay to the Contractor interest at the rate of one and one-half percent per month on the final payment due the Contractor, to commence 30 days after the work under the Contract has been completed and accepted and to run until the date when final payment is tendered to the Contractor. If the City does not, within 15 days after receiving written notice of completion, notify the Contractor of work yet to be performed to fulfill contractual obligations, the interest provided by this subsection shall commence to run 30 days after the end of the 15-day period.

As a further condition of final acceptance, the City may require the Contractor to submit evidence, satisfactory to the City's Representative, that all payrolls, material bills, and other indebtedness connected with the project have been paid. If any indebtedness or liens are in dispute, the Contractor may submit a surety bond satisfactory to the City guaranteeing payment of all such disputed amounts if such payment has not already been guaranteed by surety bond.

All notices, bills and payments shall be made in writing and may be given by personal delivery or by mail. Notices, bills and payments sent by mail should be addressed to the attention of the Buyer and/or Authorized Bidder at the addresses identified in the Invitation for Bid and shall be deemed given upon deposit in the United States mail, postage paid. In all other instances, notices, bills and payments shall be deemed given at the time of actual delivery. Changes may be made in the names and addresses of the person to whom notices, bills, and payments are to be given by giving written notice pursuant to this paragraph.

8. <u>LIQUIDATED DAMAGES</u>: The Contractor agrees that the "Time of Completion" is defined in the Bid and agrees to complete the work by said date. The Contractor and City agree that the City will suffer damages each day the work remains uncompleted after the Time of Completion and that the amounts of those damages are difficult to calculate. Contractor and City agree that a reasonable amount of damages for late completion is <u>\$500 per calendar day</u> and Contractor agrees to pay such amounts as liquidated damages if the work is not completed by the Time of Completion. Contractor agrees that the liquidated damages specified herein are a fair way of ascertaining damages to the City and are not a penalty for late completion.

9. STATUS OF CONTRACTOR AS INDEPENDENT CONTRACTOR: Contractor certifies that:

a. Contractor acknowledges that for all purposes related to this Agreement, Contractor is and shall be deemed to be an Independent Contractor as defined by ORS 670.600 and not an employee of City, shall not be entitled to benefits of any kind to which an employee of City is entitled and shall be solely responsible for all payments and taxes required by law. Furthermore, in the event that Contractor is found by a court of law or any administrative agency to be an employee of City for any purpose, City shall be entitled to offset compensation due, or to demand repayment of any amounts paid to Contractor under the terms of this Agreement, to the full extent of any benefits or other remuneration Contractor receives (from City or third party) as a result of said finding and to the full extent of any payments that City is required to make (to Contractor or to a third party) as a result of said finding.



Public Works Department 22500 Salamo Road West Linn, Oregon 97068 Telephone: (503) 722-5500 Fax: (503) 656-4106

- b. The Contractor hereby represents that no employee of the City, or any partnership or corporation in which a City employee has an interest, has or will receive any remuneration of any description from Contractor, either directly or indirectly, in connection with the letting or performance of this Agreement, except as specifically declared in writing.
- c. If payment is to be charged against Federal funds, Contractor certifies that he or she is not currently employed by the Federal Government and the amount charged does not exceed his or her normal charge for the type of service provided.
- d. Contractor and its employees, if any, are not active members of the Oregon Public Employees Retirement System and are not employed for a total of 600 hours or more in the calendar year by any public employer participating in the Retirement System.
- e. Contractor certifies that it currently has a City business license or will obtain one prior to delivering services under this Agreement.
- f. Contractor is not an officer, employee, or agent of the City as those terms are used in ORS 30.265.
- 10. <u>CERTIFIED PAYROLL</u>: The Contractor shall make payment promptly, as due, to all persons supplying to such Contractor labor or material for the performance of the work provided for in this contract. The Contractor will pay all contributions or amounts due the Industrial Accident Fund under the Worker's Compensation Law from such Contractor or Subcontractor incurred in the performance of this contract. The Contractor will pay to the Department of Revenue all sums withheld from employees pursuant to ORS 316.167. The Contractor shall not permit any lien or claim to be filed or prosecuted against the City of West Linn on account of any labor or material furnished.

The Contractor or the Contractor's Surety and every Subcontractor or the Subcontractor's Surety shall file certified statements with the City in writing on a form prescribed by the Commissioner of the Bureau of Labor and Industries, certifying the hourly rate of wage paid each worker which the Contractor or the Subcontractor has employed upon such public work, and further certifying that no worker employed upon such public work has been paid less than the prevailing rate of wage or less that the minimum hourly rate of wage specified in the contract, which certificate and statement shall be verified by the oath of the Contractor or the Contractor's Surety or Subcontractor or the Subcontractor's Surety that the Contractor or Subcontractor has read such statement and certificate and knows the contents thereof and that the same is true to the Contractor's or Subcontractor's knowledge.

- a. The certified statements shall set out accurately and completely the payroll records, including the name and address of each worker, the worker's correct classification, rate of pay, daily and weekly number of hours worked, and the gross wages the worker earned during each week identified in the certified statement.
- b. Each certified statement required herein shall be delivered or mailed by the Contractor or Subcontractor to the City. A true copy of the certified statements shall also be filed at the same time with the Commissioner of the Bureau of Labor and Industries. Certified statements shall be submitted as set forth in ORS 279C.845.
- c. The City shall retain 25 percent of any amount earned by Contractor until the certified statements as required by this section have been filed. City shall pay Contractor the amount retained under this subsection within 14 days after Contractor files the certified statements as required by this section, regardless of whether a subcontractor has failed to file certified statements as required by this section. City is not required to verify the truth of the contents of certified statements filed by Contractor.

The Contractor agrees that if the Contractor fails, neglects or refuses to make prompt payment of any claim for labor or services furnished to the Contractor or a Subcontractor by any person in connection with this contract as such claim becomes due, the proper office of the City of West Linn may pay such claim to the person furnishing the labor or services and charge the amount of the payment against funds due or to become due to the Contractor by reason of such contract. Payment of a



Public Works Department 22500 Salamo Road West Linn, Oregon 97068 Telephone: (503) 722-5500 Fax: (503) 656-4106

claim in this manner shall not relieve the Contractor or the Contractor's Surety from obligation with respect to any unpaid claims.

Contractor agrees that no person shall be employed for more than ten (10) hours in any one day, or forty (40) hours in any one week, except in cases of necessity, emergency or when public policy absolutely requires it, and in such cases the laborer shall be paid at least time and a half pay for all overtime in excess of eight (8) hours in any one day or forty (40) hours in any one week when the workweek is five consecutive days, Monday through Friday, or ten (10) hours in any one day and or forty (40) hours in any one week when the workweek is four consecutive days, Monday through Friday and for all work performed on Saturday and on any legal holiday as specified in ORS 279C.540.

Contractor agrees to pay promptly as due, to any person, co partnership, association or corporation furnishing medical, surgical, and hospital care or other needed care and attention incident to sickness or injury to the Contractor's employees, of all sums which the Contractor agreed to pay for such services and all money and sums which the Contractor collected or deducted from employee wages pursuant to any law, contract or agreement for the purpose of providing or paying for such service.

- 11. **PRE-CONSTRUCTION CONFERENCE:** Within 30 days of the issuance of the Notice of Award, the Contractor is required to attend a Pre-construction Conference. The City will contact the Contractor to schedule a specific date, time and location for the Pre-construction conference. The purpose of the meeting is to outline specific construction items and procedures and to address items which require special attention on the part of the Contractor. The Contractor may also present proposed variations in procedures which the Contractor believes may improve constructability of the project, reduce cost, or will reduce inconvenience to the public. Any necessary coordination and procedures for Construction inspection and staking will be addressed during the Pre-construction Conference. The Contractor will be required to provide the following information at the Pre-construction Conference:
 - a. Names and emergency telephone numbers of key personnel involved in the project.
 - b. Names and telephone numbers of all subcontractors proposed for use on the project.
 - c. A construction progress schedule showing the estimated time for start and completion of the major items of work.
 - d. A written proposal outlining the intended plans for maintaining continuous access to residences and businesses along the construction site, and traffic control.
 - e. An itemized list of all required shop drawings, material and equipment submittals and a schedule indicating the dates each of these items will be transmitted to the City for review.

Each of the above items is subject to the review and approval by the City.

12. **INSURANCE REQUIREMENTS:** The Contractor, at Contractor's own expense, shall purchase and maintain the herein stipulated minimum insurance with companies licensed to do business in the State of Oregon with policies and forms satisfactory to the City. The City reserves the right to reject all or any insurance carrier(s) with an unacceptable financial rating. All insurance required herein shall be maintained in full force and effect until all work required to be performed under the terms of the Contract is satisfactorily completed and formally accepted; failure to do so may, at the sole direction of the City, constitute a material breach of this Contract. The Contractor's insurance shall be primary insurance, and any insurance or self insurance maintained by the City shall not contribute to it.

Any failure to comply with the claim reporting provisions of the policies or any breach of an insurance policy warranty shall not affect coverage afforded under the policy to protect the City. The insurance policies shall contain a waiver of transfer



Public Works Department 22500 Salamo Road West Linn, Oregon 97068 Telephone: (503) 722-5500 Fax: (503) 656-4106

rights of recovery (subrogation) against the City, its agents, representatives, directors, officers, and employees for any claims arising out of the Contractor's work or service.

The City reserves the right to request and to receive, within 10 working days, certified copies of any or all of the herein required insurance policies and/or endorsements. The City shall not be obligated, however, to review same or to advise Contractor of any deficiencies in such policies and endorsements, and such receipt shall not relieve Contractor from, or be deemed a waiver of the City's right to insist on, strict fulfillment of Contractor's obligations under this Contract.

The insurance policies required by this Contract shall name the City, its agents, representatives, officers, directors, officials and employees as Additional Insured with respect to this contract. All Liability Insurance policies will be endorsed to show this additional coverage. A cross-liability clause or separation of insured clause will be included in general liability policy.

The policy or policies of insurance maintained by the Contractor and its subcontractors shall provide at least the following limits and coverage:

a. Commercial General Liability Insurance: Includes all liability including all major divisions of coverage, but not limited to, Premises/Operations, Completed Operations, Independent Contractors' Protective, Products-Completed Operations, Contractual Liability (including coverage for the Contractor's indemnity obligations and other contractual indemnity obligations assumed by the Contractor), Personal Injury, and Broad Form Property Damage (including coverage for Explosion, Collapse, and Underground Hazards). The following insurance will be carried:

Employer's Liability Insurance \$ 2,000,000.00 Each Occurrence \$ 2,000,000.00 Disease Each Employee \$ 2,000,000.00 Disease – Policy

Commercial General Liability insurance \$ 2,000,000.00 Each Occurrence Limit \$ 3,000,000.00 General Aggregate \$ 3,000,000.00 Products/Completed Operations Aggregate \$ 3,000,000.00 Personal and Advertising Injury \$ 2,000,000.00 Limited Job Site Pollution Occurrence Sub-Limit

Comprehensive Automobile Liability Insurance including coverage for all owned, hired and non-owned vehicles \$ 2,000,000.00 Each Occurrence Combined Single Limit \$ 3,000,000.00 Aggregate Bodily Injury & Property Damage or \$ 2,000,000.00 Each Person Bodily Injury \$ 2,000,000.00 Each Occurrence Bodily Injury

\$ 2,000,000.00 Each Occurrence Bodily Injury \$ 2,000,000.00 Each Occurrence Property Damage

\$ 2,000,000.00 Each Occurrence Pollution Occurrence Sub-Limit

b. "All risk" Builder's Risk Insurance (including earthquake and flood) covering the real and personal property of others in the care, custody, and control of the contractor, if applicable. Coverage shall include theft and damage to building interiors, exterior, in transit and offsite storage. The minimum amount of coverage to be carried shall be equal to the full amount of the contract.

The policy shall be endorsed to have the General Aggregate apply to this Project Only.

The insurance policies may provide coverage which contains deductibles or self-insured retentions. Such deductible and/or self insured retentions shall not be applicable with respect to the coverage provided to the City under such policies. The



Public Works Department 22500 Salamo Road West Linn, Oregon 97068 Telephone: (503) 722-5500 Fax: (503) 656-4106

Contractor shall be solely responsible for deductible and/or self insured retention and the City, at its option, may require the Contractor to secure the payment of such deductible or self-insured retentions by a surety bond or an irrevocable and unconditional letter of credit.

Certificates of Insurance: Prior to commencing Services under this Contract, Contractor shall furnish the City with Certificates of Insurance, or formal endorsements as required by the Contract, issued by Contractor's insurer(s), as evidence that policies providing the required coverage, conditions and limits required by this Contract are in full force and effect. Certificates of Insurance should read "Insurance certificate pertaining to <u>(this contract)</u>. The City of West Linn, its officers, directors and employees shall be added as additional insured with respects to this contract. Insured coverage is primary" in the description portion of the certificate.

If a policy does expire during the life of the contract, a renewal certificate must be sent to the City ten (10) days prior to the expiration date. Insurance required herein shall not expire, be canceled, or materially changed without thirty (30) days prior written notice to the City. The procuring of such required insurance shall not be construed to limit contractor's liability hereunder. Notwithstanding said insurance, Contractor shall be obligated for the total amount of any damage, injury, or loss caused by negligence or neglect connected with this Contract.

13. **PERFORMANCE BOND:** The contractor shall be required to furnish non-revocable security binding the contractor to provide faithful performance of the contract in the amount of 100% of the total contract price payable to the City of West Linn.

Performance security shall be in the form of a performance bond, certified check or cashier's check. This security must be in the possession of the City within the time specified or ten (10) days after notice of award if no period is specified. If the contractor fails to execute the security document as required, the contractor may be found in default and the contract terminated by the City. In case of default the City reserves all rights.

All performance bonds shall be executed on the Performance Bond form included in the Bid Document, duly executed by the Bidder as Principal and having as Surety thereon a Surety company approved by the owner and holding a Certificate of Authority to transact surety business in the State of Oregon, by the Oregon Department of Insurance. Individual sureties are unacceptable. All Insurers and Sureties shall have at the time of submission of the proposal an A.M. Best's Key Rating Guide of "A-" or better as currently listed in the most recent Best Key Guide, published by the A.M. Best Company, payable without condition to the Owner.

14. **PAYMENT BOND:** The contractor shall be required to furnish non-revocable security for the protection of all persons supplying labor and material to the contractor or any subcontractor for the performance of any work related to the contract. Payment security shall be in the amount of 100% of the total contract price and be payable to the City of West Linn. Payment security shall be in the form of a payment bond, certified check or cashier's check.

All payment bonds shall be executed on the Payment Bond form included in the Bid Document, duly executed by the Bidder as Principal and having as Surety thereon a Surety company approved by the owner and holding a Certificate of Authority to transact surety business in the State of Oregon, by the Oregon Department of Insurance. Individual sureties are unacceptable. All Insurers and Sureties shall have at the time of submission of the proposal and A.M. Best's Key Rating Guide of "A-" or better as currently listed in the most recent Best Key Guide, published by the A.M. Best Company, payable without condition to the Owner.

15. **NOTICE TO PROCEED**: Within 45 days of the issuance of the Notice of Award the City may issue a written Notice to Proceed. The Notice to Proceed shall stipulate the actual contract start date, the contract duration and the contract completion date. The time required for the Contractor to obtain permits, licenses and easements shall be included in the contract duration and shall not be justification for a delay claim by the Contractor. The time required for the Contractor to



Public Works Department 22500 Salamo Road West Linn, Oregon 97068 Telephone: (503) 722-5500 Fax: (503) 656-4106

prepare, transmit and obtain approval of applicable submittals shall be included in the contract duration and shall not be justification for a delay claim by the Contractor.

No work shall be started until after all required permits, licenses, and easements have been obtained.

No work shall be started until all applicable submittals have been submitted and returned approved by the City's Representative.

- 16. **PROTECTION OF FINISHED OR PARTIALLY FINISHED WORK**: The Contractor shall properly guard and protect all finished or partially finished work, and shall be responsible for the same until the entire contract is completed and accepted by the City Engineer. The Contractor shall turn over the entire work in full accordance with these Specifications before final settlement shall be made.
- 17. <u>CHANGE ORDERS</u>: The City may at any time, and without notice, issue a written Change Order requiring additional work within the general scope of this Contract, or any amendment thereto, or directing the omission of or variation in work. If such Change Order results in a material change in the amount or character of the work, an equitable adjustment in the Contract price and other provisions of this Contract as may be affected may be made. Any claim by Contractor for an adjustment under this section shall be asserted in writing within thirty (30) days from the date of receipt by Contractor of the notification of change or the claim will not be allowed. Whether made pursuant to this section or by mutual agreement, no change shall be binding upon City until a Change Order is executed by the Authorized Representative of City, which expressly states that it constitutes a Change Order to this Contract. The issuance of information, advice, approvals, or instructions by City's Representative or other City personnel shall not constitute an authorized change pursuant to this section. Nothing contained in this section shall excuse the Contractor from proceeding with the prosecution of the work in accordance with the Contract, as changed.
- 18. <u>STOCKPILE OF MATERIALS</u>: The Contractor may, if approved by the City Engineer, place or stockpile materials in the public right-of-way provided they **do not** prevent access to adjacent properties or prevent compliance with traffic regulations. Traffic shall not be required to travel over stockpiled materials, and proper dust control shall be maintained.
- 19. <u>EXCESS MATERIALS</u>: When excavations are made, resultant loose earth shall be utilized for filling by compacting in place or disposed of off the site. Excess or unsuitable material, broken asphaltic concrete and broken portland cement concrete excavated from the right-of-way shall be removed from the project and disposed of by the Contractor.

Waste material shall not be placed on private property without express permission of the property owner.

The Contractor shall at all times keep the premises free from accumulation of waste materials or rubbish caused by his operations. At the completion of the work, he shall remove all equipment, tools and surplus materials, and shall completely clean the premises, removing and disposing of all debris and rubbish, and cleaning all stains, spots, marks, dirt, smears, etc. When work premises are turned over to the City, they shall be thoroughly clean and ready for immediate use.

Clean-up shall include removal of all excess pointing mortar materials within pipes and removal of oversized rocks and boulders left after finish grading. The Contractor shall provide for the legal disposal of all waste products debris, etc., and shall make necessary arrangements for such disposal.

20. **ENVIRONMENTAL POLLUTION**: As provided by ORS 279C.525, all applicable provisions of federal, state or local statutes, ordinances and regulations dealing with the prevention of environmental pollution and the preservation of natural resources that affect the work under this contract are by reference incorporated herein to the same force and affect as if set forth herein in full. If the Contractor must undertake additional work due to the enactment of new or the amendment of existing statutes, ordinances or regulations occurring after the submission of the successful bid, the City shall issue a Change Order setting forth the additional work that must be undertaken. The Change Order shall not invalidate the Contract and



Public Works Department 22500 Salamo Road West Linn, Oregon 97068 Telephone: (503) 722-5500 Fax: (503) 656-4106

there shall be, in addition to a reasonable extension, if necessary, of the contract time, a reasonable adjustment in the contract price, if necessary, to compensate the Contractor for all costs and expenses incurred, including overhead and profits, as a result of the delay or additional work.

- 21. <u>SALVAGE, COMPOSTING OR MULCHING</u>: If this is a contract for demolition work, the Contractor shall salvage or recycle construction and demolition debris, if feasible and cost-effective. If this is a contract for lawn and landscape maintenance, Contractor shall compost or mulch yard waste material at an approved site, if feasible and cost-effective.
- 22. <u>LOSSES AND DAMAGES</u>: All loss or damage arising out of the nature of the work to be done or from the action of the elements or from any unforeseen circumstances in the prosecution of the same, or from any unusual obstructions or difficulties which may be encountered in and/or during the prosecution of the work, or from any casualty whatsoever of every description, shall be sustained and borne by the Contractor at his own cost and expense.
- 23. <u>CHARACTER AND STATUS OF WORKMEN</u>: Only skilled foremen and workmen shall be employed on work requiring special qualifications. When required by the City, the Contractor shall discharge any person who is, in the opinion of the City Engineer, disorderly, dangerous, insubordinate, incompetent, or otherwise objectionable. The Contractor shall keep the City harmless from damages or claims for compensation that may occur in the enforcement of this section.
- 24. **WORK METHODS:** The methods, equipment and appliances used on the work shall be such as will produce a satisfactory quality of work, and shall be adequate to complete the contract within the time limit specified.

Except as is otherwise specified, the Contractor's procedure and methods of construction may, in general, be of his own choosing, provided they follow best general practice and are calculated to secure results which will satisfy the requirements of the specifications and the supervision of the work.

The work covered by this Contract shall be carefully laid out in advance and performed in a manner to minimize interference with normal operation and utilization of the roads. The Contractor shall exercise caution during the course of this construction work to avoid damage to all known existing or possible unknown existing underground utilities. He shall conduct his construction operations in such a manner as to avoid injury to his personnel and to avoid damage to all utilities. Any damage done will be repaired without delay and at the expense of the Contractor.

- 25. **<u>INSPECTION</u>**: All material and/or services are subject to inspection and acceptance by the City. Materials and/or services failing to conform to the specifications of this Contract will be held at Contractor's risk and may be returned to the Contractor. If so returned, all costs are the responsibility of the Contractor. The City may elect to do any or all of the following per written determination:
 - a. Waive the non-conformance.
 - b. Stop the work immediately.
 - c. Bring material into compliance.
- 26. <u>TRAFFIC REGULATIONS</u>: All traffic affected by this construction shall be regulated in accordance with the *Oregon Temporary Traffic Control Handbook*, latest edition, as prepared by the Oregon Department of Transportation and any questions shall be referred to the City of West Linn City Engineer for interpretation.

At the time of the pre-construction conference, the Contractor shall designate an employee who is well qualified and experienced in construction traffic control and safety to be responsible for implementing, monitoring and altering traffic control measure, as necessary. At the same time the City will designate a representative who will be responsible to see that



Public Works Department 22500 Salamo Road West Linn, Oregon 97068 Telephone: (503) 722-5500 Fax: (503) 656-4106

all traffic control and any alterations are implemented and monitored to the extent that traffic is carried through the work area in an effective manner and that motorists, pedestrians, bicyclists and workers are protected from hazard and accidents.

- a. All traffic control devices required for this project shall be the responsibility of the Contractor. The Contractor shall place advance warnings signs in accordance with the Traffic Control Handbook.
- b. The Contractor shall provide, erect and maintain all necessary flashing arrow boards, barricades, suitable and sufficient warning lights, signals and signs, and shall take all necessary precautions for the protection of the work and safety of the public. The Contractor shall provide, erect and maintain acceptable and adequate detour signs at all closures and along detour routes.
- c. All barricades and obstructions shall be illuminated at night, and all safety lights shall be kept burning from sunset until sunrise. All barricades and signs used by the Contractor shall conform to the standard design, generally accepted for such purposes, and payment for all such services and materials shall be considered as included in the other pay items of the Contract unless specifically listed and identified.
- d. The Contractor shall insure that all existing traffic signs are erect, clean and in full view of the intended traffic at all times. Street name signs at major street intersections shall be maintained erect at all times. If these signs should interfere with construction, the Contractor shall notify the Inspector at least forty eight (48) hours in advance for City personnel to temporarily relocate said signs. The City will re-set all traffic and street name signs to permanent locations when notified by the Contractor that construction is complete unless otherwise stated in the specifications.
- e. When construction activities or traffic hazards at the construction site require the use of flagmen, it shall be the Contractor's responsibility to provide adequate personnel including flagmen to direct traffic safely.
- f. Equipment used and/or directed by the Contractor shall travel with traffic at all times. Supply trucks shall travel with traffic except when being spotted. Provide a flagman to assist with this operation.
- g. During construction, it may be necessary to alter traffic control. Alterations shall be in accordance with the Traffic Control Handbook.
- h. NO STREET WITHIN THIS PROJECT MAY BE CLOSED TO THROUGH TRAFFIC OR TO LOCAL EMERGENCY TRAFFIC WITHOUT THE PRIOR WRITTEN APPROVAL OF THE CITY ENGINEER PER DIRECTION OF THE CITY MANAGER OF THE CITY OF WEST LINN. Written approval may be given if sufficient time exists to allow for notification of the public at least two (2) days in advance of such closing. Partial closure of streets within the project shall be done in strict conformity with written directions to be obtained from the City Engineer.
- i. The Contractor shall address how local access to adjacent properties will be handled in accordance with the specification herein.
- j. Where crossings of existing pavements occur, no open trenches shall be permitted overnight, but plating may be permitted if conditions allow as determined by the City Engineer or his authorized representative. If plates cannot be used, crossings shall be appropriately back-filled to provide a safe smooth travelling surface.
- 27. <u>OUTDOOR CONSTRUCTION RESTRICTIONS</u>: Outdoor construction is restricted to the times listed below in the following table:

	Weekdays (MonFri.)	Weekends (SatSun.), Holidays
All Outdoor Construction Work	7:00 a.m. to 7:00 p.m.	9:00 a.m. to 5:00 p.m.



Public Works Department 22500 Salamo Road West Linn, Oregon 97068 Telephone: (503) 722-5500 Fax: (503) 656-4106

Holidays include: New Year's Day, Martin Luther King Jr. Birthday, Washington's Birthday/President's Day, Memorial Day, Independence Day, Labor Day, Columbus Day, Veterans Day, Thanksgiving Day, and Christmas Day.

- 28. FIRST TIER SUBCONTRACTOR DISCLOSURE: If a Bid for the Project is greater than \$100,000, within two working hours of the date and time the Bids are due, the Bidder must submit a written disclosure for all First Tier Subcontractors furnishing labor or labor and materials whose subcontracts are equal to or greater in value than 5% of the total Project Bid or \$15,000, whichever is greater, or \$350,000 regardless of the percentage of the total project bid in accordance with ORS 279C.370. The Bidder must disclose the following information about their first-tier subcontracts either in its Bid submission or within two (2) working hours after the date and time of the deadline when bids are due:
 - a. The subcontractor's name, address, Construction Contractor's Board Number (as applicable), and
 - b. The dollar value of the subcontract, and
 - c. The category of work that the subcontractor will be performing.

If the bidder will not be using any subcontractors that are subject to the above disclosure requirements, the bidder is required to indicate "NONE" on the accompanying form. Failure to submit this form by the disclosure deadline will result in a non-responsive bid. A non-responsive bid will not be considered for award. It is the Bidder's responsibility to determine all the documents are must be submitted to the City.

- 29. <u>USE OF EQUALS</u>: When the specifications for materials, articles, products, and equipment state "or equal", Contractor may bid upon, and use materials, articles, products, and equipment which will perform equally the duties imposed by the general design. The Engineer will have the final approval of all materials, articles, products, and equipment proposed to be used as an "equal." It shall not be purchased or installed without prior written approval from the City or its representative.
- 30. <u>HAZARDOUS MATERIALS</u>: The Contractor shall supply the City with a list of any and all hazardous substances used in performance of this Contract. That list shall identify the location of storage and use of all such hazardous substances and identify the amounts stored and used at each location. Contractor shall provide City with material safety data sheets for all hazardous substances brought onto City property, created on City property or delivered to City pursuant to this Contract. For the purpose of this section, "hazardous substance" means hazardous substance as defined by ORS 453.307(5). Contractor shall complete the State Fire Marshall's hazardous substance survey as required by ORS 453.317 and shall assist City to complete any such survey that it may be required to complete because of substances used in the performance of this Contract.
- 31. <u>HAZARDOUS WASTE</u>: If, as a result of performance of this Contract, Contractor generates any hazardous wastes, Contractor shall be responsible for disposal of any such hazardous wastes in compliance with all applicable federal and state requirements. Contractors shall provide City with documentation, including all required manifests, demonstrating proper transportation and disposal of any such hazardous wastes. Contractor shall defend, indemnify, and hold harmless City for any disposal or storage of hazardous wastes generated pursuant to this Contract and any releases or discharges of hazardous materials.
- 32. **TEMPORARY SANITARY FACILITIES**: The Contractor shall provide facilities for the use of workmen employed on the work site in accordance with the requirements of ORS 654.150, (Sanitary facilities at construction projects; standards, exemptions) and the rules adopted pursuant thereto. Whether or not ORS 654.150 is applicable to the project is the sole responsibility of the Contractor. Contractor shall be responsible for all costs that may be incurred in complying with or in securing exemption or partial exemption from the requirements as incidental to this contract.
- 33. <u>ELECTRIC POWER, WATER AND TELEPHONE</u>: Unless otherwise specified, the Contractor shall make his own arrangements for electric power, water and telephone. Subject to the convenience of the utility, he may be permitted to



Public Works Department 22500 Salamo Road West Linn, Oregon 97068 Telephone: (503) 722-5500 Fax: (503) 656-4106

connect to existing facilities where available, but he shall meter and bear the cost of such power or water, and installation and disconnect of such power, water and telephone services.

34. UTILITIES AND ELECTRICAL POWER LINES: The electric utility company may maintain energized aerial electrical power lines in the immediate vicinity of this project. Do not consider these lines to be insulated. Construction personnel working in proximity to these lines are exposed to an extreme hazard from electrical shock. Contractors, their employees and all other construction personnel working on this project must be warned of the danger and instructed to take adequate protective measure, including maintaining a minimum ten (10) feet clearance between the lines and all construction equipment and personnel. (see: OSHA Std. 1926.550 (a) 15).

Electrical utility companies may maintain energized underground electrical power lines in the immediate vicinity of this project. These power lines represent an extreme hazard of electrical shock to any construction personnel or equipment coming in contact with them. Contractors, their employees, and all other personnel working near any underground power lines must be warned to take adequate protective measure. (see: OSHA Std. 1926-651 (A)).

Oregon law requires all parties planning excavations in public rights-of-way to contact utilities for locations of their underground facilities in accordance with the rules adopted by the Oregon Utility Notification Center. Those rules are set forth in OAR 952-001-0010 through OAR 952-001-0090. You may obtain copies of the rules by calling the center at (503) 232-1987.

- 35. <u>COOPERATIVE PURCHASING</u>: Any publicly funded city, county, district, agency or similar entity shall have the authority to purchase specified goods/services directly from the contractor under the terms and conditions of this contract as indicated below:
 - a. The bidder agrees to extend identical pricing to local public agencies for the same terms. Quantities listed in this document reflect the City of West Linn's estimated usage only.
 - b. Each contracting agency will execute a separate contract with the successful bidder for its requirements.
 - c. Any bidder, by written notification at the time of the bid due date and time, may decline to extend the prices and terms of this bid to any, and/or all other public agencies.
 - d. Additional costs may be incurred by the successful bidder in contracting with another public agency. All demonstrable costs (shipping, etc.) may be passed on to that public agency.

Contractor shall provide information regarding total usage of contract upon request of the City of West Linn.



SPECIAL TERMS AND CONDITIONS

Public Works Department 22500 Salamo Road West Linn, Oregon 97068 Telephone: (503) 722-5500 Fax: (503) 656-4106

Solicitation Number: PW-14-17

Purpose: The City of West Linn intends to establish a contract for the **2015 Sewer Rehabilitation Project.** For the Technical Provisions of this contract see Appendix B.

1. **Prospective Bidders Conference:** Prospective bidders are not required to attend a conference to be held at the City of West Linn City Hall:

ADDRESS: 22500 Salamo Road West Linn, Oregon 97068 Bolton Conference Room

DATE/TIME: AS INDICATED ON INVITATION FOR BID

The purpose of this conference will be to clarify the contents of this Invitation For Bid in order to prevent any misunderstanding of the City's position. Any doubt as to the requirements of this Invitation For Bid or any apparent omission or discrepancy should be presented to the City at this conference. The City will then determine the appropriate action necessary, if any, and issue a written addendum to the Invitation For Bid. Oral statements or instructions shall not constitute an amendment to the Invitation For Bid.

- 2. **Bid Acceptance Period:** In order to allow for an adequate evaluation, the City requires a Bid in response to this Solicitation to be valid and irrevocable for sixty (60) days after the opening time and date.
- 3. Time of Completion: The Contractor shall commence work for this project on or before the fifth (5) day following the project start date indicated on the "Notice to Proceed" issued by the City of West Linn and shall fully complete all work under the project within the "Time of Completion" stated on the "Notice of Invitation to Bid and Contract." The Contractor shall, at all times, during the continuance of the Contract, prosecute the work with such force and equipment as is sufficient to complete all work within the time specified.
- 4. **Plans and Specifications to Successful Bidder:** The successful Bidder may obtain five (5) sets of Plans and Specifications for this project from the City at no cost.
- 5. **City of West Linn Permit:** As a City project, the Contractor is not required to obtain a City Public Works Construction, Improvement, Blasting, or Erosion Control permit. The Contractor will be responsible for any other required agency permits.
- 6. **Key Personnel:** It is essential that the Contractor provide adequate experienced personnel, capable of and devoted to the successful accomplishment of work to be performed under this contract. The Contractor must agree to assign specific individuals to the key positions.
 - b. The Contractor agrees that, once assigned to work under this contract, key personnel shall not be removed or replaced without written notice to the City.
 - c. If key personnel are not available for work under this contract for a continuous period exceeding 30 calendar days, or are expected to devote substantially less effort to the work than initially anticipated, the Contractor shall immediately notify the City, and shall, subject to the concurrence of the City, replace such personnel with personnel of substantially equal ability and qualifications.



APPENDIX A

Solicitation Number: PW-14-17

Public Works Department

22500 Salamo Road West Linn, Oregon 97068 Telephone: (503) 722-5500 Fax: (503) 656-4106

Appendix A

FORMS



BID FORM

Solicitation Number: PW-14-17

Public Works Department 22500 Salamo Road West Linn, Oregon 97068 Telephone: (503) 722-5500 Fax: (503) 656-4106

Item	Description of material and/or services	Quantity	Unit	Unit Price	Total Amount
1	MOBILIZATION/DEMOBILIZATION	%	LS		
2	TRAFFIC CONTROL	%	LS		
3	SANITARY SEWER PIPE CLEANING	29,394	LF		
4	VIDEO INSPECTION (PRE – CIPP)	29,394	LF		
5	FURNISH AND INSTALL 8-INCH DIAMETER CIPP	19,507	LF		
6	FURNISH AND INSTALL 10-INCH DIAMETER CIPP	3,506	LF		
7	FURNISH AND INSTALL 12-INCH DIAMETER CIPP	351	LF		
8	FURNISH AND INSTALL 15-INCH DIAMETER CIPP	1,772	LF		
9	FURNISH AND INSTALL 18-INCH DIAMETER CIPP	3,663	LF		
10	FURNISH AND INSTALL 21-INCH DIAMETER CIPP	595	LF		
11	VIDEO INSPECTION (POST – CIPP)	29,394	LF		
12	SANITARY SEWER BYPASS PUMPING	%	LS		
13	PROTRUDING LATERAL/OBJECT TRIMMING	5	EA		
14	LATERAL REINSTATEMENT	340	EA		
					\$

West	BID BOND	Public Works Department 22500 Salamo Road						
Linn	Solicitation Number: PW-14-17	West Linn, Oregon 97068 Telephone: (503) 722-5500 Fax: (503) 656-4106						
KNOW ALL PERSONS BY THE	SE PRESENTS:							
That we,(Name of Princip	, as "Principal," pal)							
and	, an Corpc	pration,						
authorized to transact Surety k respective heirs, executors, adm	/) business in Oregon, as "Surety," hereby jointly ninistrators, successors and assigns to pay unto t))	/ and severally bind ourselves, our the City of West Linn ("Obligee") the						
WHEREAS, the condition of the obligation of this bond is that Principal has submitted its proposal or bid to an agency of the Obligee in response to Obligee's procurement document for the project identified in the Solicitation Number indicated above which proposal or bid is made a part of this bond by reference, and Principal is required to furnish bid security in an amount equal to ten (10%) percent of the total amount of the bid pursuant to the procurement document and ORS 279C.365(4) for competitive bidding or 279C.400(5) for competitive proposals.								
NOW, THEREFORE, if the proposal or bid submitted by Principal is accepted, and if a contract pursuant to the proposal or bid is awarded to Principal, and if Principal enters into and executes such contract within the time specified in the procurement document and executes and delivers to Obligee its good and sufficient performance and payment bonds required by Obligee, as well as any required proof of insurance, within the time fixed by Obligee, then this obligation shall be void; otherwise, it shall remain in full force and effect.								
IN WITNESS WHEREOF, we h representatives this	ave caused this instrument to be executed andday of, 2	sealed by our duly authorized legal 20						
PRINCIPAL:	SURETY:							
By Signature	BY ATTORNEY-IN-FAC	CT:						
Official Capacity	Name							
Attest: Corporation Sec	Attest: Corporation Secretary Signature							
	Addres	<u>s</u>						
	City	State Zip						
	Phone	Fax						

West	FC	RMS	Public Works Department 22500 Salamo Road West Linn, Oregon 97068
Linn	Solicitation Nu	ımber: PW-14-17	Telephone: (503) 722-5500 Fax: (503) 656-4106
	NONCOLLU	SION AFFIDAVIT	- ·
I, (Type/Print Name) (Name of Firm) of my firm, and its owners, dire amount of this bid.	ctors, and, officers. I a	, state that I am (Posi and that I am authori m the person responsible	tion Title)of zed to make this affidavit on behalf in my firm for the price(s) and the
I state that:			
1. The price(s) and the am communication or agreeme			ndently and without consultation, der.
	d to any other firm or pe		price(s) nor approximate amount of otential bidder, and they will not be
			efrain from bidding on this contract, noncompetitive bid or other form of
4. The bid of my firm is made from, any firm or person to s			t or discussion with, or inducement id.
	y under investigation by und liable for any act p	any governmental agend rohibited by state or fede	ubsidiaries, officers, directors, and by and have not in the last four (4) ral law in any jurisdiction, involving as follows:
awarding the contract(s) for whi	ch this bid is submitted. reated as fraudulent cor	be relied on by THE CI I understand and my firm ncealment from THE CITY	INCLUSTING ACTION OF WEST LINN, OREGON IN UNDERSTANDS THAT ANY MISSING OF WEST LINN, OREGON of the
	(Signature)	(Signatory's Name)	
	(Signa	atory's Title)	
STATE OF			
COUNTY OF			
SWORN TO AND SUBSCRIBE		DAY OF	, 20
			Notary Public
		My Commiss	ion Expires

West	FORMS	Public Works Department 22500 Salamo Road					
Linn	Solicitation Number: PW-14-17	West Linn, Oregon 97068 Telephone: (503) 722-5500 Fax: (503) 656-4106					
	THREE YEAR EXPERIENCE RECORD Recent projects first						
#1 (Project Name, Location,	Contract Cost)						
Project description:							
Project completion date: (con	ntract) (actual)						
Contact name:							
Telephone:							
#2 (Project Name, Location,	Contract Cost)						
Project description:							
Project completion date: (contract) (actual)							
Contact name:							
Telephone <u>:</u>							
#3 (Project Name, Location,	Contract Cost)						
Project description:							

West	FORMS		Public Works Department 22500 Salamo Road West Linn, Oregon 97068					
Linn	Solicitation Number: P	Solicitation Number: PW-14-17						
Project completion date: (co	ntract)	(actual)						
Contact name:								
Telephone <u>:</u>								
#4 (Project Name, Location,	Contract Cost)							
Project description:								
Project completion date: (contract) (actual)								
Contact name:								
Telephone <u>:</u>								
#5 (Project Name, Location,	Contract Cost)							
Project description:								
Project completion date: (contract) (actual)								
Contact name:								
Telephone <u>:</u>								
Attach additional sheets if ne	eded.							

FIRST-TIER SUBCONTRACTOR DISCLOSURE PROJECT NAME: BID #: BID #: BID #: BID CLOSING: Date:TIme: BID CLOSING: Date: DATE:
--



PERFORMANCE BOND

Solicitation Number: PW-14-17

Public Works Department 22500 Salamo Road West Linn, Oregon 97068 Telephone: (503) 722-5500 Fax: (503) 656-4106

kNOW ALL MEN BY THESE PRESENTS, that we,				
	(Official N	ame & Form of Organ	ization)	
Whose address is:	(City)	(State)	(Zip)	
as Principal, and.	Cuy)	(State)	$(\Sigma \iota p)$	
Whose address is:	(Print - Ag	ent / Contact Name)	(Phone Numbe	r)
(Street Address of Surety) (Ci a corporation duly authorized to conduct a general surety bu held and bound unto the City of West Linn, Oregon, a munici of and/100 DOLLARS (\$ lawful money of the United State of America, for the payme bind ourselves, our successors and assigns firmly by these pre	isiness in the pality of the ent of which	e State of Oregon, herei),(The Contract	Surety, are jointly nafter called Oblig Price, Both in Wor	and severally see, in the sum ds & Figures)
ond outserves, out successors and assigns mining by these pre-	sents,			
TERMS AND CONDITIONS				
On the (<i>Day</i>) of (<i>Month</i>),	(Year),	Name of Contr	vactor)	
Principal, entered into a contract with the City of West Linn, provide material, labor and equipment for the construction of performed by Principal are more fully described in the cor- documents are incorporated herein by reference.	Oregon, O of those imp	bligee, to construct cer provements. The publi	tain public improv c improvements a	nd work to be
In the event that Principal fails to complete the work as require Obligee the costs of completion of the work. Work is only a applicable City standards. Surety's obligation shall remain in acceptance by Obligee. The total amount of the Surety's liable stated above.	complete will effect until	hen it meets the standa the work is accepted b	rds required by the by Obligee, but shall	e Contract and Il terminate on
Surety agrees that no change, extension of time, alternation performed thereunder or the specifications accompanying th does hereby waive notice of any such change, extension of tir or the specifications.	e same sha	ll in anywise affect its	obligations on thi	s bond, and it
IN WITNESS WHEREOF, the parties hereto have caused the of(Month),(Year).	his Bond to	be executed in	, Oregon, tl	nis (Day)
	Contractor			
Witnesses:	Principal S	Signature		
	Principal I	Printed Name		_
	Surety			
(A true copy of the Power of Attorney must be attached to the		this bond)		
Countersigned:				
Councesigned.	Surety Att	orney of Fact		
Decident Assurt				
Resident Agent				

	West	P	AYMEN		ID		blic Works Department 22500 Salamo Road
	Linn	Solicita	tion Num	iber: PV	V-14-15		est Linn, Oregon 97068 ephone: (503) 722-5500 Fax: (503) 656-4106
KNOW ALL ME	N BY THESE PRE	SENTS, that we,	((Official Name	& Form of Org	panization)	
Whose address is:	(Street Address						
as Principal, and,			(City)		(Sta	te)	(Zip)
	(Na	me of Surety)		(Print - A	gent / Contact 1	Name)	(Phone Number)
a corporation duly unto the City of W	est Linn, Oregon, a	municipality of t	he State of Ore	gon, hereinaf	regon, as Suret fter called Oblig	gee, in the	(Zip) ly and severally held and boun sum of il money of the United State of successors and assigns firmly b
TERMS AND CO On the	NDITIONS (Day) of	(Month),	(Year)				
Principal, entered i the contract, Princi		the City of West I rnish materials, la	Linn, Oregon, C abor, and equip	Obligee, for th	ne construction	of certain j) public improvements. As part of The contract documents betwee
Obligee for those p labor or material fu to (1) promptly pa contract, (2) promp mentioned in Sectio be deducted and re Statues, Surety sha	ayments. In the ev irnished, Surety sha ay all contributions otly, as due, make pa on 279C.600 of the tained from wages of	ent that Principal Il take such steps or amounts due th ayments to the per Oregon Revised S of employees of th payments. Suret	permits any lie as are necessary he State Unemp rson, co-partner Statutes, or (3) he Principal and	en or claim to y to clear the ployment Cor rship, associa promptly pay d his sub-Cor	be filed or pro lien, claim or p mpensation Tru tion, or corpora to the Oregon htractors, pursua	secution ag prosecution ast Fund in tion entitle State Tax (ant to the S	I to pay, Surety shall reimburs gainst the City on account of an . In the event that Principal fai curred to the performance of th d thereto of the money and sum Commission all sums required the ection 316.711, Oregon Revise Il payments required of Princip
	of the Surety's liabil n or persons, shall in				o the persons fu	arnishing la	bor or materials, provisions an
or the specification		e same shall in an	ywise affect its	s obligations	on this bond, a	nd it does	work to be performed there under hereby waive notice of any suc s.
IN WITNESS W	HEREOF, the part <i>nth</i>),(Year)	rties hereto have).	caused this B	Bond to be e	executed in		_, Oregon, this (Day) of
			C	ontractor			
Witnesses:			Pr	rincipal Signa	ature		
			Pr	rincipal Printe	ed Name		
(A true copy of the	Power of Attorney	must be attached		urety of this bond)			
Countersigned:							
Resident Agent			Su	urety Attorne	y of Fact		
			Page 3	2 of 35			

West	FC	ORMS	Public Works Department 22500 Salamo Road			
Linn	Solicitation N	umber: PW-14-17	West Linn, Oregon 97068 Telephone: (503) 722-5500 Fax: (503) 656-4106			
	-	TOR'S AFFIDAVIT IENT OF CLAIMS				
DATE: TO: City of West Linn Persons:		PROJECT: 2015 Sanita	ary Sewer Rehabilitation			
			bor used in connection with the n duly discharged.			
The undersigned, for the consideration of \$, as set forth in the final pay estimate, as full and complete payment under the terms of the contract, hereby waives and relinquishes any and all further claims or right of lien under, in connection with, or as a result of this project. The undersigned further agrees to indemnify and hold harmlessagainst any and all liens, claims of liens, suits, actions, damages, charges and expenses whatsoever, whichmay suffer arising out of the failure of the undersigned to pay for all labor performance and materials furnished for the performance of said project.						
Signed at	, this _	day of	, 20			
		(CONTRACT	,			
STATE OF	_) _)§)					
The foregoing instrument was su	ubscribed and sworn to	before me this day of	, 20			
My Commission Expires:		Notary Pubic				
	Pa	ge 33 of 35				



CONTRACT FEE SECTION PREVAILING WAGE RATE UNIT BUREAU OF LABOR AND INDUSTRIES 800 N.E. OREGON ST., #1045 PORTLAND, OR 97232-2180 PHONE: (971) 673-0852 FAX: (971) 673-0769

For Office Use Only:

Project DB #:____

PUBLIC WORKS FEE INFORMATION FORM

For use by public agencies that have contracted with a contractor on a public works project regulated by ORS 279C.800 to 279C.870, in compliance with ORS 279C.825. Also for use by public agencies that are a party to a public works project pursuant to ORS 279C.800(6)(a)(B), (C) (D) or (E).

PUBLIC AGENCIES: Please complete and mail this form to BOLI at the above address, along with the public works fee of one-tenth of one percent of the contract price (contract amount x .001), payable to BOLI. The minimum fee is \$250.00; the maximum fee is \$7,500.00. Without the following completed information, the bureau may be unable to properly credit you for payment received.

PUBLIC AGENCY:		AGENCY #:		
AGENCY MAILING ADDRESS:				
CITY, STATE, ZIP:				
AGENCY CONTACT PERSON:				
PROJECT MANAGER NAME:		PHONE: ()		
PROJECT NAME:				
CONTRACT NAME (if part of larger project	ct):			
PROJECT LOCATION:				
PROJECT NO:				
DATE CONTRACT AWARDED:	CONTRACTOR CO	CB#:		
CONTRACTOR BUSINESS NAME (DBA):				
CONTRACTOR ADDRESS:				
CITY, STATE ZIP				
CONTRACT AMOUNT: \$ If less than \$50K, is it part of a larger projec				
(Please duplicate this form for future use)				

lease duplicate this form for future use.)



BUREAU OF LABOR AND INDUSTRIES NOTICE OF PUBLIC WORKS

For Office Use Only:

(For use by public agencies in complying with ORS 279C.835)

Project DB #:____

NOTE: ORS 279C.835 requires that public contracting agencies include with this form a copy of the disclosure of first-tier
subcontractors submitted pursuant to ORS 279C.370.

PUBLIC AGENCY INFORMATION		
Agency Name:		
Agency Division: Agency # (if known):		
	N	
Agency Representative:	Phone:	
	ublic agency awards a contract to a contractor for a public works project, including CM/GC public works projects in which no public agency awards a contract to a contractor.)	
CONTRACT INFORMATION:		
Project Name:		
Contract Name (if part of larger project):		
Project #:	Contract #:	
Project Manager Name:	Phone: Fax:	
Project Location (Street(s), City):	Project County:	
Contract Amount: \$	If under \$50,000, is this contract part of a larger project? YES NO	
	If yes, total project amount: \$	
Will project use federal funds that require	compliance with the Davis-Bacon Act? YES NO [
Date Contract Specifications First Adverti	sed for Bid (if not advertised, date of RFP or first contact with contractor):	
OR If CM/GC Contract, Dat	te Contract Became a Public Works Contract (see OAR 839-025-0020(6)):	
Date Contract Awarded: Date	e Work Expected to Begin: Date Work Expected to be Complete:	
DDIME CONTRACTOR INFORMATI		
PRIME CONTRACTOR INFORMATI		
	Phone:	
	on #:	
-		
Address: Phone:		
Agent Name: Payment Bond #:		
Copy of first-tier subcontractors attac		
	eting form:	
Printed Name:	Phone: Date:	
Email Address:		
THIS FORM WILL BE RETURNED TO	O THE PUBLIC AGENCY FOR CORRECTION AND RESUBMITTAL IF INCOMPLET	

Complete this page for public works projects in which NO PUBLIC AGENCY AWARDS A CONTRACT TO A CONTRACTOR. Complete the CONTRACT INFORMATION AND SECTION B, C, D or E, whichever applies to the project.

CONTRACT INFORMATION:				
Name of Project Owner:	Phone:			
Project Name:	Project #:			
Project Location (Street(s), City):	Project County:			
Total Project Cost: \$ Amoun	t of Public Funds Provided for the project: \$			
Name(s) of Public Agency(ies) Providing Public Funds:				
Will project use federal funds that require compliance with the Davis-Bacon Act? YES NO				
Date Work Expected to Begin:	Date Work Expected to be Complete:			

SECTION B: To be completed when a project is a public works pursuant to ORS 279C.800(6)(a)(B) (a project for the construction, reconstruction, major renovation or painting of a privately owned road, highway, building, structure or improvement of any type that uses funds of a private entity and \$750,000 or more of funds of a public agency).

Date the public agency or agencies committed to the provision of funds for the project:

SECTION C: To be completed when a project is a public works pursuant to ORS 279C.800(6)(a)(C) (a project for the construction of a privately owned road, highway, building, structure or improvement of any type that uses funds of a private entity and in which 25 percent or more of the square footage of the completed project will be occupied or used by a public agency).

Total square footage of privately owned road, highway, building, structure or improvement:

Percent of total square footage of the completed project that will be occupied or used by a public agency:

Date the public agency or agencies entered into an agreement to occupy or use the completed project:

SECTION D: To be completed when a project is a public works pursuant to ORS 279C.800(6)(a)(D) (a project that includes the construction or installation of a device, structure or mechanism that uses solar radiation on public property, regardless of project cost or whether the project uses funds of a public agency).

Date the public agency entered into an agreement for the project:

SECTION E: To be completed when a project is a public works pursuant to ORS 279C.800(6)(a)(E) (a project for the construction, reconstruction, major renovation or painting of a road, highway, building, structure, or improvement of any type that occurs, with or without using funds of a public agency, on real property that the Oregon University System or an institution in the Oregon University System owns).

Date the public agency entered into an agreement for the project:

Signature of agency representative completing form:

Printed Name: _____ Phone: _____ Date: _____

Email Address:

THIS FORM WILL BE RETURNED TO THE PUBLIC AGENCY FOR CORRECTION AND RESUBMITTAL IF INCOMPLETE.

RETURN THIS COMPLETED FORM TO:

Prevailing Wage Rate Unit • Bureau of Labor and Industries • 800 NE Oregon Street, #1045 • Portland, OR 97232-2180 Telephone (971) 673-0852 • FAX (971) 673-0769 • pwremail@boli.state.or.us



CONTRACT FEE SECTION PREVAILING WAGE RATE UNIT BUREAU OF LABOR AND INDUSTRIES 800 N.E. OREGON ST., #1045 PORTLAND, OR 97232-2180 PHONE: (971) 673-0852 FAX: (971) 673-0769

For Office Us	e Only:
---------------	---------

Project DB #:____

PUBLIC WORKS FEE ADJUSTMENT FORM

THIS FORM TO BE USED FOR RECONCILIATION OF FEES UPON COMPLETION OF PUBLIC WORKS PROJECTS

(As required by ORS 279C.825 and OAR 839-025-0210)

PUBLIC AGENCIES: Complete and mail this form to BOLI at the above address after completion of the public work project and not less than 30 days after the final progress payment is made to the contractor. Public agencies are required to determine the final contract price, including all change orders or other adjustments to the original contract price, and to calculate the adjusted prevailing wage rate fee based on the revised contract price. <u>Documentation must be included to support the final contract price</u>. Documentation of the final contract price may consist of change orders or other contract documents substantiating the amount of the contract. The prevailing wage rate fee of one-tenth of one percent (.001) shall be applied to the final contract price, with credit taken for fees already submitted. The public agency must submit any additional fee payable to BOLI, or submit any request for refund, with this adjustment form. THE MINIMUM FEE IS \$250.00; THE MAXIMUM FEE IS \$7,500.00. NO ADDITIONAL FEE IS REQUIRED TO BE PAID, AND REFUNDS WILL NOT BE MADE, IF THE BALANCE DUE OR THE REFUND DUE IS LESS THAN \$100.00.

PUBLIC AGENC	CY:			AGENCY #:	
PROJECT NAM	E:				
			ROJECT LOCATION:		
			DAT		
FINAL CONTRA	CT/PROJECT AMO	DUNT:		FINAL FEE I	DUE:
(Include an change	orders and adjustment	s to the contr	act price)	(Final Contr	act amount X .001)
ORIGINAL CON	TRACT AMOUNT:			INITIAL FEE	PAID:
					ct amount X .001)
TOTAL ADJUST	MENT:			BALANCE D	UE*:
				or REFUND DUI	£*:
			3	'Final contract fee	less initial fee paid
Sam	ple Calculation:				
Orig	al Contract Amount: ginal Contract Amount: al Adjustment:	- 300,000.00	-	- 300.00	

(Please duplicate this form for future use)



BUREAU OF LABOR AND INDUSTRIES, PREVAILING WAGE RATE UNIT

INSTRUCTIONS FOR COMPLETING THE PREVAILING WAGE RATE PAYROLL/CERTIFIED STATEMENT FORM (WH-38)

The Payroll/Certified Statement form (WH-38) may be used by contractors for reporting their payroll as required by ORS 279C.845 on public works projects subject to the Prevailing Wage Rate (PWR) Law. Although this form has not been officially approved by the U.S. Department of Labor (US DOL), it is designed to meet the requirements of the federal Davis-Bacon Act. For projects associated with the U.S. Department of Housing and Urban Development (HUD), contact the public agency (owner) associated with the project for assistance with payroll reporting.

Contractors are not required to use the WH-38 form in reporting their payroll; however, the contractor must provide all of the information contained in the form, including the certified statement on page two. The certified statement must be signed by the contractor, certifying the accuracy of the information reported on the payroll, including representations pertaining to the provision of fringe benefits to employees by third parties, and must be submitted with each weekly payroll report. Detailed instructions concerning the preparation of the form follow:

Complete the top third of the form. Be sure to enter the date the contract was first advertised for bid. If you are not sure of this date, contact the public agency (owner) associated with the project. The "Payroll No." is a US DOL requirement and represents the number of weeks the contractor performed work on the project.

Column 1 – NAME AND ADDRESS: The employee's full name must be shown on each payroll submitted. The employee's address must also be shown on the first payroll submitted. The address need not be shown on subsequent payrolls submitted unless the address changes. The US DOL requires an employee identification number for each individual employee, on each payroll submitted. This number may be, but does not have to be, the last four digits of the employee's social security number.

Column 2 – CLASSIFICATION: For assistance in determining the correct classification, use the Bureau of Labor and Industries' publication "Definitions of Covered Occupations for Public Works Contracts in Oregon." On the WH-38, list the classification that is most descriptive of the work actually performed by the employee. Give the group number for those classifications that include such information. Indicate which workers are apprentices, if any, and give their current percentage, classification, and group number when applicable. If an employee works in more than one classification, use the highest rate for all hours worked, or use separate line entries to show hours worked and hourly rates for each classification.

<u>Column 3 – DAY AND DATE</u>: Enter the day of the week (M, T, W, Th, F, S, and Sn) in the top row of boxes, and the corresponding date below.

HOURS WORKED EACH DAY: Enter the total number of straight time hours worked in the row marked "ST." Generally, hours worked over 8 in a day or work performed on Saturdays, Sundays, and legal holidays should be entered as overtime ("OT") hours worked. Contractors who have adopted and followed a written work schedule of four consecutive ten-hour days (Monday through Thursday or Tuesday through Friday) may enter hours worked over 10 in a day as overtime hours. For more information on overtime requirements, see the Contractor Responsibilities section of the Bureau of Labor and Industries' publication "Prevailing Wage Rate Laws" handbook.

Column 4 – TOTAL HOURS: Enter separately the total number of straight time and overtime hours worked by the employee (in each classification, if applicable) on the PWR project during the week. The total number of straight time hours worked should be entered in the lower box ("ST"); the total number of overtime hours worked should be entered in the top box ("OT").

Column 5 – HOURLY BASE RATE: Enter the hourly base rate (plus zone pay, if any) and the hourly overtime rate (plus zone pay, if any) paid to the employee in the appropriate straight time and overtime boxes. (Payment of not less than one and one half times the base rate of pay, including zone pay but not

including fringe benefits, is required to be paid for overtime hours pursuant to ORS 279C.540). Generally, use the appropriate prevailing wage rates in effect at the time the contract was first advertised for bid by the public agency. If this date is not known, or if the project was not advertised for bid, contact the public agency (owner) associated with the project for assistance with applicable rates.

<u>Column 6 – HOURLY FRINGE BENEFIT AMOUNT PAID AS WAGES TO THE EMPLOYEE</u>: Enter hourly fringe benefit amounts paid directly to the employee as wages. (For overtime hours worked, it is not necessary to pay time and one half for the fringe benefit portion of the prevailing wage rate.)

Column 7 – GROSS AMOUNT EARNED: Enter the gross amount earned for work on the PWR project during the week. If part of the employee's wages for the pay period were earned on projects other than the project described on the WH-38, or if the employee is paid less often than on a weekly basis, enter in column 7 first the gross amount earned on the PWR project for the week, then the total gross amount earned for the pay period. For example: \$567.84 / \$1,267.27.

Column 8 – ITEMIZED DEDUCTIONS, FICA, FED, STATE, ETC.: Enter deductions withheld from wages for the pay period. All deductions must be in accordance with the provisions of ORS 652.610 (and as defined in Regulations, Part 3 (29 CFR Subtitle A), issued by the Secretary of Labor under the Copeland Act, as amended (48 Stat. 948, 63 Stat. 108, 72 Stat. Stat. 967, 76 Stat. 357; 40 U.S.C 276c) on projects subject to Davis-Bacon Act). For projects subject to the Davis-Bacon Act, itemize the deductions.

<u>Column 9 – NET WAGES PAID</u>: Enter the total amount of net wages actually paid to the employee for the pay period. This figure can be calculated by subtracting the total deductions reported in <u>Column 8</u> from the gross amount of wages for the pay period reported in the bottom portion of <u>Column 7</u>.

Column 10 – HOURLY FRINGE BENEFITS PAID TO BENEFITS PARTY, PLAN, FUND OR PROGRAM: Enter the hourly amount of fringe benefits paid to each individually approved party, plan, fund, or program, for each employee. List these amounts separately on the lines provided. Any contractor who is making payments to approved parties, plans, funds or programs in <u>amounts less than the required hourly fringe benefit</u> is obligated to pay the difference directly to the employee as wages in lieu of fringe benefits, and to show that amount in <u>Column 6</u> of this form. For information on how to calculate hourly fringe benefit credits, see Appendix A in the Bureau of Labor and Industries' publication "Prevailing Wage Rate Laws" handbook.

<u>Column 11 – NAME OF BENEFIT PARTY, PLAN, FUND OR PROGRAM</u>: Enter the name of the party, plan, fund, or program that corresponds to the amount paid as an hourly fringe benefit in <u>Column 10</u>.

CALCULATION CHECK

In order to determine whether the wages and fringe benefits paid are sufficient to meet prevailing wage rate requirements, the following check may be performed:

- 1. For each classification listed in column 2, compute the sum of:
 - a) the hourly base rate of pay shown in Column 5,
 - b) the hourly fringe benefit amount paid as wages to employee shown in Column 6, and
 - c) the hourly fringe benefits paid to benefit party, plan, fund or program shown in Column 10.
- 2. This sum must equal or exceed the total of the hourly base rate (including zone pay) and the hourly fringe benefit rate for that classification as listed in the appropriate issue of the Bureau of Labor and Industries publications <u>Prevailing Wage Rates for Public Works Contracts in Oregon</u>.

IF YOU HAVE QUESTIONS REGARDING COMPLETION OF THIS FORM, CONTACT THE PREVAILING WAGE RATE UNIT OF THE BUREAU OF LABOR AND INDUSTRIES AT (971) 673-0838.

NOTE: PAYROLL/CERTIFIED STATEMENTS ARE ONLY REQUIRED TO BE SUBMITTED TO THE PUBLIC AGENCY ASSOCIATED WITH THE PROJECT.

CERTIFIED PAYROLL AND OTHER FORMS ARE AVAILABLE ON OUR WEBSITE: WWW.OREGON.GOV/BOLI

BUREAU OF LABOR AND INDUSTRIES WAGE AND HOUR DIVISION

PAYROLL/CERTIFIED STATEMENT FORM WH-38 FOR USE IN COMPLYING WITH ORS 279C.845*

Project Name: Project Number: Street Address: Exclored to the street Address: Street Address: Date Pay Period Began: Date Pay Period Began: Date Pay Period Ended: THIS SECTION FOR PRIME CONTRACTORS ONLY Project Contracting Agency Name: Phone: 0 Date Contracting Agency Name: Date Pay Period Ended: Phone: 0 Date Contracting Agency Name: Date Pay Period Ended: Phone: 0 Date Contract Specifications First Advertised for Bid: Subcontrate Prime Contract Amount: Date Contract Amount: 0 Outlot Contract Amount: 0 Image: Amount: 0 I	Type of Work: Project Location: Project County: THIS SECTION FOR SUBCONTRACTORS ONLY Subcontract Amount: Drime Contracter Business Name (DDA):	CTORS ONLY
A Period Ended:	Project Location: Project County: THIS SECTION FOR SUBCONTRAC Subcontract Amount:	CTORS ONLY
E (4)	Project County: THIS SECTION FOR SUBCONTRAC Subcontract Amount:	CTORS ONLY
Ay Period Ended:	THIS SECTION FOR SUBCONTRAC Subcontract Amount:	CTORS ONLY
E (4)	THIS SECTION FOR SUBCONTRAC Subcontract Amount:	CTORS ONLY
(4) TOTAL HOURS	Subcontract Amount:	
(4) TOTAL HOURS	Prime Contractor Business Name (DBA): Prime Contractor Phone: () Prime Contractor's CCB Registration Number: Date You Began Work on the Project:	
TOTAL HOURLY HOURS BASE RATE	(5) (6) (7) (8) (9)	(10)
-	HOURLY FRINGE GROSS ITEMIZED BENET AMOUNT AMOUNTS AMOUNT DEDUCTIONS NET PAID AS FICA, FED, PAID AS directions) STATE, ETC.	¥ ° ·
		PROGRAM

THIS FORM CONTINUED ON REVERSE

WH-38 (Rev. 11-09)

CERTIFIED	CERTIFIED STATEMENT
Date:	In addition to completing sections (1) - (3), if your project is subject to the federal Davis-Bacon Act requirements, complete the following section as well:
do hereby state: (1) That I pay or supervise the payment of the persons employed by:	(4) That: (a) WHERE FRINGE BENEFITS ARE PAID TO APPROVED PLANS, FUNDS OR PROGRAMS
on the (CONTRACTOR, SUBCONTRACTOR OR SURETY) (BUILDING OR WORK) (BUILDING OR WORK) commencing on the day of (MONTH) (YEAR) of (MONTH) (YEAR) of (MONTH) (YEAR)	 In addition to the basic hourly wage rates paid to each laborer or mechanic listed in the above referenced payroll, payments of fringe benefits as listed in the contract have been or will be made to appropriate programs for the benefit of such employees, except as noted in Section 4(c) below. (b) WHERE FRINGE BENEFITS ARE PAID IN CASH
<u> <u> </u> <u></u></u>	Each laborer or mechanic listed in the above referenced payroll has been paid, as indicated on the payroll, an amount not less than the sum of the applicable basic hourly wage rate plus the amount of the required fringe benefits as listed in the contract, except as noted in Section 4(c) below.
permissible deductions as specified in ORS 652.610, and as defined in Regulations, Part 3 (29 CFR Subtitle A), issued by the Secretary of Labor under the Copeland Act, as amended (48 Stat. 948, 63 Stat. 108, 72 Stat. 967; 76 Stat. 357; 40 U.S.C. 276c), and described below:	(c) EXCEPTIONS: EXCEPTION (CRAFT) EXPLANATION
(2) That any payrolls otherwise under this contract required to be submitted for the above period are correct and complete; that the wage rates for workers contained therein are not less than the applicable wage rates contained in any wage determination incorporated into the contract; that the classifications set forth therein for each worker conform with work performed.	
(3) That any apprentices employed in the above period are duly registered in a bona fide apprenticeship program registered with a state apprenticeship agency recognized by the Bureau of Apprenticeship and Training, United States Department of Labor, or if no such recognized agency exists in a state, are registered with the Bureau of Apprenticeship and Training, United States Department of Labor.	REMARKS:
I HAVE READ THIS CERTIFIED STATEMENT, KNOW THE CONTENTS THEREOF AND IT IS TRUE TO MY KNOWLEDGE:	NAME AND TITLE SIGNATURE
(NAME AND TITLE)	THE WILLFUL FALSIFICATION OF ANY OF THE ABOVE STATEMENTS MAY SUBJECT THE CONTRACTOR OR SUBCONTRACTOR TO CIVIL OR CRIMINAL PROSECUTION. SEE SECTION 1001 OF TITLE 18 AND SECTION 231 OF TITLE 31 OF THE UNITED STATES CODE.
(SIGNATURE AND DATE)	
FILE THIS FORM WITH THE PUBLIC AGI NOTE TO CONTRACTORS: YOU MUST ATTACH COPIES OF THIS FO INSTRUCTIONS AND ADDITIONAL FORMS ARE AVAII	FILE THIS FORM WITH THE PUBLIC AGENCY ASSOCIATED WITH THE PROJECT NOTE TO CONTRACTORS: YOU MUST ATTACH COPIES OF THIS FORM TO EACH OF YOUR PAYROLL SUBMISSIONS ON THIS PROJECT. INSTRUCTIONS AND ADDITIONAL FORMS ARE AVAILABLE ON OUR WEBSITE: WWW.OREGON.GOV/BOLI.
	WH-38 (Rev. 11-09)

PREVAILING WAGE RATES

for

Public Works Contracts in Oregon





OREGON BUREAU OF LABOR AND INDUSTRIES


Brad Avakian Commissioner Bureau of Labor and Industries

Effective: July 1, 2014

AMENDMENTS TO OREGON DETERMINATION 2014-02 EFFECTIVE OCTOBER 1, 2014						
TRADE	BASIC HOURLY RATE	HOURLY FRINGE	TRADE		BASIC H HOURLY F RATE	HOURLY RINGE
ASBESTOS WORKER/IN	SULATOR		LINE CONS	LINE CONSTRUCTOR (continued)		
	42.62	19.30	<u>Group 1</u> Cable Splice	er	<u>Group 2</u> Heavy Line E	quipment Man
Firestop Containment Worl	ker 27.76	13.14	Leadman Po			ineman Welder
ELECTRICIAN			Group 3		Group 4	
<u>Area 4</u>			Tree Trimme	ər	Line Equipme	nt man
Lighting Maintenance/ Material Handlers	17.95	8.44	<u>Group 5</u> Head Groun Jackhamme		<u>Group 6</u> Groundman	
GLAZIER	33.41	17.73	Powderman		<u>Group 7</u> Tree Trimmer Groundman	
(Add \$1.00 to base rate in State safety regulations)	f safety be	elt is required by	PAINTER & DRYWALL TAPER			Groundman
(Add \$4.00 to base rate for work done from a non- motorized single-man bosun chair)			DRYWALL TAPER 32.93 13.64		13.64	
			PLUMBER/PIPEFITTER/STEAMFITTER			
HAZARDOUS MATERIAL			<u>Area 1</u>		26.50	13.82
	22.03	10.53	Reference Counties Area 1		<u>1</u>	
HIGHWAY/PARKING STR	IPER		Baker	Ha	arney (a)	Malheur
LINE CONSTRUCTOR Area 1	33.41	11.08	North-Se to a poir three m	outh line dra nt five miles iles South c	wn from the tove east of the towe of Burns thence	n and West of a wn of John Day m of Burns and e on an airline st to the county
Group 1 Group 2	52.49 46.87	15.84 15.63				
Group 3 Group 4	26.62 40.31	10.26 12.16	SHEET MET	TAL WORK	<u>ER</u>	
Group 5 Group 6	35.15 31.31	11.40 11.35	<u>Area 1</u>		37.13	18.65
Group 7	15.91				Counties Area	<u>1</u>
Reference Co All counties exce			Benton Clackamas Clatsop Columbia Gilliam	Grant Hood Rive Lincoln Linn Marion	Multnomah Polk Sherman Tillamook Wasco	Washington Wheeler Yamhill
					e for work per jing chair or sw	formed on any inging ladder)

(Add 1.00 to base rate for work where a worker is exposed to resins, chemicals or acid)

AMENDMENTS TO OREGON DETERMINATION 2014-02 EFFECTIVE OCTOBER 1, 2014						
TRADE	BASIC HOURLY RATE	HOURLY FRINGE	TRADE		BASIC HO HOURLY FRI RATE	URLY NGE
SHEET METAL WORK	KER (continue	d)	SOFT FLO	OR LAYER	26.21 1	4.45
Area 4	31.17	16.75	TRUCK DF	RIVER		
Reference	e Counties Are	ea 4	Zone A (Base Rate):			
Douglas	Lane		Croup 1	<u>2010 A (D</u>		4.37
(Add \$1.00 to base ra swinging platform, swin (Add \$1.00 to base ra exposed to resins, cher	iging chair or s	winging ladder) here a worker is	Group 1 Group 2 Group 3 Group 4 Group 5 Group 6 Group 7		27.02 1 27.15 1 27.41 1 27.63 1 27.79 1	4.37 4.37 4.37 4.37 4.37 4.37 4.37
<u>Area 5</u>	30.99	17.80	For the Fol	lowing Cities:		
<u>Reference</u> (Add \$1.00 to base ra swinging platform, swir		erformed on any	Albany Astoria Baker Bend Bingen Brookings	Eugene Goldendale Grants Pass Hermiston Hood River Klamath Falls	Madras Medford McMinnville Newport Ontario Oregon City	Reedsport Roseburg Salem The Dalles Tillamook Vancouver
(Add \$1.00 to base ra exposed to resins, cher			Burns Coos Bay Corvallis	LaGrande Lakeview Longview	Pendleton Portland Port Orford	
<u>Area 6</u>	26.56	15.92	2	Zone differential (Add to Zone	for Truck Drive A Base Rate)	ers -
Reference	e Counties Are	<u>ea 6</u>		Zone B Zone C	.65 1.15	
Curry Jack Harney Jose	kson ephine	Klamath Lake		Zone D Zone E	1.70 2.75	
(Add \$1.00 to base rate for work performed on any swinging platform, swinging chair or swinging ladder)Zone A: Projects within 30 miles of the citie Zone B: More than 30 miles but less than 4			40 miles.			
(Add \$1.00 to base ra exposed to resins, chere			Zone C: More than 40 miles but less than 50 miles. Zone D: More than 50 miles but less than 80 miles. Zone E: More than 80 miles.			
<u>Area 7</u>	28.98	15.72		ob or project lo		
Reference Counties Area 7 (determined) on the basis of road miles and ir Reference Counties Area 7 following manner. A mileage measurement will state the entrance to the respective city hall, facing				nt will start at		
Crook Des	chutes	Jefferson	project (if p	possible), and sl	hall proceed b	y the normal
(Add \$1.00 to base ra swinging platform, swin (Add \$1.00 to base ra	iging chair or s	winging ladder) here a worker is	route (shortest time-best road) to the geographical center on the highway, railroad, and street construction projects (end of measurement). On all other project contracts, the geographical center where the major portion of the construction is located, shall			
exposed to resins, chemicals or acid) be considered the center of the project (end measurement). OCTOBER 1, 2014 PAGE 2 AMENDMENTS TO APPENDIX						
OCTOBER 1, 20	14	PAGE 2		AMENDME	INTS TO APP	ENDIX



Appendix B

TECHNICAL PROVISIONS

TECHNICAL PROVISIONS

1. GENERAL INFORMATION:

These Technical Provisions are for the work as described herein in conjunction with the associated project plans and other related documents. The construction drawings are to be considered a part of these specifications bound herein. It is understood that these improvements are intended to become the property of the City of West Linn upon completion and acceptance by the City's representative.

2. SANITARY SEWER MAIN CLEANING AND TV INSPECTION

PART 1 GENERAL

A. Description

- This section includes all labor, materials, equipment, and incidentals necessary for cleaning and internal TV inspection of sanitary sewer main lines. Work under this section shall include, but not be limited to: cleaning of mainlines and manholes and TV inspection of designated sanitary sewer main lines, traffic control as shown or required by all local, state, and federal agencies, and all other incidental work specified or shown in the Contract Documents.
- 2. Contractor shall perform all work in accordance with Federal OSHA and State safety requirements, including those for confined space entry.

B. Submittals

- 1. Submittals shall be in accordance with the requirements of these Contract Documents, and shall include the following:
- 2. Information on all cleaning and TV inspection equipment proposed for use by the contractor, including a listing of size, type, and capabilities of each piece of equipment that meet all specifications within this document.
- 3. A traffic control plan that shall include but not be limited to: staging sites, impacts to traffic patterns, considerations of bus traffic, as well as proposed signs, detours, and flaggers. See Technical Provision.

C. Contractor's Record Drawings

 The contractor shall maintain a detailed record, including a neatly marked set of construction drawings if applicable, of the sanitary sewer pipes associated with this work, including but not limited to: any differences in alignment, pipe size, and manhole or cleanout location discovered during the progress of the work. Records and drawings shall be kept current with the work as it progresses and shall be subject to inspection by the City's representative at any time.

2. The location, alignment, lengths, and sizes of the sanitary sewer lines shown on the drawings are compiled from available records and/or field surveys. The City does not guarantee the completeness or accuracy of such records. *All dimensions shall be verified by the contractor.*

PART 2 PRODUCTS

- A. Water for Cleaning
 - 1. The City will approve a hydrant for use. The contractor shall provide a double check valve and appropriate water truck meeting AWWA and City requirements. The contractor will keep a log of water use and provide it to the City.
- B. Cleaning Equipment
 - 1. General The contractor shall furnish and utilize a combination of high velocity hydraulic cleaning equipment and a vacuum unit as specified or required. High velocity cleaning equipment shall be used to clean all sewer mainlines unless otherwise specified or approved by the City's representative. Low velocity or mechanical cleaning equipment shall not be used in lieu of high velocity equipment.
 - 2. High Velocity Cleaning Equipment with Vacuum Pickup of Materials
 - a. High velocity cleaning equipment shall be capable of providing minimum 60 or higher gallons per minute at 2,000 pounds per square inch (psi) of working pressure. Contractor shall provide a minimum of 500 feet of 1-inch ID highpressure hose with at least two cleaning nozzles. The nozzles shall be capable of producing a scouring action from 15 to 45 degrees in all size lines designated to be cleaned. The equipment shall also include a high velocity "gun" for cleaning manhole walls and bottoms. The equipment shall be complete including 1,200 gallon water tanks suitable for holding corrosive or caustic chemicals, pumps, hose, hydraulically driven hose reel, auxiliary engines, controls, and all safety features required by law.
 - b. The cleaning equipment shall have an integral vacuum unit to allow the material cleaned from the pipes to be vacuumed directly from the manhole.
 - c. Contractor shall provide additional cleaning equipment, including root cutters, as required to satisfactorily clean the pipe as determined by the City's representative.

C. TV Inspection Equipment

- A closed circuit color television (CCTV) camera capable of providing still pictures and videos shall be used on all lines. The CCTV equipment shall be specifically designed for sewer inspection operations and shall be operative in 100 percent humidity conditions. Lighting and camera quality shall be suitable to allow a clear focused picture a minimum of six linear feet in front of the camera of the entire inside periphery of the pipe. The camera shall have an adjustable focus distance from six inches to infinity, and the camera lights shall be variable intensity, with light, focus, and aperture remotely controlled by the operating technician at the monitoring station.
- 2. Camera travel speed shall be from 1.8 to 30 feet per minute (fpm) with smooth, uniform motion. Sudden stops and starts will not be acceptable. Camera shall be capable of stopping and reversing direction as necessary to document sewer conditions. Video pictures shall be clear, sharp, and free from vibratory or electrical interference when the camera is in operation.
- 3. A CCTV camera with pan-tilt capabilities shall be used on all lines larger than six-inches in diameter. The CCTV camera shall be a tractor-powered camera being able to inspect dead end lines, and shall be remotely controlled by an operating technician.
- 4. The monitoring station shall be truck-mounted, capable of seating two viewing personnel and one operating technician. The monitoring station shall be fully enclosed within a rigid weatherproof enclosure on the TV truck.
- 5. A minimum of two color display monitors (minimum 650 lines horizontal resolution) operating simultaneously shall be used in the monitoring station. The monitors shall be of a proper size to allow all viewing personnel in the monitoring station a satisfactory view, and shall continuously display the current date, manhole designation of the mainline being inspected, and a continuous forward and reverse read-out of the camera distance from the manhole of reference.

PART 3 EXECUTION

- A. Temporary Traffic Control
 - 1. Provide temporary traffic control as specified elsewhere in the Technical Provisions.
- B. Maintaining Sewer Flows and Cleaning Precautions
 - All sanitary sewer system components shall remain in service through the cleaning and TV inspection operations unless specific exceptions are approved in writing by the City's representative.

- 2. During cleaning operations, precautions shall be taken by the contractor in the use of cleaning equipment. When hydraulically propelled cleaning tools which restrict the flows in the sewer lines are used, precautions shall be taken to insure that the water pressure created does not damage or cause flooding of public or private property being served by the sewer. Precautions shall be taken to protect the sewer lines and manholes from damage that may result from the improper use of cleaning equipment. The contractor shall be solely responsible for the repair of any damage to structurally sound lines or to properties connected to the sewer resulting from the cleaning operations.
- 3. The methods used to maintain flows shall be at the contractor's option and may include use of flow-through plugs with periodic release of sewage flow or bypass pumping. The bypass system, if used, shall be capable of conveying flows when the sewers are flowing full.

C. Cleaning

- 1. Clean all sewer lines and manholes designated on the drawings or directed by the City's representative prior to CCTV inspection including the manholes at both ends of the section to be inspected.
- All dirt, sand, grease, rocks, roots, or other accumulations shall be removed from pipe walls and manholes. Existing lines shall be protected from damage caused by cleaning operations. Hydraulic cleaning operations shall be conducted with care to avoid damage to pipes and manholes, or flooding of adjacent property.
- 3. All sewers shall be cleaned with high velocity equipment. The City's representative may order the use of other methods or equipment when it appears necessary.
- 4. All materials removed from the pipes during the cleaning operations shall be collected by a vacuum unit from the manhole downstream of the section being cleaned and removed by the contractor. Passing accumulated materials from manhole section to manhole section shall not be permitted.
- 5. The contractor shall be responsible for the proper and legal disposal of all materials removed from the sewers and in a manner acceptable to the City's representative.
- 6. Manhole and sewer cleaning reports shall be submitted on forms that provide all essential data, including:
 - a. Location of mainline segment or manhole being cleaned (street name and manhole designation as shown on the drawings);
 - b. Diameter of sewers, in inches;

- c. Estimated amount and type of material removed from pipe or manhole.
- 7. Two copies of the typed Mainline Cleaning Report forms shall be furnished to the City's representative as specified below.
- 8. Acceptance of the cleaning work will not be made until after the submittal of the cleaning reports and the CCTV inspection reports and records. Lines will be considered acceptably clean when sufficient material has been removed to restore the sewer line to 95 percent of its original flow capacity.
- D. Sewage Flow Controls
 - 1. The methods used to maintain flow shall be at the contractor's option and may include the use of flow-through plugs or bypass pumping.
 - 2. During periods of very high flows when lines flow greater than half full, the contractor, with the City's representative's approval, shall suspend sewer cleaning operations until flows are again less than half full.
 - 3. Depths of flow at the downstream manhole during television inspection shall not exceed those shown below when performing television inspection of the lines.

Pipe Diameter (inches)	Maximum Flow Depth % of Pipe Diameter
6-10	10
12 – 24	15
30 - 42	20
48 - 72	25

- 4. When the sewage depth of flow at the downstream manhole of the mainline section being inspected is above the maximum allowable for television inspection, the contractor shall provide flow-through plugs or other means necessary to ensure that the flows are reduced to the levels specified above.
- E. CCTV Inspection
 - 1. Internal CCTV inspection of sanitary sewer mainlines as shown on the drawings shall be performed only after the sewers have been thoroughly cleaned so that service connections, cracks, leaks and structural failures may be located.
 - 2. The CCTV inspection shall be performed on one mainline section at a time and between two manholes. Each mainline section being inspected shall be isolated from the remainder of the line as necessary by the use of line plugs or bypass pumping to insure

viewing of the inside periphery of the pipe. The TV inspection shall be performed by moving the television camera through the line along the axis of the pipe. The inspection shall be performed in a forward direction, according to line conditions at the time the inspection is made.

- 3. The pan-tilt camera shall be turned to view directly up the axis of each service lateral encountered.
- 4. During the CCTV inspections, an inspection record shall be kept which clearly shows the exact location of each service connection, crack, leak or structural fault discovered, in relation to the centerline of the adjacent manhole.
- 5. The TV inspection record shall be submitted on forms that provide all essential data, including:
 - a. Location of mainline segment being tested (manhole designation as shown on the drawings);
 - b. Pipe diameter in inches;
 - c. Type and condition of the pipe;
 - d. Length and type of joints;
 - e. Presence and location of roots or visible leaks;
 - f. Location and description of any cracks, breaks, misalignments, or obstructions;
 - g. Location and diameter of service laterals, including clock position as viewed from the camera;
 - h. Condition of the portion of lateral visible from pan-tilt camera;
 - i. Estimates of flows from service pipes is domestic or I/I.
- 6. Two copies of the printed Television Inspection Report form shall be furnished to the City's representative.
- 7. All video inspections shall be recorded on a digital portable hard drive together with voice transmissions of sewer conditions. The video records shall be accurately referenced to the corresponding inspection report and shall be organized and catalogued so that specific defects can easily be located.
- 8. The video shall be created in a format compatible with current personal computers sold in the past five years. Inspection runs shall be numbered sequentially. Each file shall

have a label which lists the date, and the manhole designation as shown on the drawings. The hard drive shall become the property of the City upon payment for the line segments inspected.

F. Report Submittals

All cleaning, TV inspection and manhole inspection reports shall be typed and organized by manhole numbers and submitted to the City's representative.

3. CURED-IN-PLACE PIPE

PART 1 GENERAL

A. Description

This Section includes the work necessary to furnish and install cured-in-place pipe (CIPP). The project locations are shown in the Drawings. The contractor shall provide all materials, labor, equipment, and services necessary for handling of sewage flow including bypass pumping, cleaning and inspection of the existing pipe system, CIPP installation, testing of the lined pipe system, and reconnection of service connections, all as specified herein.

B. Reference Specifications, Codes, and Standards

The following references are part of this Specification, in case of conflict between the requirements of this Specification and those of the listed documents, the requirements of this Specification shall prevail. The latest edition of the following references shall be used:

ASTM F1216-07b	Standard Practice for Rehabilitation of Existing Pipelines and Conduits by the Inversion and Curing of a Resin-Impregnated Tube
ASTM D790	Test methods for flexural properties of non-reinforced plastics
ASTM F1743	Standard Practice for Rehabilitation of Existing Pipelines and Conduits by the Pulled-in Place Installation of Cured-In-Place Thermosetting Resin Pipe (CIPP)
ASTM D5813	Standard Specifications for Cured-In-Place Thermosetting Resin Pipe (CIPP)
ASTM D2990	Tensile, Compressive, and Flexural Creep and Creep-Rupture of Plastics

C. CIPP Contractor Qualifications

- 1. To be eligible to perform CIPP work required in this contract, the contractor must demonstrate to the City's representative their capabilities for installing one of the specified lining products in full accordance with the plans and specifications. Approval will be made based on the City's representative's evaluation of the proposed CIPP contractor's past experience. The proposed CIPP rehabilitation process must be a proven technology, which is defined as a minimum of 100,000 lineal feet of successful sanitary sewer and/or storm water collection system installations in the U.S., documented to the satisfaction of the City's representative.
- 2. For a CIPP contractor to be considered as qualified, the contractor must satisfy all insurance, financial, and bonding requirements of the CIty, and the Contractor's Project Superintendent (See items D.4 & D.12 of this section) must have successfully installed at least 50,000 feet of the cured-in-place rehabilitation process proposed by the contractor for use on this project. Acceptable documentation of these minimum installations must be submitted to the City. Furthermore, the contractor's Project Superintendent must have a minimum of 3 years of CIPP installation experience, and must be on-site during the installation of the CIPP products.
- 3. The 3 Year Experience Record Form shall consist of the following:
 - a. A 3 Year Experience Record Form signed by the CIPP contractor that identifies previous CIPP rehabilitation projects and the qualifications of the contractor for accomplishing the CIPP work with the proposed CIPP method. The Form shall be submitted to the City with the sealed bid documents proposal. A blank copy of this form is enclosed with supplementary information in the bid document.
 - b. The City's representative shall have the right to require a prospective CIPP contractor to clarify any portion of their 3 Year Experience Record Form. Response to such a request must be made in writing and shall become a part of the 3 Year Experience Record Form. Failure to respond to such a request shall be cause for rejection of the 3 Year Experience Record Form.

D. Contractor Submittals

The following submittals shall be provided as per the Technical Provisions. The City's representative may request additional information and or shop drawings.

- 1. Certification by the lining system manufacturer that the installer is fully licensed and certified as competent to perform the work.
- 2. Certification from the manufacturer that the materials meet the requirements of these specifications and intended use. Certification of test results confirming that the liner and

resin meet the minimum chemical resistance requirements according to ASTM F 1216 and ASTM F 1743.

- 3. A list of the key qualified personnel who are assigned to and will work on this project and certification of worker training for installing CIPP liners.
- 4. Flow diversion plan for the mainline including service laterals if applicable.
- 5. Detailed method for samplings, including recommended location and size of each sample, method of removal, and method of liner repair including a procedure to repair the cured liner when core/plate samples are taken.
- 6. Design calculations stamped by a registered professional engineer in the State of Oregon certifying that the structural design requirements outlined in Part 2 of these specifications have been met.
- 7. Independent third party test results for the gravity CIPP product for approval supporting the structural performance (short-term and long-term) of the product. Test samples shall be prepared so as to simulate installation methods and trauma of the product.
- 8. Contractor 3-year Experience Record.
- 9. The contractor shall submit sewage bypass pumping and/or sewage diversion plans for review and approval by the City's representative at least 5 working days prior to commencement of the work. The contractor shall notify the City's representative 24 hours prior to commencing with the bypass pumping operation. See Technical Provision 4, Sewage Diversion Requirements, for more specific requirements.
- 10. The contractor shall submit a temporary traffic control plan if applicable. The temporary traffic control plan shall conform to the ODOT Temporary Traffic Control Handbook and MUTCD. Contractor shall submit such plan for review and acceptance a minimum of 48-hours prior to construction.

E. Quality Assurance

- 1. The finished liner shall be continuous over the entire length of an insertion/inversions run between two manholes or access points and shall be free from visual defects such as foreign inclusions, dry spots, de-laminations and lifts. Entire length of the liner shall be visible on the final TV report with waterstop gaskets to be visible at both ends of the new liner and called out. If the final TV report discovers the finished liner pipe in violation of the above written requirements the City reserves the right to reduce payment for the defective run from MH to MH up to 100%, or request replacement of the entire pipe or a section of the pipe at the contractor expense at the discretion of the City's representative.
- 2. Wrinkles in the finished liner pipe that cause a backwater of 1/4-inch or more or in any way reduce the hydraulic capacity of the pipe, and are not the result of pre-existing conditions,

are unacceptable and shall be removed and repaired by the contractor at the contractor's expense. The contractor shall remove a section of pipe, if so directed by the City Engineer, to determine if a void between wrinkle and pipe wall exists. If it is so proven that a void does exist, the contractor shall repair and replace that section of pipe at the contractor's expense. If a void does not exist, the contractor shall repair and replace that section of pipe at the contractor of pipe at the City's expense. Methods of repair shall be proposed by the contractor and submitted to the City's representative for review and approval.

PART 2 PRODUCTS

- A. Felt Liner with Heat-Cured Resin
 - 1. Liner Tube
 - a. The liner tube shall consist of one or more layers of flexible needled felt or an equivalent woven and/or non-woven material and shall meet the requirements of ASTM F1216-07b, Section 5.1.
 - b. The liner tube shall be capable of carrying resin, withstanding installation pressures and curing temperatures, and shall be compatible with the resin system used. The liner shall be fabricated to a size that, when installed, will fit the internal circumference of the existing pipe.
 - c. The liner shall be fabricated from materials which when cured, will be chemically resistant to and will withstand internal exposure to sewage gases containing quantities of hydrogen sulfide, carbon monoxide, methane, petroleum hydrocarbons, saturation with moisture, diluted sulfuric acid, and other similar chemical reagents.
 - d. The minimum tube length shall be that deemed necessary by the contractor to effectively span the distance from the inlet to the outlet of the respective manholes, or access points, unless otherwise specified. The contractor shall verify the lengths in the field before impregnation of the tube with resin. Individual insertion/inversions runs may be made over one or more manhole sections as determined in the field by the contractor and as reviewed and accepted by the City's representative.
 - e. Prior to insertion/inversions, the liner shall be free of all visible tears, holes, cuts, foreign materials, and other defects.
 - f. The manufactured tube shall be marked along its length at regular intervals not to exceed five feet.

2. Resin

The resin system shall be a corrosion resistant polyester or vinyl ester system including all required catalysts, initiators that when cured within the tube create a composite that satisfies the requirements of ASTM F1216, ASTM D5813, and ASTM F1743, the physical properties herein, and those which are to be utilized in the submitted and approved design of the CIPP for this project. The resin shall produce a CIPP that will comply with the structural and chemical resistance requirements of this specification.

- 3. Structural Requirements
 - a. The CIPP shall be designed as per ASTM F1216, Appendix X.1. The CIPP design shall assume no bonding to the original pipe wall.

The heat-cured CIPP liner shall be designed to support hydraulic, soil and live loads. The liner system shall be designed per ASTM F1216-07b, Appendix X.1. The required structural CIPP wall thickness shall be based on the physical properties in Section A.3.b below at a minimum or greater and upon a fully deteriorated gravity pipe condition in accordance with the design equations in Paragraph X1.2.2, Fully Deteriorated Gravity Pipe Condition of Appendix X1. -Design Considerations of ASTM F1216-07b, and the design parameters in Section A.3.c below. The liner wall thickness shall not exceed 8 mm.

b. The heat-cured CIPP shall conform to the structural properties as listed below.

 Minimum Value per

		Minimum Value per
Property	Test Method	ASTM F1216-07b
Flexural stress	ASTM D790	4,500 psi
Modulus of Elasticity	ASTM D790	250,000 psi
Modulus of Elasticity (enhanced)	ASTM D790	400,000 psi

- c. The felt lining with heat-cured resin CIPP shall be designed with the following structural design parameters for the fully deteriorated gravity pipe condition:
 - 1. Design Safety Factor (N) = 2.0
 - 2. Retention Factor for Long-Term Flexural Modulus = 50%-75%
 - 3. Ovality (calculated from (X1.1of ASTM F1216-07b) = 2%
 - 4. Soil density = 120 lbs./cubic foot
 - 5. Live load = HS-20
 - 6. Soil modulus = 1,000 psi
 - 7. Vacuum condition = 0
 - 8. Pipe Condition = Fully Deteriorated
 - 9. Minimum service life = 50 years

- 10. Groundwater Depth = Assume at surface
- 11. Soil Depth (above the crown) See Drawings for Existing Sewer Depths
- 12. Poisson's ratio = 0.3

PART 3 EXECUTION

A Preparation

- 1. The flow through the pipe shall be diverted and pipe shall be flushed prior to insertion of the CIPP.
- 2. The contractor shall provide sewage bypass pumping and/or sewage diversion for acceptable completion of the liner installation. Bypass pumping and diversions shall be per Technical Provision 4.
- 3. It is the contractor's responsibility to notify the residents at each address within the project vicinity at least 48 hours in advance to commencement of work and again prior to any disruption in their service.
- 4. Cleaning and Inspection of the Existing Sewer. See Technical Provision 2, Sanitary Sewer Main Cleaning and TV Inspection, for more specific requirements.
- 5. Line Obstructions It shall be the responsibility of the Contractor to clear the line of obstructions such as solids and roots that will prevent the insertion of CIPP. If pre-installation inspection reveals an obstruction such as a protruding service connection, dropped joint, or a collapse that will prevent the installation process, that was not evident on the pre-bid video and it cannot be removed by conventional sewer cleaning equipment, then the Contractor shall make a point repair excavation to uncover and remove or repair the obstruction. Such excavation shall be approved in writing by the City's Project Engineer prior to the commencement of the work and shall be considered as a separate pay item.
- 6. The contractor shall protect the manholes to withstand forces generated by equipment, water or air pressure used during the liner installation process.

A. Installation

- 1. Resin Impregnation
 - a. The quantity of resin used for tube impregnation shall be sufficient to fill the volume of air voids in the tube with additional allowances for polymerization shrinkage and the potential loss of resin during installation through cracks and irregularities in the original pipe wall, as applicable.

- b. The impregnated liner bag shall be transported to and stored at the site in such a manner that it will not be damaged, exposed to direct sunlight, or result in any public safety hazard. The impregnated liner bag shall be kept cool during shipment and storage. All materials shall be subject to inspection and review prior to installation.
- 2. Liner Installation
 - a. The wet out tube shall be positioned in the pipeline using either inversion or a pullin method as defined within relevant ASTM standards previously stipulated. If pulled into place, a power winch or its equivalent should be utilized and care should be exercised not to damage the tube as a result of pull-in friction. The tube should be pulled-in or inverted through an existing manhole or approved access point and fully extend to the next designated manhole or termination point.
 - b. The liner shall be installed at a rate not greater than ten feet per minute.
- 3. Heat Curing
 - a. Curing shall be accomplished by utilizing hot water under hydrostatic pressure or steam pressure in accordance with the manufacturer's recommended cure schedule.
 - b. Temperature shall be maintained during the curing period as recommended by the resin manufacturer's specifications. Temperature gauges shall be placed between the tube and the host pipe's invert position to monitor the temperatures during the cure cycle.
- 4. Cool Down
 - a. A cool down process shall be conducted that complies with the resin manufacturer's specification.
 - b. If the liner fails to make a tight seal at the manhole walls, a seal consisting of a resin mixture compatible with the liner/resin system shall be applied in accordance with the manufacturer specifications.
- C. Finished CIPP Requirements
 - 1. Quality Assurance
 - a. The finished CIPP shall be continuous over the entire length of an installation run, and be free of material defects. The lining shall be impervious and free of any leakage from the pipe to the surrounding ground or from the ground to the inside of the lined pipe.

- b. Both ends of the cured liner shall be cut flush at the inlet and outlet points in the manhole. In some cases, when the liner is carried through a straight channel MH, a cut out can be made through the top of the liner inside the MH with the Project Engineer approval only. In this case the bottom of the liner will serve as a continuation of the MH's channel and the edges of the cut out will be sealed watertight with approved epoxy.
- 2. Liner Defect
 - a. Any defect, which will or could affect the structural integrity, strength, capacity, or future maintenance of the installed liner, shall be repaired at the contractor's expense, in a manner approved by the City's representative.
- D. Watertight End Seals
 - 1. Gaskets
 - a. Two (2) hydrophilic rubber gaskets shall be installed in the host pipe at both the upstream end and the downstream end of the liner. Outside drop MHs shall have a gasket installed upstream from the drop pipe. The hydrophilic rubber gasket shall be Hydrophilic Expandable Waterstop HYDROTITE CJ-0725-3K or approved equal and shall be glued with LEAKMASTER LV-1 or approved equal.
 - b. The contractor may propose an alternative sealing material or products in lieu of a hydrophilic rubber joint seal. The proposed alternate shall provide a positive seal between the liner and the existing host pipe, ensuring no tracking through the annulus space and into the manhole. The product must remain in place prior to and during liner installation. If the sealing material is washed away or diluted by flow through the host pipe prior to liner installation, it must be reapplied before installation is allowed to proceed. Any alternative must be approved by the City's representative prior to installation.
 - c. The seal must be an epoxy or resin mixture compatible with the CIPP system. Seals will be incidental to the CIPP liner. Sealing material and installation method shall be submitted and approved by the City's representative prior to start of construction, and shall conform to the detail drawings provided on the plans. Mortar shall be used: Euclid Chemical "HEY'DI POWDER X" grout or approved equal. Hydraulic cements and quick-set cement products are not acceptable.
- E. Service Line Reconnection
 - 1. Service connections must be restored to service connections or laterals within the normal work day. Service connections shall be re-opened without excavation, utilizing a

remotely controlled cutting device, monitored by a CCTV. The Contractor shall certify a minimum of two complete functional cutters plus key spare components are on the job site before each installation or are in the immediate area of the jobsite and can be quickly obtained. Unless otherwise directed by the Owner's representative, all open laterals will be reinstated. All previously capped laterals shall remain capped and unopened. No additional payment will be made for excavations for the purpose of reopening connections.

- 2. Holes cut through liner will be free from burrs or projections and with a smooth and crack-free edge by brushing. The hole shall be 95 percent minimum and 100 percent maximum of the original service connection diameter. The invert of the service connection shall match the bottom of the reinstated service opening.
- 3. Miscellaneous pipe debris shall be recovered at downstream manhole and removed.
- 4. Grouting for service laterals will be required after connection opening.

F. Testing

- 1. Material Testing
 - a. CIPP samples shall be prepared for each installation designated by the owner/engineer or approximately 20% of the project's installations. Pipe physical properties will be tested in accordance with ASTM F1216 or ASTM F1743, Section 8, using either method proposed. The flexural properties must meet or exceed the values listed in the table on page 11 of this specification, Table 1 of ASTM F1216 or the values submitted to the Owner/engineer by the contractor for this project's CIPP wall design, whichever is greater.
 - b. Samples removed for testing will be individually labeled with the following:
 - Project Number and Title
 - Sample Number
 - Segment Number of line as noted on plans
 - Date and Time of Sample
 - Chain of Custody
 - c. Samples removed for testing shall be taken at the City's representative's choice. If the contractor samples from inside the line, the location of the coupon shall be repaired. The point repair spot shall be repaired with a method approved by the City's representative. The point repair is at no additional cost to the City.
 - Wall thickness of samples shall be determined as described in paragraph 8.1.6 of ASTM F1743. The minimum wall thickness at any point shall not be less that 87.5% of the submitted minimum design wall thickness.

- e. "No Dig" option: At City's representative's option, in lieu of excavation for core samples, the liner shall be run through an 18" long section of line-sized pipe, or an appropriate restraint, to act as a mold for the liner and cured.
- 2. Field Testing
 - a. After completion of all liner insertion, service reconnections, and finish work at the manholes, the sewer shall be televised with a color CCTV tilt-head camera recorded on a portable hard drive. Please pay attention that every gasket shall be visible. A portable hard drive shall be provided to the City's representative. See Technical Provision 2, Sanitary Sewer Main Cleaning and TV Inspection for more specific requirements.
- G. Reconstruct Manhole Channel
 - 1. Manholes -remove obstructions and irregularities in the channel with appropriate tools and pressure washer then grout the entire channel so the bottom of the channel is even with the newly lined pipes to improve flow through the manhole. In manholes use only an approved by the City's representative hydraulic cement grout to fill and smooth the surfaces. Prepare surfaces according to manufacturer's requirements prior to application. Finished surfaces shall provide an even slope through the manhole with no rise in elevation or protrusions that might inhibit flow.
- H. Sectional (Short) Repairs
 - 1. Sectional (short) repairs shall be performed in accordance with ASTM F2599 and all the other requirements of this section.

4. SEWAGE DIVERSION REQUIREMENTS

PART 1 GENERAL

- A. Description
 - 1. This section includes all labor, materials, equipment, and incidentals necessary for the diversion of flow in the sanitary sewer main lines. Work under this section shall include, but not be limited to: pumps, pump motors, pipes and traffic control for the use in diverting flow in the sewer main lines while the CIPP lining is installed.
- B. By-Pass Pumping Plan
 - 1. The contractor shall submit a "Flow Diversion and By-Pass Pumping Plan" to the City's representative prior to the start of construction. Under no circumstances shall sewage be allowed to flow or leak onto the ground surface, into gutters or onto streets, over

sidewalks, or into storm inlets. All diverted sanitary sewage shall be discharged back to the existing sanitary sewer system. The Flow Diversion and By-Pass Pumping Plan shall outline the contractor's proposed method of handling all flows during all elements of construction. The flow through the pipe shall be diverted and pipe shall be flushed prior to insertion of the CIPP. The plan shall show all flow inputs (connections) in the work area and how the flow from each connection will be managed. Flow inputs shall be confirmed by the contractor during initial field surveys and television inspections. The contractor shall provide complete diversion regardless of flow rate. Additionally the plan shall contain, at a minimum, a plan view of each proposed diversion on a site map and the individual components of the diversion including but not limited to:

- a. Pumps: type, size and placement
- b. Diversion pipe: size, type, and placement
- c. Power supply to pumps
- d. Method of damming the flow
- e. Facilities for redundancy
- 2. The pumping or transportation capacity shall be sufficient to maintain peak flow conditions that may occur during a rainstorm.

PART 2 PRODUCTS

- A. Equipment
 - 1. The contractor shall use critically silenced generators and pump units with hospital-grade mufflers and shall meet or exceed the requirements of any local noise ordinances. Such approved generators and accompanying pumps shall be continuously monitored while in operation and shall be placed to minimize disturbances to residential areas. If necessary to meet noise ordinances, sound baffles and temporary sound walls shall be installed to deflect sound from generators and bypass-pumps away from residential areas or as directed by the City's representative.
 - 2. Each flow diversion pump shall be powered by a dedicated power generator and shall operate as a single pumping unit. For system redundancy, the contractor shall have on site an equivalent back-up flow pumping unit for each pumping operation.
 - 3. Flow diversion piping and pumps shall be free of leaks. Leaking pipes and pumps shall be replaced immediately. Sewage spills shall be cleaned up immediately. If a sewage release occurs during any sewage diversion activity, the contractor shall be responsible for taking immediate action to cease, contain, and clean up the release, and to notify the proper authorities. The contractor shall have sufficient equipment and materials at the work site to cease, contain and cleanup any sewage release that occurs during diversion operations and will be responsible for all costs associated with sewage spill cleanup including associated fines. The contractor shall be responsible for cleanup, repair, property damage costs and claims.

4. Flow diversion piping shall be buried or arranged such that the piping is protected from traffic loads, traffic is maintained at driveways and roadways, and sidewalks are free of obstruction unless otherwise approved by the City's representative. All sewage diversion piping shall be water-tight. Surface restoration that is required for installing flow diversion piping and other appurtenances is incidental to the flow diversion and by-pass pumping pay item.

PART 3 EXECUSION

- A. Operation
 - 1. The contractor shall provide a qualified operator who is capable of making emergency repairs or who is able to mobilize forces to handle power, pump or other problems. This operator shall be on site immediately near the pumping system at all times.
 - 2. No flow diversion operations may proceed unless the contractor has, at the work site, the following items:
 - Dry granular lime, of sufficient quantities, to be spread on any release for purposes of disinfectant. A 10% bleach solution may also be used as a disinfectant. Disinfectants may not be directly applied to any surface waters, streams, creeks, etc.
 - b. Equipment to secure the area of sewage release and isolate the public from accessing the release site. As a minimum this shall include barricades and caution tape.
 - c. The equipment and materials on hand to stop the release and repair the failed item.
 - d. Equipment and materials to clean the site, rake up solid debris and to dispose of material properly.
 - 3. The contractor shall make all provisions necessary to restore normal sewer operation at the end of each day.
 - 4. Upon completion of construction, all flow diversion piping and pumps and related facilities shall be removed and all affected areas restored to their prior condition.

B. Spillages

- 1. In case of sanitary sewage release during diversion operations, the contractor shall immediately contact the City of West Linn On-Site Project Inspector notifying them of the release.
- 2. If the Project Inspector is not capable of being immediately notified, then contact the City of West Linn Public Works Operations. The following telephone numbers shall be used:

- a. (503) 656-6081
- b. (503) 849-5038
- c. (503) 742-8620
- 3. The representative of the City of West Linn shall report the sewage spill within 24 hours to the Oregon Department of Environmental Quality and any other appropriate entities. Even if a sewage spill or release is contained within an excavation, the spill or release must be reported.
- 4. Failure by the contractor to report a spill or release to the appropriate City representative will result in liquidated damages in the amount of \$500.00 per incident plus an amount sufficient to reimburse the City for any civil and administrative penalties paid by the City as a result of the contractor's failure to report as described above.
- 5. The contractor shall be responsible for providing the following information to the authorities in case of a spill or release:
 - a. Release location
 - b. Date and time release found or started and time stopped
 - c. Release flow rate and estimated total volume
 - d. Receiving stream, if any
 - e. Action taken to stop release
 - f. Cause of release
 - g. Clean-up actions taken
 - h. Any other information as requested by relevant authorities

5. MEASUREMENT AND PAYMENT

A. Bid Item 1 – Mobilization/Demobilization

Payment for mobilization/demobilization will be made as a portion of the lump sum price. Actual percentage shall be shown in the Estimated Quantities column. The actual payment amount for "Mobilization/Demobilization" included in partial payments will be determined as follows:

Mobilization shall include moving personnel, equipment, supplies and incidentals to the project site. Demobilization shall include final cleanup, removal of equipment, supplies and incidentals from the project site.

- B. Bid Item 2 Traffic Control
 - Payment for "Traffic control" shall be made as a portion of the lump sum price. The lump sum price paid for temporary traffic control system shall include full compensation for furnishing all labor for flagging, materials, tools, equipment, and

incidentals, for doing all work involved in placing, removing, storing, maintaining, moving traffic control devices required for temporary protection and direction of traffic through or around the work area.

- Temporary traffic control shall be in accordance with the ODOT Temporary Traffic Control Handbook. Street closures will not be allowed without authorization of the City Engineer. The City reserves the right to restrict work for specific holidays or events.
- C. Bid Item 3 Sanitary Sewer Pipe Cleaning
 - 1. Payment for cleaning of sanitary sewer pipes to be lined will be paid for on a per linear foot basis. Measurement will be based on the total length of sewer pipe cleaned. Removal of obstructions and roots will be considered incidental to this item.
 - 2. The contract price paid per linear foot for sanitary sewer pipe cleaning shall include full compensation for furnishing all labor, materials, tools, equipment, and other incidentals to perform the work, including cleanup.
- D. Bid Item 4 Video Inspection (Pre CIPP)
 - 1. Payment for video inspection of the sewer pipe following the cleaning, but prior to the installation of the cured-in-place pipe, will be on a per linear foot basis. The hard drive will be delivered to the City after completion of the pre-video inspection work. Measurement will be based on the total length of sewer pipe videoed, and shall be confirmed by a hand wheel measurement from manhole to manhole. Flow by-pass shall be conducted, if necessary, during pre- video inspection and will be considered incidental to this pay item. See Technical Provision 2, Sanitary Sewer Main Cleaning and TV Inspection.
 - 2. The contract price paid per linear foot for video inspection of sanitary sewer pipe prior to CIPP installation shall include full compensation for furnishing all labor, materials, tools, equipment, and other incidentals to perform the work.
- E. Bid Item 5 Furnish and Install 8-inch Diameter CIPP
 - 1. Payment for furnishing and installing the cured-in-place pipe liner including all work and materials will be on a per linear foot basis. Measurement will be based on the total length of cured-in-place pipe installed. All surface restoration shall be considered incidental to the installation cost.
 - 2. The contract price paid per linear foot for installation of 8-inch cured in place pipe liner shall include full compensation for furnishing all labor, materials, tools, equipment, testing and other incidentals to perform the work, including cleanup. See Technical Provision 3, Cured-in-Place Pipe.

- F. Bid Item 6 Furnish and Install 10-inch Diameter CIPP
 - 1. Payment for furnishing and installing the cured-in-place pipe liner including all work and materials will be on a per linear foot basis. Measurement will be based on the total length of cured-in-place pipe installed. All surface restoration shall be considered incidental to the installation cost.
 - 2. The contract price paid per linear foot for installation of 10-inch cured in place pipe liner shall include full compensation for furnishing all labor, materials, tools, equipment, testing and other incidentals to perform the work, including cleanup. See Technical Provision 3, Cured-in-Place Pipe.
- G. Bid Item 7 Furnish and Install 12-inch Diameter CIPP
 - 1. Payment for furnishing and installing the cured-in-place pipe liner including all work and materials will be on a per linear foot basis. Measurement will be based on the total length of cured-in-place pipe installed. All surface restoration shall be considered incidental to the installation cost.
 - 2. The contract price paid per linear foot for installation of 12-inch cured in place pipe liner shall include full compensation for furnishing all labor, materials, tools, equipment, testing and other incidentals to perform the work, including cleanup. See Technical Provision 3, Cured-in-Place Pipe.
- H. Bid Item 8 Furnish and Install 15-inch Diameter CIPP
 - 1. Payment for furnishing and installing the cured-in-place pipe liner including all work and materials will be on a per linear foot basis. Measurement will be based on the total length of cured-in-place pipe installed. All surface restoration shall be considered incidental to the installation cost.
 - 2. The contract price paid per linear foot for installation of 15-inch cured in place pipe liner shall include full compensation for furnishing all labor, materials, tools, equipment, testing and other incidentals to perform the work, including cleanup. See Technical Provision 3, Cured-in-Place Pipe.
- I. Bid Item 9 Furnish and Install 18-inch Diameter CIPP
 - 1. Payment for furnishing and installing the cured-in-place pipe liner including all work and materials will be on a per linear foot basis. Measurement will be based on the total length of cured-in-place pipe installed. All surface restoration shall be considered incidental to the installation cost.
 - 2. The contract price paid per linear foot for installation of 18-inch cured in place pipe liner shall include full compensation for furnishing all labor, materials, tools, equipment,

testing and other incidentals to perform the work, including cleanup. See Technical Provision 3, Cured-in-Place Pipe.

- J. Bid Item 10 Furnish and Install 21-inch Diameter CIPP
 - 1. Payment for furnishing and installing the cured-in-place pipe liner including all work and materials will be on a per linear foot basis. Measurement will be based on the total length of cured-in-place pipe installed. All surface restoration shall be considered incidental to the installation cost.
 - 2. The contract price paid per linear foot for installation of 21-inch cured in place pipe liner shall include full compensation for furnishing all labor, materials, tools, equipment, testing and other incidentals to perform the work, including cleanup. See Technical Provision 3, Cured-in-Place Pipe.
- K. Bid Item 11 Video Inspection (Post CIPP)
 - Payment for performing a video inspection of the sewer pipe following the installation of the CIPP and recording onto a portable hard drive will be on a per linear foot basis. Measurement will be based on the total length of cured-in-place pipe video. Waterstop gaskets shall be seen at both ends of new liner. See Technical Provision 2, Sanitary Sewer Main Cleaning and TV Inspection. Flow by-pass and flushing shall be conducted, as part of post- video inspection and will be considered incidental to this pay item.
 - 2. The contract price paid per linear foot for video inspection of sanitary sewer pipe following CIPP installation shall include full compensation for furnishing all labor, materials, tools, equipment, and other incidentals to perform the work, including cleanup.
- L. Bid Item 12 Sanitary Sewer Bypass Pumping
 - 1. Payment for providing necessary sanitary sewer bypass pumping in accordance with all local, state, and federal regulations will be paid on a lump sum basis. Measurement will be based on the percentage of the CIPP work completed.
 - 2. The contract lump sum price paid for bypass sanitary sewer pumping shall include full compensation for furnishing all labor, materials, tools, equipment, and other incidentals to perform the work, including clean up. Actual percentage of Sanitary Sewer Bypass Pumping to the total bid price, excluding Sanitary Sewer Bypass Pumping, shall be shown in the Estimated Quantities column. See Technical Provision 4, Sewage Diversion Requirements.
- M. Bid Item 13 Protruding Lateral/Object Trimming

- 1. Payment for trimming protruding service laterals and other foreign objects to ensure that no edges exist or material for the CIPP liner to catch on. Measurement will be based on each service laterals or objects trimmed.
- 2. The contract price paid per trimming protruding service laterals or other objects complete in place, shall include full compensation for furnishing all labor, materials, tools, equipment, and other incidentals to perform the work, including clean up.
- N. Bid Item 14 Lateral Reinstatement
 - 1. Payment for reinstating all active services and those to vacant lots. Measurement will be based on each service laterals reinstated.
 - 2. The contract price paid per lateral reinstatement complete in place, shall include full compensation for furnishing all labor, materials, tools, equipment, and other incidentals to perform the work, including clean up.

NOTE:

The winning bidder will be determined using the Bid Form. Unit Prices on all attachments shall match the Unit Prices on the Bid Form. Mobilization/Demobilization, Temporary Traffic Control and Sanitary Sewer Bypass Pumping items shall have Lump Sums percentages shown.

