"JAMIE LANE"

N SCALE 1"=50'

Ⓐ Δ = 56°00'00"
K 110' ℄
L 107.51
$ 58.49
LC 103.28
N50-45-00E

Ⓑ Δ = 99°00'00"
R = 110.00 ℄
L = 190.07
$ 128.79
LC = 167.29
S51-45-00E


I-205 EAST PORTLAND FREEWAY
EXIST. R/W
EXISTING
JAMIE CIRCLE
16th. Street
ALEXANDER AVE.
0+00
0+00 SA
1+68 PC
2+75.51 PT
3+77.51 PC
4+96.41 SA
5+67.58 PT
5+77.14
6+17.66 SA
8+67.10 SA
3+76.41 SA
4+15.09 SA
5+27.35 SA
4+86.75
TOP MH = 149.62
IE = 139.18
INSTALL STD L.H. (FIELD SET AT "EEQ OF CITY")
INSTALL BENDS & BLOCK WHERE NECESSARY TO MAINTAIN 98' RAD.
INSTALL STD. FIRE HYDRANT ASSEMBLY
INSTALL 45° BEND & BLOCK
INSTALL & CONNECT 5"x6" 36 FT OF 12" C.S.P.
INSTALL 45° BEND & BLOCK
MAINTAIN 10' SEPARATION BETWEEN W & SA
0+00 ST FIELD SET DAYLIGHT PIPE INTO 5'x5'x3' ROCK FILL PIT (2" TO 15" ROCK) TO PREVENT EROSION
INSTALL STD FIRE HYD. ASSEMBLY
INSTALL 6"x2" BO. & BLOCK
INSTALL 6" TAPPING TEE & 6" TAPPING VALVE & BLOCK
INSTALL 6" GV. AS SHOWN & BLOCK
REMOVE EXISTING BLOCKING & CONNECT TO EXISTING 6"
DITCH
EXISTING
8"SA
6"W
12"ST
18"ST
(8.57) 32'.8.5/6"
(7.71) 46'.7'.6"
(7.61) 46'.7'.6"
(6.51) 32'.7'.6"
(5.37) 32'.7'.6"
2.25% ALEX. 0+00 JAMIE
INLET 4T IE = 172.89 4T IE = 172.89 4" PVC WYE IN 12" CSD OF INLET
(4+55.) 315.56'
(1+42.) 1+67.10 SA
(7+31.85℄) 6+17.66 ST.
(3+00.21℄) 3+54.33 ST
(4+81.75℄)
(3+21.19℄)
(4+27.19℄)
(1+68.)
(5+67.58)
(5+77.14)
(4+96.41 SA)
(3+77.51 PC)
(2+75.51 PT)
(1+68 PC)
(0+00 SA)
(4+15.09 SA)
(3+76.41 SA)
(5+27.35 SA)
(4+86.75)
(TOP MH = 152.09 IE = 141.83)
(TOP MH = 149.62 IE = 139.18)
(0+00)
(0+00 ST)
(0+00 SA)
(1+68 PC)
(2+75.51 PT)
(3+77.51 PC)
(4+96.41 SA)
(5+67.58 PT)
(5+77.14)
(6+17.66 SA)
(8+67.10 SA)
(3+76.41 SA)
(4+15.09 SA)
(5+27.35 SA)
(4+86.75)
(TOP MH = 149.62 IE = 139.18)
(TOP MH = 152.09 IE = 141.83)
(EXISTING)
(6"W)
(12"ST)
(18"ST)
(8"SA)
(DITCH)
(EXISTING)
(6"W)
(8"SA)
(6"W)
(8"SA)
(6"W)
(EXISTING)
(6"W)
(EXISTING)
(8"SA)
(EXISTING)
(6"W)
(EXISTING)
(8"SA)
(EXISTING)
(6"W)
(EXISTING)
(8"SA

"ROAD & STORM SEWER GRADES"

SHEET 2 OF 5

JAMIE LANE

ALEXANDER AVE.
PROFILE SCALE
1" = 5' VERT.
1" = 50' HOR.



JAMIE CIRCLE
PROFILE SCALE
1" = 5' VERT.
1" = 50' HOR.



FINAL SURVEY — SURVEYED, PLOTTED, TEMPLATE, AREAS, AREAS CHECKED, NOTE BOOK, NO., BY, DATE

ORIGINAL SURVEY — SURVEYED, PLOTTED, TEMPLATE, AREAS, AREAS CHECKED, NOTE BOOK, NO., BY, DATE

K&E PLATE 3, CROSS SECTION
KEUFFEL & ESSER CO.
48 7054 CRYSTALENE™ TRACING PAPER
MADE IN U.S.A.

SANITARY SEWER GRADES

9/06/76

5+00 5+00 7+00

170 165 160 155 150 145 140

200 195 190 185

STD MH STA 41

CONST STD MH STA 41 INV 146.41

CONST STD MH STA 32.20

OUT 156.50 IN 156.70

120 FT OF 8" CSP S=0.0085

OUT 157.70 IN 157.90

OUT 145.70 IN 146.90

18" RCP

CONST STD MH STA 41 INV 146.41

CONST STD MH STA 45.09

TAME CIRCLE

CONST STD MH STA 27.35

1124 FT OF 8" CSP S=0.0232

OUT 160.80 IN 160.50

CONST STD MH STA 0+50

OUT 156.50 IN 156.70

OUT 157.50 IN 157.70

376 41 FT OF 8" CSP S=0.0276

OUT 141.32 IN 141.60

CONST STD MH STA 8+67.10

OUT 154.98 IN 155.22

588.73 FT OF 8" CSP S=0.0751

PROFILE SCALE
1"=5' VERT.
1"=40' HOR.

0+00 2+00 4+00 6+00 8+00

FINAL SURVEY — SURVEYED, PLOTTED, TEMPLATE, AREAS, AREAS CHECKED, NOTE BOOK, NO., BY, DATE

ORIGINAL SURVEY — SURVEYED, PLOTTED, TEMPLATE, AREAS, AREAS CHECKED, NOTE BOOK, NO., BY, DATE

K&E PLATE 3, CROSS SECTION
KEUFFEL & ESSER CO.
48 7054 CRYSTALENE™ TRACING PAPER
MADE IN U.S.A.