

M.H. I.E.'s TAKEN AT WALL OF M.H.

TAX LOT NUMBERS FROM ASSESSORS MAP NO. 2 1E 24DC



NOTE:
EXISTING UNDERGROUND UTILITY SERVICE LOCATIONS ARE APPROXIMATE ONLY. CONTRACTOR SHALL VERIFY BEFORE EXCAVATING.

REGISTERED PROFESSIONAL ENGINEER 2103 OREGON MAY 9, 1967 W. S. BURTON

As Built 11-14-77

DATE	NO.	BY
8 16 77	1	JHC
REVISIONS		

CITY OF WEST LINN, OREGON

LOWER MARK LANE

LOCAL IMPROVEMENT DISTRICT

SANITARY SEWER PLAN & PROFILE

JOHN W. CUNNINGHAM & ASSOCIATES
CONSULTING ENGINEERS MILWAUKIE, OREGON

DESIGN	MSE - RDK	DATE MAY 17, 1977	J.O. 842-B-1
DRAWN	JHC	NO. 1 OF 2	84%



M.H. I.E.'s TAKEN AT WALL OF M.H.

TAX LOT NUMBERS FROM ASSESSORS MAP NO. 2 1E 24DC



NOTE:
EXISTING UNDERGROUND UTILITY SERVICE LOCATIONS ARE APPROXIMATE ONLY. CONTRACTOR SHALL VERIFY BEFORE EXCAVATING.

REGISTERED PROFESSIONAL ENGINEER 2103 OREGON MAY 9, 1967 W. S. BURTON

As Built 11-14-77

DATE	NO.	BY
8 16 77	1	JHC
REVISIONS		

CITY OF WEST LINN, OREGON

LOWER MARK LANE

LOCAL IMPROVEMENT DISTRICT

SANITARY SEWER PLAN & PROFILE

JOHN W. CUNNINGHAM & ASSOCIATES
CONSULTING ENGINEERS MILWAUKIE, OREGON

DESIGN	MSE - RDK	DATE MAY 17, 1977	J.O. 842-B-1
DRAWN	JHC	NO. 1 OF 2	84%

MAIN B-4
675 LF±

MAIN B-5
152 LF±

LATERAL B8-1

LATERAL B2C
240 LF±

MAIN B-2
1858 LF±

SCALE:
VERTICAL 1"=10'-0"
HORIZONTAL 1"=100'-0"

EXISTING MH

EXISTING DROP INV.

8" TRUNK
E #5.51

CONNECT TO EXIST. INV. STUB LINE 60'±

EXISTING MH

EXISTING MH

EXISTING MH


12" ESP
2479 Lin Ft.
MH TI-10
MH TI-9
MH TI-8
MH TI-7
MH TI-6
MH TI-5
MH TI-4
MH TI-3
MH TI-2
MH TI-1
Compacted Fill
S=0.0019
S=0.0024
S=0.0026
S=0.0107
S=0.0042
S=0.0013
S=0.0024
S=0.0020
S=0.0081
S=0.0019
Det. Detail Page 4
MAIN TB CONNECTION
N.T.S.
MAIN TA5 CONNECTION
N.T.S.
MAIN TA3 CONNECTION
N.T.S.
*Match Exist. Grade
AS BUILT 9-12-77


SCALE
Vertical 1"=10'
Horizontal 1"=100'
Datum: USC&GS (1947adj.)
INVERT ELEVATIONS REPRESENTATIVE OF MH
OSTMAN ROAD
UNIMPROVED
GRAVEL
19th St
16th St UNIMPROVED
15th St UNIMPROVED
14th St
NORTH
SEC 2 T3S R1E
SEC 3 W M
Std. Wt. Frame
Connect to Exist Sewer
4" Services
4" Service
MH TI-10 24+79
MH TI-9 23+29
MH TI-8 20+08
MH TI-7 19+04
MH TI-6 15+13
MH TI-5 12+97
MH TI-4 8+72
MH TI-3 7+02
MH TI-2 5+01
MH TI-1 3+52
Connect to existing M.H.
TUALATIN
RIVER
WEISS BRIDGE
NOTES:
1. Existing underground service utility locations are approximate & possibly incomplete. Notify all agencies involved 10 days prior to excavation to verify.
2. Manhole frames and covers shall be tamperproof.
3. Suburban weight frames may be used except where otherwise noted.
4. Minimum cover - 3 feet.
AS BUILT
CITY of WEST LINN, OREGON
WEST WILLAMETTE L.I.D.
TUALATIN INTERCEPTOR
STA. 0+00 to STA. 24+79
JOHN W. CUNNINGHAM & ASSOCIATES
CONSULTING ENGINEERS PORTLAND OREGON
DATE | No. | BY
10/11/77 | 2 | JHC
6/15/77 | 1 | JHC
REVISIONS
Design H.S.B. - R.A.L.
Drawn R.A.L.
Date JUNE 1977
No. 2 of 4
843-A-2
5381



SCALE
Vertical 1"=10'
Horizontal 1"=100'

NOTES:

1. Existing underground service utility locations are approximate & possibly incomplete. Notify all agencies involved 10 days prior to excavation to verify.
2. Manhole frames and covers shall be tamperproof.
3. Suburban weight frames may be used except where otherwise noted.
4. Minimum cover - 3 feet.

AS BUILT

CITY of WEST LINN, OREGON

WEST WILLAMETTE L.I.D.

TUALATIN INTERCEPTOR

STA. 24+79 to STA. 52+32

JOHN W. CUNNINGHAM & ASSOCIATES
CONSULTING ENGINEERS MILWAUKIE, OREGON

Date	No.	By
12/1/77	1	JHC
6/16/77	-	JHC

REVISIONS

Design: HSB-RAL | Date: June 1977 | 843-A3 5382
Drawn: RAL | Sheet 3 of 4



VICINITY MAP

LEGEND

PROPOSED SEWER

EXISTING SEWER

CITY OF WEST LINN, OREGON

WEST WILLAMETTE L.I.D.

SANITARY SEWER IMPROVEMENTS
PHASE A

GENERAL PLAN

SCALE 1"=300'

JOHN W CUNNINGHAM & ASSOCIATES
CONSULTING ENGINEERS — MILWAUKIE, OREGON

DATE	NO.	BY	REVISIONS
7-22-76	1	J.L.H.	

DESIGN HSB/RAL — DATE 1976 — 843-A1
DRAWN RAL — SHEET — 5380

NOTE: INVERT ELEVATIONS TAKEN AT MANHOLE WALLS

SCALES
VERTICAL: 1 IN. = 10 FT.
HORIZONTAL: 1 IN. = 100 FT.

MAIN TE
1168 Lin Ft ±

LAT TE-1
407 Lin Ft ±

MAIN TD
550 Lin Ft ±

LATERAL TD-1
400 Lin Ft ±

LATERAL T
375 Lin Ft
(NOT BUILT

OSTMAN RD.

7TH AVE.

OSTMAN RD (unimproved)

MAIN TC (SEE SHEET #)

MH TE-1-1 2+77

LAT TE-1

4"SC 5+20

4"SC 3+73

4"SC 2+42

MH TE-1-2 6+07

4"SC 6+07

4"SC 0+83

DOLLAR ST.

LATERAL TE-1

MH TE-5 11+68 =0+00 Laterals TE-1 & TE-2

MH TE-4 6+88

MH TE-3 4+87

MH TE-2 3+41

MH TE-1 2+35

MAIN TE

0+25 BEGIN PHASE 'A'

TUALATIN INTERCEPTOR (NOT IN THIS CONTRACT)

MH #19 =0+00 MAIN TE

#18

MH TD-3 5+85

MH TD-2 3+50

MAIN TD

4"SC 2+94

4"SC 2+65

4"SC 3+03

4"SC 1+42

4"SC 1+94

4"SC 2+39

4"SC 2+87

4"SC 3+84

MH TD-1 1+75 = 0+00

MH TD-1-1 4+00

4"SC 0+79

0+25 BEGIN PHASE 'A'

LATERAL TD-1

MH #15 =0+00 MAIN TD

#16

#14

#13

#12

TUALATIN INTERCEPTOR (NOT IN THIS CONTRACT)

MH T-1-2 3+75

MH T-1-1 1+50

OSTMAN RD (unimproved)

NOTE: Existing underground service utility locations are approximate & possibly incomplete. Notify all agencies involved 10 days prior to excavation to verify.

Standard weight frames shall be used in road rights-of-way; suburban weight frames may be used in unimproved areas.

Tamperproof manhole covers and frames shall be installed on TD Line and manholes TE-2, TE-3, and TE-4.

REGISTERED PROFESSIONAL ENGINEER 9108 OREGON JULY 9, 1961 R. R. BURWIN

	4		
	3		
	2		
10/15/71	1	JHC	
DATE	No.	BY	
REVISIONS			

CITY of WEST
WEST WILL
SANITARY S
P
TD, TE & T

JOHN W CUNNIN
CONSULTING ENGINEERS

Design RAL/HSB	Date
Drawn RDK	No 5

AS


SUB LATERAL TC-3a
LATERAL TC-3
LATERAL TC-2
SUB LATERAL TC-2a
MAIN TC
LATERAL TC-1
MAIN TC
ORCHARD ST.
DOLLAR ST.
7TH AVE.
OSTMAN RD
MH TC-3-1
MH TC-3-2
MH TC-2-3
MH TC-2-2
MH TC-2-1
MH TC-1
MH TC-2
Connect existing 8" CSP to manhole.
NOTE: INVERT ELEVATIONS TAKEN AT MANHOLE WALL
DATUM: USC&GS 1947 ADJ
NOTE:
Existing underground service utility locations are approximate & possibly incomplete. Notify all agencies involved 10 days prior to excavation to verify.
Standard weight frames shall be used.
Manhole TC-1 shall have tamperproof cover.
SCALE
VERTICAL 1"=10 FT.
HORIZONTAL 1"=100 FT
AS BUILT
CITY of WEST LINN, OREGON
WEST WILLAMETTE LID
SANITARY SEWER IMPROVEMENTS
PHASE A
MAIN TC & LATERALS
JOHN W. CUNNINGHAM & ASSOCIATES
CONSULTING ENGINEERS
PORTLAND, OREGON
Design REAL 2016
Date March 1976
843-68
Drawn REAL
No. 4 of 6
5585

K&E 4 X 20 TO THE INCH
KEUFFEL & ESSER CO.

MAIN TB

LATERAL TA-1

MAIN TA

LATERAL TB-2

LATERAL TB-1

MAIN TAb

MAIN TAa

SCALES
VERTICAL : 1" = 10'
HORIZONTAL : 1" = 100'

NOTE: INVERT ELEVATIONS TAKEN AT MANHOLE WALLS

7TH AVE.

C.O. 1+30

4"SC 1+65

8"SC 0+93

MH TB-3 5+28

LATERAL TB-2

MH TB-2 4+50

4"SC 1+19

4"SC 1+85

LATERAL TB-1

4"SC 4+80

MH TB-1 3+85

C.O. 4+92

STREET

MAIN TB

OSTMAN ROAD

19TH

MH TB-1 0+87

0+25 BEGIN PHASE A

TUALATIN INTERCEPTOR NOT IN THIS CONTRACT

6TH AVE.

5TH AVE.

7TH AVE.

C.O. 1+30

MH TAb-3 7+12

MH TAb-2 4+87

LATERAL TAb

16TH ST.

MH TAb-1 0+50

MAIN TAb

4TH AVE.

C.O. 2+12

LATERAL TA-1

14TH

STREET

MH TA-1 1+03

MH TA-3 7+35

MAIN TA

MH TA-2 3+60

15TH STREET

MHTAa-2 2+10

MHTAa-1 0+25

C.O 3+10

MAIN TAa

BAFFLES (SEE SHEET 8)

TUALATIN INTERCEPTOR NOT IN THIS CONTRACT

AS BUILT

CITY of WEST LINN, OREGON
WEST WILLAMETTE L.I.D.

SANITARY SEWER IMPROVEMENTS
SECTION 2

TA & TB LINES

JOHN W. CUNNINGHAM & ASSOCIATES
CONSULTING ENGINEERS PORTLAND, OREGON

Design RAL/HSB	Date MARCH 1972	943-A-5
Drawn RAL	No 5 of 6	5384

6" Polyethylene Liner in Existing 10" Steel
3+58 Cleanout
3+31 Cleanout
2+28 M.H.
0+00 Lat. S-2 = 10+66 Main S
6" S.R.
6" P.V.C. S.P.
446.00
439.70
419.70
LAT. S-2
LAT. S-1
MAIN S
Conc. Anchors @ 32' ± Spacing
10+42.5 Sta. M.H.
18" Water
10+66 Main S = 0+00 Lat. S-2
Conc. Anchors @ 6' Spacing
Sta. 439.18
439.52
439.30
439.20
Lat. S-2 419.20
10.7 Dia.
Fill w/ 1½" Rock
350.50
10.0 Dia.
2+62.0
Conc. Anchors @ 27' ± Spacing
263.53 in
262.53 in
Sta. 2+62.5
6" P.V.C. Service
See Profile Sheet
6" Service 239.58
18" CMP
227.50 in
226.84 Ex. I.E.
331.2
6" P.V.C.
Conc. Anchors @ 32' ± Spacing
0+00 = 3+10 Main S
6" SERVICE
SCALE
1" = 100' Horiz.
1" = 10' Vert.
0+00 - Construct MH on existing 8" C.S.P. line.
Ex. M.H.
Existing 8" C.S.P.
WEST "A" STREET
Ditch
8" P.V.C.
MH S-1 2+00
MH S-2 3+13
6" P.V.C Service
C.O. 1+30
WEBB STREET
3+10 Main S to 3+65 Lateral S-1
8"/6" Polyethylene Liner in Existing 10" Steel Pipe
C.O. 3+58
LATERAL S-1
6"
M.H. S-3
MAIN S
7+88 Back = 8+54.5 Ahead - Main S = 0+00 - Lat. S-1
MH S-2-1 2+28
18" Water
4" Water
M.H. S-4 10+42.5
SKYLINE CIRCLE
1½" Water
10" Gas
SKYLINE DRIVE
LATERAL S-2
6" P.V.C. S.P.
MH S-5 10+66
10+66 Main S = 0+00 Lat. S-2
C.O. 3+31
8" P.V.C.
Telephone
Reservoir
SKYLINE DRIVE
10" Gas
8" Stub
MH S-6 13+13
8" Stub
NOTE:
Existing Underground Service Utility Locations are Approximate, & Possibly Incomplete. Notify All Agencies Involved 10 Days Prior To Excavation, To Verify.
AS STAKED
CITY OF WEST LINN, OREGON
SKYLINE LOCAL IMPROVEMENT DISTRICT
SANITARY SEWER IMPROVEMENTS
PLAN & PROFILE
SCALE: AS SHOWN
JOHN W. CUNNINGHAM & ASSOCIATES
CONSULTING ENGINEERS
WILSONVILLE, OREGON
DESIGN: JSB/RDK
DATE: OCT. 1976
844-A-2
DRAWN: JLH/SDW
SHEET: 1 of 2
8449