- Total Land Area = 21,119 square feet. Please correct on Development Review Application.
 - Response: The application has been updated with the correct square footage
- Approved Tualatin Valley Fire and Rescue Service Provider Permit required.
 Response: The approved TVFR service provide permit is included with resubmittal
- 3) Sheet 2/6 'Existing Conditions & Demo Plan' Remove 'X' from 6 street trees on Ridgewood Way in public right-of-way. Street Trees cannot be removed with the land use decision and will require separate street tree permit through City of West Linn. West Linn Street Tree Removal Permit
 - Response: The plans have been updated to remove the "X" from the trees in the ROW
- 4) Sheet 3/6 Please verify location of front door on each unit for setback verification and call out 15-ft setback along Ridgewood Way as the side yard setback.
 - Response: The front of the house has been noted to be to the north and the setback has been noted along Ridgewood Way



DEVELOPMENT REVIEW APPLICATION

For Office Use Only

STAFF CONTACT Aaron Gudelj		PROJECT NO(s).	ELD-25-05			Pre-application No.
Non-Refundable Fee(s) \$4,900		REFUNDABLE DEPOSIT(S)	\$	0	TOTAL	\$4,900
Type of Review (Please check all that apply):						
Annexation (ANX) Appeal (AP) CDC Amendment (CDC) Code Interpretation (MISC) Conditional Use (CUP) Design Review (DR Tree Easement Vacation (MISC) Expediated Land Division (ELD) Extension of Approval (EXT) Pre-Application, Home Occupation, Side	Flood M Historic Lot Line Minor F Modific Non-Co Planned Street N	at (FP) Related File#		Ter Tinn Rig Var Wa Wa Usu Son	iter Resource Area llamette & Tualati ne Change (ZC)	Protection/Single Lot (WAP) Protection/Wetland (WAP) In River Greenway (WRG)
Site Location/Address: 3784 Ridgewo					or's Map No.: 21	
					(s): 1600	
T I 1' -					and Area: 0.48 A	,
Brief Description of Proposal: The client proposes to partition the property into three lots for middle housing, in accordance with the City of West Linn's land development requirements.						
Applicant Name*:TPC PROPERTY L Address: PO BOX 521 City State Zip: WEST LINN, OR 97		: JJ Portlock		Ph En	one: (425) 829- nail: JPORTLOCK	1566 @THEPORTLOCKCO.COM
Owner Name (required): Coefild Jesse L Address: 19790 Old River Dr. City State Zip: West Linn, OR 97068				Phone: Email:		
Consultant Name:FIRWOOD DESIGN GROUP LLC contact: Erik Hoovestol Address: 359 E HISTORIC COLUMBIA RIVER HWY City State Zip: TROUTDALE, OR 97060			stol		one: (503) 668- nail: eh@Firwoodd	

- 1. Application fees are non-refundable (excluding deposit). Applications with deposits will be billed monthly for time and materials above the initial deposit. *The applicant is financially responsible for all permit costs.
- 2. The owner/applicant or their representative should attend all public hearings related to the propose land use.
- 3. A decision may be reversed on appeal. The decision will become effective once the appeal period has expired.
- 4. Submit this form, application narrative, and all supporting documents as a single PDF through the Submit a Land Use Application web page: https://westlinnoregon.gov/planning/submit-land-use-application

The undersigned property owner authorizes the application and grants city staff the **right of entry** onto the property to review the application. Applications with deposits will be billed monthly for time and materials incurred above the initial deposit. The applicant agrees to pay additional billable charges.

Application Narrative

Project Name: Ridgewood Way 3 Lot Middle Housing

Site Address: 3784 Ridgewood Way, West Linn, OR.

Applicant: TPC PROPERTY LLC

PO BOX 521

West Linn, OR 97068

Contact: JJ Portlock

(425) 829-1566

jportlock@theportlockco.com

Prepared By:



Table of Contents

l.	General Project Description	3
II.	Application Approval Requests	3
III.	Applicable Code Criteria	3
IV.	Conclusion	4
٧.	Items submitted with the Application	5

I. General Project Description

The project site is located at 3784 Ridgewood Way, West Linn, OR (Parcel #00372402), zoned R10. The current 0.485 acre lot is vacant, landscaped and includes some mature trees along the property line. The site is relatively flat with slopes less than 5%, gently sloping towards the northeastern side. The soil type is determined to be Aloha Silt Loam.

II. Application Approval Requests

The client, TPC Property LLC, proposes to partition the parcel (Parcel #21E24BB01600) at 3784 Ridgewood Way into three single-family parcels. Access to the proposed lots will be via a 16-foot paved driveway off Ridgewood Way. The property will be connected to public utilities, including water, electricity, and sewer services available from Ridgewood Way.

A 25-foot access and utility easement and a 10 by 28-foot stormwater easement are proposed. Stormwater runoff from the impervious surfaces will be managed on-site using planters. Roof runoff will be collected into underlined planters along the houses' side foundations. The treated stormwater will then be piped to the nearest existing stormwater catch basin located north of the lot on Ridgewood Way. (Refer to the Stormwater Report for details.)

III. Applicable Code Criteria

The subject property is zoned R-10, which permits triplex residential units as outright use per CDC 11.030.1.b. This proposal includes three detached single units under the provisions of Section 2 of SB 458 for a middle housing land division. **SB 458 Section 2**:

- (1) As used in this section, "middle housing land division" means a partition or subdivision of a lot or parcel on which the development of middle housing is allowed under ORS 197.758 (2) or (3).
- (2) A city or county shall approve a tentative plan for a middle housing land division if the application includes:
- (a) A proposal for development of middle housing in compliance with the Oregon residential specialty code and land use regulations applicable to the original lot or parcel allowed under ORS 197.758 (5);

Response: The property is within the R-10 zoning designation and permits a triplex as outright use. The proposal includes a middle housing land division to create three lots, each with a detached single-family unit

(b) Separate utilities for each dwelling unit;

Response: A preliminary street and utility plan shows individual utilities for each lot.

- (c) Proposed easements necessary for each dwelling unit on the plan for:
- (A) Locating, accessing, replacing and servicing all utilities;
- (B) Pedestrian access from each dwelling unit to a private or public road;
- (C) Any common use areas or shared building elements;
- (D) Any dedicated driveways or parking; and
- (E) Any dedicated common area;

Response: A 27-foot access and utility easement is proposed, pedestrian access will be allowed via the private access easement. Each parcel has direct access to the shared driveway, with no common areas or shared building elements.

(d) Exactly one dwelling unit per resulting lot, except for common areas.

Response: The proposal includes one unit per lot, as shown in the submitted plans.

(e) Evidence demonstrating how buildings or structures on a resulting lot or parcel will comply with applicable building codes provisions relating to new property lines and, notwithstanding the creation of new lots or parcels, how structures or buildings located on the newly created lots or parcels will comply with the Oregon residential specialty code.

Response: Building setbacks are shown on the site plan. A building permit will ensure compliance with the Oregon Residential Specialty Code.

- (3) A city or county may add conditions to the approval of a tentative plan for a middle housing land division to:
 - (a) Prohibit the further division of the resulting lots or parcels.
- (b) Require that a notation appear on the final plat indicating that the approval was given under this section.

Response: The applicant understands that conditions may be applied, including noting the approval on the final plat.

- (4) In reviewing an application for a middle housing land division, a city or county:
 - (a) Shall apply the procedures under ORS 197.360 to 197.380.
- (b) May require street frontage improvements where a resulting lot or parcel abuts the street consistent with land use regulations implementing ORS 197.758.
- (c) May not subject an application to approval criteria except as provided in this section, including that a lot or parcel require driveways, vehicle access, parking or minimum or maximum street frontage.
 - (d) May not subject the application to procedures, ordinances or regulations adopted under
- ORS 92.044 or 92.046 that are inconsistent with this section or ORS 197.360 to 197.380.
- (e) May allow the submission of an application for a middle housing land division at the same time as the submission of an application for building permits for the middle housing.
- (f) May require the dedication of right of way if the original parcel did not previously provide a dedication.
 - (5) The type of middle housing developed on the original parcel is not altered by a middle housing

land division.

- (6) Notwithstanding ORS 197.312 (5), a city or county is not required to allow an accessory dwelling
- unit on a lot or parcel resulting from a middle housing land division.
- (7) The tentative approval of a middle housing land division is void if and only if a final subdivision or partition plat is not approved within three years of the tentative approval. Nothing in this section or ORS 197.360 to 197.380 prohibits a city or county from requiring a final plat before issuing building permits.


Response: The applicant acknowledges the review process, including possible conditions and requirements and is aware that the application is void if the final plat is not approved within three years.


IV. Conclusion

This application narrative, along with the accompanying plans and supporting materials, demonstrates compliance with all applicable provisions of SB 458. The applicant respectfully requests approval of this application by the Planning Department.

V. Items Submitted With The Application

- Clackamas County Assessor Map
- West Linn Zoning Map
- Preliminary Plan Set





SEQUOIA ESTATES - 3 LOT PARTITION MIDDLE HOUSING DEVELOPMENT ENGINEERING PLANS

LOCATED AT 3784 RIDGEWOOD WAY, WEST LINN, OREGON 97068 TAX LOT: 21E24BB LOT NO.: 1600 ZONED R-10

West Line Stranges

Daministrates & Spanner

Rebinwood Station
Community Center

Way

West Line Stranges

Daministrates & Spanner

Rebinwood Station
Community Center

Way

West Line Stranges

Washington Advances

Daministrates & Spanner

Neighborhood Market

Neighborhood Market

Daministrates & Spanner

Neighborhood Market

Daministrates & Spanner

Neighborhood Market

Neighborhood Market

Daministrates & Spanner

Neighborhood Market

Daministrates & Spanner

Neighborhood Market

Neighborhood Mark

PROJECT CIVIL ENGINEER

KELLI GROVER, PE
FIRWOOD DESIGN GROUP, LLC
359 E. HISTORIC COLUMBIA RIVER HWY
TROUTDALE, OR 97060
PHONE (503) 668-3737

PROJECT SURVEYOR

CMT SURVEYING AND CONSULTING 20330 SE HIGHWAY 212 DAMASCUS, OR 97089 PHONE (503) 850-4672

JJ PORTLOCK PO BOX 521 WEST LINN, OR 97068 jportlock@theportlockco.com

PROJECT OWNER

PROPOSED LEGEND

PROPOSED MAJOR CONTOUR
PROPOSED MINOR CONTOUR
PROPOSED SIGHT LINE
PROPOSED ROAD CENTER LINE
PROPOSED SAWCUT LINE
PROPOSED GRAVEL
PROPOSED FILTER STRIP
PROPOSED EARTHEN SHOULDER
PROPOSED AC
PROPOSED CULVERT

PROPOSED UNDERGROUND POWER

SHEET INDEX			
Sheet Number	Sheet Title		
1	COVER		
2	EXISTING CONDITIONS &		
	DEMO PLAN		
3	PRELIMINARY PLAT		
4	COMPOSITE SITE PLAN		
5	DETAILS		
6	DETAILS		

LEGAL DESCRIPTION:

TAX LOT 21E24BB01600

N.E. ¼ N.W. ¼ SEC. 24 T.2S. R.1E. W.M.

CITY OF WEST LINN, CLACKAMAS COUNTY, OREGON

SITE AREA: 21,160 SF (0.49 AC)

PROJECT DATUM

THE BASIS OF BEARINGS WAS PER SURVEY NO. 2014-039, CLACKAMAS COUNTY RECORDS.

NOTICE TO EXCAVATORS:

ATTENTION: OREGON LAW REQUIRES YOU TO FOLLOW RULES ADOPTED BY THE OREGON UTILITY NOTIFICATION CENTER. THOSE RULES ARE SET FORTH IN OAR 952-001-0001 THROUGH OAR 952-001-0090. YOU MAY OBTAIN COPIES OF THE RULES BY CALLING THE CENTER. (NOTE: THE TELEPHONE NUMBER FOR THE OREGON UTILITY

NOTIFICATION CENTER IS (503)-232-1987).

POTENTIAL UNDERGROUND FACILITY OWNERS

Dig Safely.

CALL THE OREGON ONE—CALL CENTER 1—800—332—2344 OR 811

EMERGENCY TELEPHONE NUMBERS

PGE 503-464-7777

NW NATURAL GAS 503-220-2415

CLACKAMAS COUNTY 503-742-4400

COMCAST CABLE 503-617-1212


VERIZON 800-837-4966


503-464-7777 503-220-2415 503-742-4400 503-617-1212 800-837-4966





06/24/2025	1	CITY REVIEW COMMENTS	DRAWN: IM	DESIGNE	D: IM	CHECKED: ELH	
			SCALE: AS SHOWN		JUNE 20	025	
DATE:	NO.	REVISION	PROJECT NO. E24-029				















DESIGNED: IM CHECKED: ELH

SCALE: AS SHOWN

PROJECT NO. E24-029



CONSTRUCTION REQUIREMENTS


Mark the location of future facilities, and fence or cover facility locations after excavation. Do not allow vehicular traffic, foot traffic, material storage, or heavy equipment within 10 feet of the infiltration area except as needed to excavate, grade, and construct the facility. Do not allow entry of runoff or sediment during construction.

- DRAWING NOT TO SCALE -



STORMWATER MANAGEMENT TYPICAL DETAILS FOR PRIVATE PROPERTY

WITHOUT UNDERDRAIN TO SERVE DRIVEWAYS



Structure: Size, depth and dimensions per Simplified Approach requirements.

Liner: Monolithic pour concrete shell. Plants: Minimum size is 1 gallon. Install 80 herbaceous plants or 72 herbaceous and 4 shrubs per 100 sf. If project area is over 200 sf consider installing a tree. 4. Inlet Erosion Control: Install riprap at pipe inlets.

5. Overflow Riser Pipe: Non-perforated 4-inch Sch. 40 PVC pipe with strainer cap (NDS 75 or equivalent). Rim elevation must leave minimum 2 inches of

- Underdrain Pipe: Use 4 inch single-walled, corrugated, perforated HDPE pipe meeting ASTM F667 (ADS 4040010 or equivalent). Extend 1/4 length of facility. Underdrain Pipe: Drain Rock: $\frac{1}{4}$ inch - No.10 washed, angular rock unless otherwise approved by BES. Max. width of rock base is 4 feet. Extend drain rock 6
- Outlet Pipe: Non-perforated Sch. 40 PVC pipe. Grout as required at wall penetrations to create watertight seal. Pipe outside the facility must conform with Oregon Plumbing Specialty Code. 9. Ponding Depth: 12 inches.
- 10. Blended Soil: 24 inches of BES' standard soil blend, unless otherwise approved.
- 11. See SWMM Chapter 3 for guidance.

INSPECTION INFORMATION

SCHEDULE INSPECTION (IVR): 503-823-7000, CODE #487. 3 INSPECTIONS REQUIRED.

- Inspection #1. Location, size, depth, structure, penetrations and piping, (prior to installation)
- Inspection #2. Drainage materials, rock
- Inspection #3. Blended soil, plants, elevations, inlet protection, outfalls

DRAWING NOT TO SCALE -



STORMWATER MANAGEMENT TYPICAL DETAILS FOR PRIVATE PROPERTY

PLANTER, LINED TO SERVE ROOF DRAINS

SW-110


NOTES: 1. THE ENTRANCE SHALL BE MAINTAINED IN A CONDITION THAT WILL PREVENT TRACKING OR FLOWING OF SEDIMENT ONTO PUBLIC RIGHT-OF-WAYS. THIS MAY REQUIRE TOP DRESSING, REPAIR AND/OR CLEAN OUT OF ANY MEASURES USED TO TRAP SEDIMENT. 2. WHEN NECESSARY, WHEELS SHALL BE CLEANED PRIOR TO ENTRANCE ONTO PUBLIC RIGHT-OF-WAY. 3. WHEN WASHING IS REQUIRED, IT SHALL BE DONE ON AN AREA STABILIZED WITH CRUSHED STONE THAT DRAINS INTO AN APPROVED SEDIMENT TRAP OR SEDIMENT BASIN. 4. WHERE RUNOFF CONTAINING SEDIMENT LADEN WATER IS LEAVING THE SITE VIA THE CONSTRUCTION ENTRANCE, OTHER MEASURES SHALL BE IMPLEMENTED TO DIVERT RUNOFF THROUGH AN APPROVED FILTERING SYSTEM. 5. DIMENSIONS SINGLE FAMILY 20' LONG BY 20' WIDE B" DEEP OF ¾" MINUS CLEAN ROCK. COMMERCIAL/SITE DEVELOPMENT 50' LONG BY 20' WIDE B" DEEP OF ¾" MINUS CLEAN ROCK. COMMERCIAL/SITE DEVELOPMENT 50' LONG BY 20' WIDE B" DEEP OF ¾" MINUS CLEAN ROCK. COMMERCIAL/SITE DEVELOPMENT 50' LONG BY 20' WIDE B" DEEP OF A" MINUS CLEAN ROCK.	SUBGRADE REINFORCEMENT GEOTEXTILE, AS REQUIRED GRAVEL CONSTRUCTION ENTRANCE 1. THE ENTRANCE SHALL BE MAINTAINED IN A CONDITION THAT WILL PREVENT TRACKING OR FLOWING OF SEDIMENT ONTO PUBLIC RICHT-OF-WAYS. THIS MAY REQUIRE TOP DRESSING, REPAIR AND/OR CLEAN OUT OF ANY MEASURES USED TO TRAP SEDIMENT. 2. WHEN NECESSARY, WHEELS SHALL BE CLEANED PRIOR TO ENTRANCE ONTO PUBLIC RICHT-OF-WAY. THAT DRAINS INTO AN APPROVED SEDIMENT TRAP OR SEDIMENT BASIN. 3. WHEN WASHING IS REQUIRED, IT SHALL BE DONE ON AN AREA STABILIZED WITH CRUSHED STONE THAT DRAINS INTO AN APPROVED SEDIMENT TRAP OR SEDIMENT BASIN. 4. WHERE RUNOFF CONTAINING SEDIMENT TRAP OR SEDIMENT BASIN. 5. DIMENSIONS SINGLE FAMILY 20' LONG BY 20' WIDE 8" DEEP OF ¾" MINUS CLEAN ROCK. COMMERCIAL/SITE DEVELOPMENT 50' LONG BY 20' WIDE 8" DEEP OF ¾" MINUS CLEAN ROCK. COMMERCIAL/SITE DEVELOPMENT 50' LONG BY 20' WIDE 8" DEEP OF ¾" MINUS CLEAN ROCK. COMMERCIAL/SITE DEVELOPMENT 50' LONG BY 20' WIDE 3" GET CLEAN ROCK, GOVERNING AUTHORITY MAY REQUIRE GEOTEXTILE	CHAPTER 4 OF EROSION PREVENTION AND SEDIMENT CONTROL PLANNING AND DESIGN MANUAL. EXISTING OR APPROVED RADIUS =	= 25' MIN.
NOTES: 1. THE ENTRANCE SHALL BE MAINTAINED IN A CONDITION THAT WILL PREVENT TRACKING OR FLOWING OF SEDIMENT ONTO PUBLIC RIGHT-OF-WAYS. THIS MAY REQUIRE TOP DRESSING, REPAIR AND/OR CLEAN OUT OF ANY MEASURES USED TO TRAP SEDIMENT. 2. WHEN NECESSARY, WHEELS SHALL BE CLEANED PRIOR TO ENTRANCE ONTO PUBLIC RIGHT-OF-WAY. 3. WHEN WASHING IS REQUIRED, IT SHALL BE DONE ON AN AREA STABILIZED WITH CRUSHED STONE THAT DRAINS INTO AN APPROVED SEDIMENT TRAP OR SEDIMENT BASIN. 4. WHERE RUNOFF CONTAINING SEDIMENT LADEN WATER IS LEAVING THE SITE VIA THE CONSTRUCTION ENTRANCE, OTHER MEASURES SHALL BE IMPLEMENTED TO DIVERT RUNOFF THROUGH AN APPROVED FILTERING SYSTEM. 5. DIMENSIONS SINGLE FAMILY 20' LONG BY 20' WIDE 8" DEEP OF ¾" MINUS CLEAN ROCK. COMMERCIAL/SITE DEVELOPMENT 50' LONG BY 20' WIDE 3-6" CLEAN ROCK, GOVERNING AUTHORITY MAY REQUIRE GEOTEXTILE	NOTES: 1. THE ENTRANCE SHALL BE MAINTAINED IN A CONDITION THAT WILL PREVENT TRACKING OR FLOWING OF SEDIMENT ONTO PUBLIC RIGHT-OF-WAYS. THIS MAY REQUIRE TOP DRESSING, REPAIR AND/OR CLEAN OUT OF ANY MEASURES USED TO TRAP SEDIMENT. 2. WHEN NECESSARY, WHEELS SHALL BE CLEANED PRIOR TO ENTRANCE ONTO PUBLIC RIGHT-OF- WAY. 3. WHEN WASHING IS REQUIRED, IT SHALL BE DONE ON AN AREA STABILIZED WITH CRUSHED STONE THAT DRAINS INTO AN APPROVED SEDIMENT TRAP OR SEDIMENT BASIN. 4. WHERE RUNOFF CONTAINING SEDIMENT LADEN WATER IS LEAVING THE SITE VIA THE CONSTRUCTION ENTRANCE, OTHER MEASURES SHALL BE IMPLEMENTED TO DIVERT RUNOFF THROUGH AN APPROVED FILTERING SYSTEM. 5. DIMENSIONS SINGLE FAMILY 20' LONG BY 20' WIDE 8" DEEP OF ¾" MINUS CLEAN ROCK. COMMERCIAL/SITE DEVELOPMENT 50' LONG BY 20' WIDE 3-6" CLEAN ROCK, GOVERNING AUTHORITY MAY REQUIRE GEOTEXTILE FABRIC TO PREVENT SUB-SOIL PUMPING.	SUBGRADE REINFORCE	PROUND OF EGRESS WIDTH NIGRES EGRESS WEREA* WEREA*
 THE ENTRANCE SHALL BE MAINTAINED IN A CONDITION THAT WILL PREVENT TRACKING OR FLOWING OF SEDIMENT ONTO PUBLIC RIGHT—OF—WAYS. THIS MAY REQUIRE TOP DRESSING, REPAIR AND/OR CLEAN OUT OF ANY MEASURES USED TO TRAP SEDIMENT. WHEN NECESSARY, WHEELS SHALL BE CLEANED PRIOR TO ENTRANCE ONTO PUBLIC RIGHT—OF— WAY. WHEN WASHING IS REQUIRED, IT SHALL BE DONE ON AN AREA STABILIZED WITH CRUSHED STONE THAT DRAINS INTO AN APPROVED SEDIMENT TRAP OR SEDIMENT BASIN. WHERE RUNOFF CONTAINING SEDIMENT LADEN WATER IS LEAVING THE SITE VIA THE CONSTRUCTION ENTRANCE, OTHER MEASURES SHALL BE IMPLEMENTED TO DIVERT RUNOFF THROUGH AN APPROVED FILTERING SYSTEM. DIMENSIONS	1. THE ENTRANCE SHALL BE MAINTAINED IN A CONDITION THAT WILL PREVENT TRACKING OR FLOWING OF SEDIMENT ONTO PUBLIC RIGHT-OF-WAYS. THIS MAY REQUIRE TOP DRESSING, REPAIR AND/OR CLEAN OUT OF ANY MEASURES USED TO TRAP SEDIMENT. 2. WHEN NECESSARY, WHEELS SHALL BE CLEANED PRIOR TO ENTRANCE ONTO PUBLIC RIGHT-OF- WAY. 3. WHEN WASHING IS REQUIRED, IT SHALL BE DONE ON AN AREA STABILIZED WITH CRUSHED STONE THAT DRAINS INTO AN APPROVED SEDIMENT TRAP OR SEDIMENT BASIN. 4. WHERE RUNOFF CONTAINING SEDIMENT LADEN WATER IS LEAVING THE SITE VIA THE CONSTRUCTION ENTRANCE, OTHER MEASURES SHALL BE IMPLEMENTED TO DIVERT RUNOFF THROUGH AN APPROVED FILTERING SYSTEM. 5. DIMENSIONS SINGLE FAMILY 20' LONG BY 20' WIDE 8" DEEP OF ¾" MINUS CLEAN ROCK. COMMERCIAL/SITE DEVELOPMENT 50' LONG BY 20' WIDE 3-6" CLEAN ROCK, GOVERNING AUTHORITY MAY REQUIRE GEOTEXTILE FABRIC TO PREVENT SUB-SOIL PUMPING.		CURB RAMP
	CONSTRUCTION ENTRANCE	1. THE ENTRANCE SHALL BE MAINTAINED IN A OF SEDIMENT ONTO PUBLIC RIGHT-OF-WAY CLEAN OUT OF ANY MEASURES USED TO TO TO THE WHEN NECESSARY, WHEELS SHALL BE CLEAN OUT OF ANY MEASURED, IT SHALL BE THAT DRAINS INTO AN APPROVED SEDIMENT AND WHERE RUNOFF CONTAINING SEDIMENT LADIE ENTRANCE, OTHER MEASURES SHALL BE IMFILTERING SYSTEM. 5. DIMENSIONS SINGLE FAMILY 20' LONG BY 20' WIDE 8" DEEP OF 3/2 COMMERCIAL/SITE DEVELOPMENT 50' LONG BY 20' WIDE 3-6" CLEAN FOR SEDIMENT OF SE	YS. THIS MAY REQUIRE TOP DRESSING, REPAIR AND/OR TRAP SEDIMENT. EANED PRIOR TO ENTRANCE ONTO PUBLIC RIGHT-OF- WAY. DONE ON AN AREA STABILIZED WITH CRUSHED STONE IT TRAP OR SEDIMENT BASIN. EEN WATER IS LEAVING THE SITE VIA THE CONSTRUCTION IN INTERPRENTED TO DIVERT RUNOFF THROUGH AN APPROVED WAY MINUS CLEAN ROCK. ROCK, GOVERNING AUTHORITY MAY REQUIRE GEOTEXTILE



359 EAST HISTORIC COLUMBIA RIVER HIGHWAY TROUTDALE, OREGON 97060 (503) 668-3737


SEQUOIA ESTATES MIDDLE HOUSING 3784 RIDGEWOOD WAY WEST LINN, OR, 97068


DETAILS DESIGN REVIEW



06/24/2025 1 CITY REVIEW COMMENTS


EXPIRES: 06/30/23 SIGNATURE DATE:






- 1. ALL PIPE AND FITTINGS SHALL BE ASTM D-3034, SDR 35. 2. ON LOTS WITH EXISTING HOMES, CONTRACTOR SHALL INSTALL APPROVED
- 3. CLEANOUTS SHALL NOT BE CONSTRUCTED SO THE CLEANOUTS CAP WILL END UP IN SIDEWALKS, STEPS OR DRIVEWAYS.


STANDARD CLEANOUT



TYPICAL SHARED DRIVEWAY SECTION (STA 0+00 - 0+41.85) SCALE: NTS



TYPICAL SHARED DRIVEWAY SECTION (STA 0+41.85 - 1+56.48) SCALE: NTS



06/24/2025 1 CITY REVIEW COMMENTS DESIGNED: IM DRAWN: IM CHECKED: ELH JUNE 2025 SCALE: AS SHOWN PROJECT NO. E24-029 **REVISION**

FIRWOOD DESIGN GROUP **Reliable** Engineering Solutions

359 EAST HISTORIC COLUMBIA RIVER HIGHWAY 3784 RIDGEWOOD WAY TROUTDALE, OREGON 97060 (503) 668-3737

SEQUOIA ESTATES MIDDLE HOUSING WEST LINN, OR, 97068

DETAILS DESIGN REVIEW

74682PE

OREGON

EXPIRES: 06/30/23

SIGNATURE DATE:_

RELIMINAR'

Tualatin Valley Fire & Rescue

FIRE CODE / LAND USE / BUILDING REVIEW **APPLICATION**

North Operating Center 11945 SW 70th Avenue Tigard, OR 97223 Phone: 503-649-8577

South Operating Center 8445 SW Elligsen Rd Wilsonville, OR 97070 Phone: 503-649-8577

REV 6-30-20

Project Information	Permit/Review Type (check one):
Applicant Name: The Portlock Company Address: 6105 W A St Phone: 425-829-1566 Email: jportlock@theportlockco.com Site Address: 3784 Ridgewood Way City: West Linn, OR 97068 Map & Tax Lot #: Business Name: Land Use/Building Jurisdiction: Land Use/ Building Permit # Choose from: Beaverton, Tigard, Newberg, Tualatin, North Plains, West Linn, Wilsonville, Sherwood, Rivergrove, Durham, King City, Washington County, Clackamas County, Multnomah County, Yamhill County Project Description New middle housing project for detached triplex	Emergency Radio Responder Coverage Install/Test □LPG Tank (Greater than 2,000 gallons) □Flammable or Combustible Liquid Tank Installation (Greater than 1,000 gallons) * Exception: Underground Storage Tanks (UST) are deferred to DEQ for regulation. □Explosives Blasting (Blasting plan is required) □Exterior Toxic, Pyrophoric or Corrosive Gas Installation (in excess of 810 cu.ft.) □Tents or Temporary Membrane Structures (in excess of 10,000 square feet) □Temporary Haunted House or similar □OLCC Cannabis Extraction License Review □Ceremonial Fire or Bonfire (For gathering, ceremony or other assembly) For Fire Marshal's Office Use Only TVFR Permit # 2025 - 0110 Permit Type: □PP - Word - Union Submittal Date: □C-19-2025 Assigned To: □FM - Nore Due Date: MA Fees Due: □Fees Paid: □Fees Pai
Approval/Inspecti (For Fire Marshal's 0	

This section is for application Fire transhal or Designee Conditions: See approved	07-03-202 Date
plan,	The Strotes
See Attached Conditions: ☐ Yes	No
Site Inspection Required: ☐ Yes	No

This section used when site inspection is	required
Inspection Comments:	
Final TVFR Approval Signature & Emp ID	Date

