



West Linn

Development Review Application

For Office Use Only

Staff Contact PETER SPIR	Project No(s). MP-14-09	
Non-Refundable Fee(s) 500-	Refundable Deposit(s) 2800-	Total 3300-

Type of Review (Please check all that apply):

- | | | |
|--|---|--|
| <input type="checkbox"/> Annexation (ANX) | <input type="checkbox"/> Historic Review | <input type="checkbox"/> Subdivision (SUB) |
| <input type="checkbox"/> Appeal and Review (AP) * | <input type="checkbox"/> Legislative Plan or Change | <input type="checkbox"/> Temporary Uses * |
| <input type="checkbox"/> Conditional Use (CUP) | <input type="checkbox"/> Lot Line Adjustment (LLA) */** | <input type="checkbox"/> Time Extension * |
| <input type="checkbox"/> Design Review (DR) | <input type="checkbox"/> Minor Partition (MIP) (Preliminary Plat or Plan) | <input type="checkbox"/> Variance (VAR) |
| <input type="checkbox"/> Easement Vacation | <input type="checkbox"/> Non-Conforming Lots, Uses & Structures | <input type="checkbox"/> Water Resource Area Protection/Sing |
| <input type="checkbox"/> Extraterritorial Ext. of Utilities | <input type="checkbox"/> Planned Unit Development (PUD) | <input type="checkbox"/> Water Resource Area Protection/Wet |
| <input type="checkbox"/> Final Plat or Plan (FP) | <input type="checkbox"/> Pre-Application Conference (PA) */** | <input type="checkbox"/> Willamette & Tualatin River Greenw. |
| <input type="checkbox"/> Flood Management Area | <input type="checkbox"/> Street Vacation | <input type="checkbox"/> Zone Change |
| <input type="checkbox"/> Hillside Protection & Erosion Control | | |

Home Occupation, Pre-Application, Sidewalk Use, Sign Review Permit, and Temporary Sign Permit applications require different or additional application forms, available on the City website or at City Hall.

Site Location/Address: 19345 SUNCREST DRIVE, WEST LINN		Assessor's Map No.: 21E23B
		Tax Lot(s): 900
		Total Land Area: 49300 sf
Brief Description of Proposal: RE-DEVELOPMNET OF THE LAND WITH A THREE LOT PARTITIC RETAINING THE EXISTING HOUSE		
(PLEASE PRINT) Applicant Name: PHIL GENTEMANN, CENTURION HOMES Address: 7128 SW GONZAGA ST. SUTIE 200 City State Zip: PORTLAND, OREGON 97223		Phone: 503-620=2047 Email: phil@centurionl
(please print) Owner Name (required): Address: 19345 SUNCREST DRIVE City State Zip: WEST LINN, OREGON 97068		Phone: Email:
(please print) Consultant Name: BRUCE D. GOLDSON, PE; THETA, LLC Address: PO BOX 1345 City State Zip: LAKE OSWEGO, OREGON 97035		Phone: 503-481-8822 Email: thetaeng@comc

1. All application fees are non-refundable (excluding deposit). Any overruns to deposit will result in

additional billing.

2. The owner/applicant or their representative should be present at all public hearings.
3. A denial or approval may be reversed on appeal. No permit will be in effect until the appeal period has expired.


4. **Three (3) complete hard-copy sets (single sided) of application materials must be submitted with this application.**

One (1) complete set of digital application materials must also be submitted on CD in PDF format.


If large sets of plans are required in application please submit only two sets.

* No CD required / ** Only one hard-copy set needed

The undersigned property owner(s) hereby authorizes the filing of this application, and authorizes on site review by authorized staff. I he
Acceptance of this application does not infer a complete submittal. All amendments to the Community Development Code and to other
applicable. Approved applications and subsequent development is not vested under the provisions in place at the time of the initial appli



Applicant's signature



Date

Owner's si

DEVELOPMENT REVIEW APPLICATION

For Office Use Only		
STAFF CONTACT	PROJECT NO(S).	
NON-REFUNDABLE FEE(S)	REFUNDABLE DEPOSIT(S)	TOTAL

Type of Review (Please check all that apply):

- | | | |
|--|--|--|
| <input type="checkbox"/> Annexation (ANX) | <input type="checkbox"/> Historic Review | <input type="checkbox"/> Subdivision (SUB) |
| <input type="checkbox"/> Appeal and Review (AP) * | <input type="checkbox"/> Legislative Plan or Change | <input type="checkbox"/> Temporary Uses * |
| <input type="checkbox"/> Conditional Use (CUP) | <input type="checkbox"/> Lot Line Adjustment (LLA) */** | <input type="checkbox"/> Time Extension * |
| <input type="checkbox"/> Design Review (DR) | <input checked="" type="checkbox"/> Minor Partition (MIP) (Preliminary Plat or Plan) | <input type="checkbox"/> Variance (VAR) |
| <input type="checkbox"/> Easement Vacation | <input type="checkbox"/> Non-Conforming Lots, Uses & Structures | <input type="checkbox"/> Water Resource Area Protection/Single Lot (WAP) |
| <input type="checkbox"/> Extraterritorial Ext. of Utilities | <input type="checkbox"/> Planned Unit Development (PUD) | <input type="checkbox"/> Water Resource Area Protection/Wetland (WAP) |
| <input type="checkbox"/> Final Plat or Plan (FP) | <input type="checkbox"/> Pre-Application Conference (PA) */** | <input type="checkbox"/> Willamette & Tualatin River Greenway (WRG) |
| <input type="checkbox"/> Flood Management Area | <input type="checkbox"/> Street Vacation | <input type="checkbox"/> Zone Change |
| <input type="checkbox"/> Hillside Protection & Erosion Control | | |

Home Occupation, Pre-Application, Sidewalk Use, Sign Review Permit, and Temporary Sign Permit applications require different or additional application forms, available on the City website or at City Hall.

Site Location/Address: 19345 SUNCREST DRIVE, WEST LINN	Assessor's Map No.: 21E23BC Tax Lot(s): 900 Total Land Area: 49300 sf
---	--

Brief Description of Proposal: **RE-DEVELOPMNET OF THE LAND WITH A THREE LOT PARTITION AND RETAINING THE EXISTING HOUSE**

Applicant Name: PHIL GENTEMANN, CENTURION HOMES <small>(please print)</small> Address: 7128 SW GONZAGA ST. SUTIE 200 City State Zip: PORTLAND, OREGON 97223	Phone: 503-620-2047 Email: phil@centurionhomes.net
--	---

Owner Name (required): <small>(please print)</small> Address: 19345 SUNCREST DRIVE City State Zip: WEST LINN, OREGON 97068	Phone: Email:
--	--------------------------------

Consultant Name: BRUCE D. GOLDSON, PE; THETA, LLC <small>(please print)</small> Address: PO BOX 1345 City State Zip: LAKE OSWEGO, OREGON 97035	Phone: 503-481-8822 Email: thetaeng@comcast.net
---	--

1. All application fees are non-refundable (excluding deposit). **Any overruns to deposit will result in additional billing.**
2. The owner/applicant or their representative should be present at all public hearings.
3. A denial or approval may be reversed on appeal. No permit will be in effect until the appeal period has expired.
4. **Three (3) complete hard-copy sets (single sided) of application materials must be submitted with this application.**
One (1) complete set of digital application materials must also be submitted on CD in PDF format.
If large sets of plans are required in application please submit only two sets.

* No CD required / ** Only one hard-copy set needed

The undersigned property owner(s) hereby authorizes the filing of this application, and authorizes on site review by authorized staff. I hereby agree to comply with all code requirements applicable to my application. Acceptance of this application does not infer a complete submittal. All amendments to the Community Development Code and to other regulations adopted after the application is approved shall be enforced where applicable. Approved applications and subsequent development is not vested under the provisions in place at the time of the initial application.

Applicant's signature	Date	Owner's signature <i>(required)</i>	Date
-----------------------	------	-------------------------------------	------

3-lot Minor Partition Application

19345 Suncrest Drive, West Linn (T2S R1E 23BC,TL 900)

Proposal Overview:

The owner/applicant is submitting a land use application for a three lot minor partition of the subject property located at 19345 Suncrest Drive in West Linn.

There are no known previous land use applications for the subject property.

A pre-application meeting with the City was held October 16, 2014 (PA-14-36).

- a. The subject property is zoned R-10 with a total of gross area of 49,304 sq ft (1.13 acres).
- b. The existing house will be retained and the existing driveway access on the southerly side of the property will be used to serve all three parcels.
- c. There is no record of a public water service or public sanitary service to the property. Public sewer via an extension from the south and water are available in Suncrest Drive.
- d. The tentative plan illustrates three (3) future parcels where parcel 1 (the existing house) will be the residual area and two 10,000+ area parcels to the east.
- e. Pursuant to the pre-application meeting no dedication is required on Suncrest Drive.
- f. There are numerous trees on site that have been mapped and inventoried by an Arborist. The city Arborist has visited the site and initially determined that no significant trees are on the site

Parcel 3 is approximately 85 feet

- *The average minimum lot width shall be 50 feet.*

Response: this is an average

Parcel 1 is approximately 145 feet

Parcel 2 is approximately 85 feet

Parcel 3 is approximately 85 feet

4. *The lot depth comprising non-Type I and II lands shall be less than two and one-half times the width, and more than an average depth of 90 feet.*

Response:

Parcel 1 is 145 X 170 with no type I or II lands

Parcel 2 is 85 X 125 with no type I or II lands

Parcel 3 is 85 X 125 with no type I or II lands

- *The minimum yard dimensions or minimum building setback area from the lot line shall be:*
 - a. *For the front yard, 20 feet; except for steeply sloped lots where the provisions of CDC [41.010](#) shall apply; and as specified in CDC [26.040\(D\)](#) for the Willamette Historic District.*
 - b. *For an interior side yard, seven and one-half feet; except as specified in CDC [26.040\(D\)](#) for the Willamette Historic District.*
 - c. *For a side yard abutting a street, 15 feet.*
 - d. *For a rear yard, 20 feet*

Response:

The houses will be constructed to meet the building setbacks

6. *The maximum building height shall be 35 feet, except for steeply sloped lots in which case the provisions of Chapter [41](#) CDC shall apply.*

7. *The maximum lot coverage shall be 35 percent.*

8. *The minimum width of an accessway to a lot which does not abut a street or a flag lot shall be 15 feet.*

9. *The floor area ratio shall be 0.45. Type I and II lands shall not be counted toward lot area when determining allowable floor area ratio, except that a minimum floor area ratio of 0.30 shall be allowed regardless of the classification of lands within the property. That 30 percent shall be based upon the entire property including Type I and II lands. Existing residences in excess of this standard may be replaced to their prior dimensions when damaged without the requirement that the homeowner obtain a non-conforming structures permit under Chapter [66](#) CDC.*

10. *The sidewall provisions of Chapter [43](#) CDC shall apply. (Ord. 1175, 1986; Ord. 1298, 1991; Ord. 1377, 1995; Ord. 1538, 2006)*

Response:

The home will be constructed to meet the height and coverage requirements. The existing driveway will be used to access all three parcels.

85.150 APPLICATION – TENTATIVE PLAN

A. *The applicant shall submit a completed application which shall include:*

1. *The completed application form(s).*

Response:

The application form has been completed and is included with this application.

2. *Copies of the tentative plan and supplemental drawings shall include three copies at the original scale plus three copies reduced in paper size not greater than 11 inches by 17 inches. When the application submittal is determined to be complete, additional copies may be required as determined by the Planning Department.*

Response:

Three full sized (18 X24), plus associated exhibits and 8 ½ X11 copies of the tentative plans are included with this application along with an electronic file

3. *A narrative explaining all aspects of land division per CDC [85.200](#).*

Response:

The narrative for section 85.200 is included in this application

4. *A prerequisite to the filing of an application for development proposals that include greater than 10 multi-family units or commercial/industrial buildings greater than 1,500 square feet in size, a four-lot or more planned unit development, a 10-lot or greater subdivision, or a zone change that requires a Comprehensive Plan amendment is a meeting with the respective City-recognized neighborhood association, per CDC [99.038](#), at which time the applicant will present their proposal and receive comments.*

Response:

This is an application for a three lot partition and does not require a neighborhood meeting.

B. *The applicant shall pay the requisite fee. (Ord. 1401, 1997; Ord. 1408, 1998; Ord. 1442, 1999)*


Response:

A check for the required fee is included with this application.

85.160 SUBMITTAL REQUIREMENTS FOR TENTATIVE PLAN

A. *A City-wide map shall identify the site. A vicinity map covering one-quarter-mile radius from the development site shall be provided in the application showing existing subdivisions, streets, and unsubdivided land ownerships adjacent to the proposed subdivision and showing how proposed streets and utilities may be extended to connect to existing streets and utilities.*

Response:



VICINITY MAP

A city map illustrating the developments adjacent to the subject property (PP 1) and a vicinity map shown above, plus a vicinity map shown on the tentative plan.

B. *The tentative subdivision plan shall be prepared by a registered civil engineer and/or a licensed land surveyor. A stamp and signature of the engineer or surveyor shall be included on the tentative subdivision plan. A tentative minor partition plan (three lots or less) is only required to be drawn to scale and does not have to be prepared by an engineer or surveyor.*

Response:

This is a minor partition and does not require stamped drawings. Drawings have, however, have been prepared under the direction of a registered engineer/land surveyor and are drawn to scale.

C. The tentative plan of a subdivision or partition shall be drawn at a scale not smaller than one inch equals 100 feet, or, for areas over 100 acres, one inch equals 200 feet.

Response:

The tentative plans have been drawing to scales greater than 1"=100'

D. plan of subdivision or partition:

1. Proposed name of the subdivision and streets; these names shall not duplicate nor resemble the name of any other subdivision or street in the City and shall be determined by the City Manager or designee. Street names should be easily spelled, pronounced, and of limited length. All new street names must, to the greatest extent possible, respect and be representative of the surrounding geography and existing street names. Street names should consider any prominent historical City figures or neighborhood themes that exist. Subdivision street names may not reference names of the builder or developer.

Response:

Partitions don't have names, no new streets are proposed

2. Date, north arrow, scale of drawing, and graphic bar scale

Response:

A date, north arrow, scale and graphic bar scale are show on the drawings

3. Appropriate identification clearly stating the drawing as a tentative plan.

Response:

The proposed 3 lot partition is labeled "Tentative Plan"

4. Location of the proposed division of land, with a tie to the City coordinate system, where established, and a description sufficient to define its location and boundaries, and a legal description of the tract boundaries.

Response:

The final plat will include ties to the coordinate system where appropriate and will include a legal description meeting the requirements of the City and County.

- *Names and addresses of the owner, developer, and engineer or surveyor*
-

Response:

The name and address of the owner/applicant are clearly shown of the tentative plans.

E. *The following existing conditions shall be shown on the tentative plan of a subdivision or partition:*

1. *The location, widths, and names of all existing or platted streets and rights-of-way within or adjacent to the tract (within 50 feet), together with easements and other important features such as section lines, donation land claim corners, section corners, City boundary lines, and monuments.*

Response:

The tentative plan illustrate the location, widths and names of all streets and right-of-way within and adjacent to this parcel.

2. *Contour lines related to the U.S. Geological Survey datum or some other established benchmark, or other datum approved by the Planning Director and having the following minimum intervals:*

- Two-foot contour intervals for ground slopes less than 20 percent.*
- Five-foot contour intervals for ground slopes exceeding 20 percent*

Response:

One foot contours are shown on the tentative and existing conditions plan are based on City of West Linn benchmarks

3. *The location of any control points that are the basis for the applicant's mapping.*

Response:

Control points are referenced and labeled on the tentative plans

4. *The location, by survey, and direction of all watercourses and areas subject to periodic inundation or storm drainageway overflow or flooding, including boundaries of flood hazard areas as established by the U.S. Army Corps of Engineers or the City zoning ordinance.*

Response:

There are no watercourses on or near the subject property.

5. Natural features such as rock outcroppings, wetland tied by survey, wooded areas, heritage trees and isolated trees (six-inch diameter at five feet above grade) identified by size, type, and location. All significant trees and tree clusters identified by the City Arborist using the criteria of CDC 55.100(B)(2), and all heritage trees, shall be delineated. Trees on non-Type I and II lands shall have their "dripline plus 10 feet" protected area calculated per CDC 55.100(B)(2) and expressed in square feet, and also as a percentage of total non-Type I and II area.

Response:

There are no wetlands on or near subject property. The existing trees are shown on the tentative plan, tagged in the field and shown on the arborist inventory and tree inventory map. There are no heritage trees on the site and the City arborist has determined there are no significant trees on the site.

6. Existing uses of the property, including location of all existing structures. Label all structures to remain on the property after platting.

Response:

The existing conditions survey illustrates the existing house. This house will be retained with this redevelopment.

7. Identify the size and location of existing sewers, water mains, culverts, drain pipes, gas, electric, and other utility lines within the site, and in the adjoining streets and property.

Response:

Currently the existing house is not connected to the public sanitary system. There is also no connection to the public water system. No connection is proposed for the existing house to the public water. The tentative plan shows how connections will be made from the public systems in Suncrest Drive for the new parcels. An infiltration test will be conducted on the property to determine if on-site disposal of storm water could be used. This test was conducted using the City of Portland guidelines for determining the feasibility of on-site disposal.

8. Zoning on and adjacent to the tract.

Response:

The zoning on the subject property, to the north south and east are zoned R10. To the west (rear) is the Marylhurst Heights are shown on the tentative plan.

9. *Existing uses to remain on the adjoining property and their scaled location.*

Response:

The subject property is surrounded by detached single family homes and the adjacent are illustrated on the tentative plan

10. *The location of any existing bicycle or pedestrian ways.*

Response:

There is no existing bicycle or pedestrian ways

11. *The location of adjacent transit stops*

Response:

There are no transit stops within walking distance of the subject property.

F. *The following proposed improvements shall be shown on the tentative plan or supplemental drawings:*

1. *The street – street location, proposed name, right-of-way width, and approximate radius of curves of each proposed street and street grades. Proposed street names shall comply with the street naming method explained in CDC [85.200\(A\)\(12\)](#).*

Response:

The existing streets are named with right-of-way widths. No new streets are proposed.

2. *The type, method, and location of any erosion prevention and sediment control measures and/or facilities in accordance with the most current version of Clackamas County's Erosion/Sedimentation Control Plans Technical Guidance Handbook, which are necessary to prevent and control visible or measurable erosion as determined by the following criteria:*

a. *Deposition of soil, sand, dirt, dust, mud, rock, gravel, refuse, or any other organic or inorganic material exceeding one cubic foot in volume in a public right-of-way or public property, or into the City surface water management system either by direct deposit, dropping, discharge, or as a result of erosion; or*

b. *Flow of water over bare soils, turbid or sediment-laden flows, or evidence of on-site erosion such as rivulets or bare soil slopes, where the flow of water is not filtered or captured on the development site; or*

c. *Earth slides, mud flows, land slumping, slope failure, or other earth movement that is likely to leave the property of origin.*

Additional on-site measures may later be required if original measures prove to be inadequate in meeting these attainment standards. For the purposes of this code, "one cubic foot in volume" is defined to include the volume of material, wet or dry, at the time of deposition and includes any water of a discolored or turbid nature

Response:

No improvements are needed and no construction or grading is proposed on the new building pad. When a building permit is obtained the necessary erosion control facilities will be employed.

3. Any proposed infrastructure improvements that address those identified in the City Transportation System Plan.

Response:

Frontage improvements will connect to the existing curb and walks on the South with half street improvements

4. Any proposed bicycle or pedestrian paths. The location of proposed transit stops.

Response:

A new sidewalk will be constructed along the frontage of Suncrest Drive.

5. Any easement(s) – location, width, and purpose of the easement(s).

Response:

A PUE will be provided along the frontage of the subject property. The joint access easement is illustrated on the tentative plan.

6. The lot configuration including location and approximate dimensions and lot area of each parcel, and in the case of a subdivision, the proposed lot and block number.

Response:

The dimensional size, shape and lot areas are shown on the tentative plan

7. A street tree planting plan and schedule approved by the Parks Department.

Response:

The exiting trees along the frontage will be removed to allow placement of the curb and walk. A water quality swale will be constructed along the frontage which may have trees in the final design that will be reviewed by the City.

8. *Any land area to be dedicated to the City or put in common ownership.*

Response:

No dedication is proposed.

Phase boundaries shall be shown. (Ord. 1382, 1995; Ord. 1403, 1997; Ord. 1544, 2007; Ord. 1565, 2008)

Response:

No phases are proposed

85.170 SUPPLEMENTAL SUBMITTAL REQUIREMENTS FOR TENTATIVE SUBDIVISION OR PARTITION PLAN

The following information shall be submitted to supplement the tentative subdivision plan:

A. General.

1. *Narrative stating how the plan meets each of the applicable approval criteria and each subsection below.*

Response:

This narrative addresses all the required code sections

2. *Statement or affidavit of ownership of the tract (County Assessor's map and tax lot number).*

Response:

The owner/applicant has signed the land use application form attesting to the ownership of the subject property.

3. *A legal description of the tract.*

Response:

The property is described as T2S R1E Sec 23BC, Tax Lot 900

4. *If the project is intended to be phased, then such a proposal shall be submitted at this time with drawing and explanation as to when each phase will occur and which lots will be in each phase.*

Response:

The project will not be phased.

5. *Where the land to be subdivided or partitioned contains only a part of the contiguous land owned by the developer, the Commission or Planning Director, as applicable, shall require a master plan of the remaining portion illustrating how the remainder of the property may suitably be subdivided.*

Response:

All the land is to be partitioned and by retaining the house no further division is possible. A master plan illustrates if the house were removed Parcel 1 could be re-divided.

6. *Where the proposed subdivision site includes hillsides or where erosion hazard potential exists, including Type I and II lands as defined in CDC [02.030](#), and any lands identified as a hazard site in the West Linn Comprehensive Inventory Plan Report, the standards and requirements of Chapter [24](#) CDC, Planned Unit Development, as well as the requirements for erosion control as described in CDC [85.160\(F\)\(2\)](#), shall be addressed in a narrative.*

Response:

This application is for a 3-lot partition. It has been determined by the slope analysis that no Type I and Type II lands are located on the property

7. *Table and calculations showing the allowable number of lots under the zone and how many lots are proposed.*

Response:

49304 square feet/ 10,000 minimum lot size = 4.9 units or 4maximum.

Parcel 1	28064 sq ft with flag
Parcel 2 & 3	10,620 sq ft each

8. *Map and table showing square footage of site comprising slopes by various classifications as identified in CDC [55.110\(B\)\(3\)](#).*

Response:

A slope analysis has been prepared and is illustrated on the tentative plans.

B. Transportation.

1. Centerline profiles with extensions shall be provided beyond the limits of the proposed subdivision to the point where grades meet, showing the finished grade of streets and the nature and extent of street construction.

Response:

No new streets are proposed and therefore a preliminary street profile is not required. A profile of the existing Suncrest and private drive are, however, shown. No traffic impact study is required.

C. Grading.

1. If areas are to be graded, a plan showing the location of cuts, fill, and retaining walls, and information on the character of soils shall be provided. The grading plan shall show proposed and existing contours at intervals per CDC 85.160(E)(2).

Response:

No grading is proposed at this time on the individual parcels. Once a building design has been determined minor grading will be required for the foundation. A tentative grading plan is included for the half street improvements.

2. The grading plan shall demonstrate that the proposed grading to accommodate roadway standards and create appropriate building sites is the minimum amount necessary.

Response:

Minor grading is proposed along Suncrest Drive to construction the new curbs and sidewalks. A tentative grading plan illustrates the limits of work. Grading of the remaining parcel is not proposed.

D. Water.

1. A plan for domestic potable water supply lines and related water service facilities, such as reservoirs, etc., shall be prepared by a licensed engineer consistent with the adopted Comprehensive Water System Plan and most recently adopted updates and amendments.

Response:

Pubic water is available in Suncrest Drive. Parcel 1 will retain the use of the existing well and parcels 2 & 3 will be provided a water service. No new public lines are proposed.

2. *Location and sizing of the water lines within the development and off-site extensions. Show on-site water line extensions in street stubouts to the edge of the site, or as needed to complete a loop in the system.*

Response:

No street extension is proposed and no extension of the existing public water main is proposed.

3. *Adequate looping system of water lines to enhance water quality.*

Response:

No extension of the public water system is proposed.

4. *For all non-single-family developments, calculate fire flow demand of the site and demonstrate to the Fire Chief. Demonstrate to the City Engineer how the system can meet the demand.*

Response:

This is for residential single family development and not subject to this requirement.

E. Sewer.

1. *A plan prepared by a licensed engineer shall show how the proposal is consistent with the Sanitary Sewer Master Plan and subsequent updates and amendments. Agreement with that plan must demonstrate how the sanitary sewer proposal will be accomplished and how it is efficient. The sewer system must be in the correct zone.*

Response:

Sanitary service is available in Suncrest Drive via an extension of approximately 170 LF. Connections will be made available for all three parcels.

2. *Sanitary sewer information will include plan view of the sanitary sewer lines, including manhole locations and depths. Show how each lot would be sewer.*

Response:

The tentative plans show the public sewer extension together with the sewer laterals.

3. *Sanitary sewer lines shall be located in the public right-of-way, particularly the street, unless the applicant can demonstrate why the alternative location is necessary and meets accepted engineering standards.*

Response:

The public sanitary sewer will be located in a public street. The service laterals will be within the access and utility easement.

4. *Sanitary sewer line should be at a depth that can facilitate connection with down-system properties in an efficient manner.*

Response:

The existing and new public sewer located in Suncrest Drive and is or will be at a depth that allows connection via laterals to the uphill property.

5. *The sanitary sewer line should be designed to minimize the amount of lineal feet in the system.*

Response:

The private sewer laterals will provide the most direct route to the new parcels.

6. *The sanitary sewer line shall minimize disturbance of natural areas and, in those cases where that is unavoidable, disturbance shall be mitigated pursuant to the appropriate chapters (e.g., Chapter 32 CDC, Water Resource Area Protection).*

Response:

The sewer laterals are the most direct route to all Parcels, and outside any natural or environmental areas.

7. *Sanitary sewer shall be extended or stubbed out to the next developable subdivision or a point in the street that allows for reasonable connection with adjacent or nearby properties.*

Response:

This is the last property to be served on Suncrest and no sewer extension will be needed.

8. *The sanitary sewer system shall be built pursuant to Department of Environmental Quality (DEQ), City, and Tri-City Service District sewer standards. This report should be prepared by*

a licensed engineer, and the applicant must be able to demonstrate the ability to satisfy these submittal requirements or standards at the pre-construction phase.

Response:

Preliminary and final plans for the sewer will be prepared by a registered engineer.

F. Storm.

1. A proposal shall be submitted for storm drainage and flood control including profiles of proposed drainageways with reference to the most recently adopted Storm Drainage Master Plan.

Response:

The property slopes from west to east and Suncrest slopes northward to a low point north of the subject property. Infiltration will use rain-gardens with overflow to Suncrest. A preliminary storm report is part of this application.

2. Storm treatment and detention facilities shall be sized to accommodate a 25-year storm incident. A registered civil engineer shall prepare a plan and statement which shall be supported by factual data that clearly shows that there will be no adverse impacts from increased intensity of runoff downstream or constriction-created upstream impacts. The plan and statement shall identify all on- or off-site impacts and measures to mitigate those impacts. The plan and statement shall, at a minimum, determine the off-site impacts from a 25-year storm.

Response:

No new streets are proposed and storm water from the small increase due to sidewalks will be directed to a roadside swale. The roofs from the proposed two new houses will be directed to individual rain gardens sized to the actual roof area. These future calculations will be made to size the facility when the house size is known.

3. Plans shall demonstrate how storm drainage will be collected from all impervious surfaces including roof drains. Storm drainage connections shall be provided to each dwelling unit/lot. The location, size, and type of material selected for the system shall correlate with the 10-year storm incident and agree with the factual information provided in response to subsection (F)(2) of this section.

Response:

At this time the location and size of future home has not been determined. The sloping nature of the lots will allow for collection of the storm water with direction to an on-site disposal system sized meeting City requirements.

4. *The detention facilities shall be designed by a licensed engineer to meet City standards. The detention facilities should include a vegetation plan for the facility and environs, if applicable. (Ord. 1382, 1995; Ord. 1401, 1997; Ord. 1425, 1998; Ord. 1442, 1999; Ord. 1584, 2008)*

Response:

No detentions system is proposed. The individual on-site storm water facilities will be designed to allow for complete on-site disposal of the storm water.

85.180 REDIVISION PLAN REQUIREMENT

Response:

This section does not apply to this application.

85.190 ADDITIONAL INFORMATION REQUIRED AND WAIVER OF REQUIREMENTS

Response:

This section does not apply to this application.

85.200 APPROVAL CRITERIA

No tentative subdivision or partition plan shall be approved unless adequate public facilities will be available to provide service to the partition or subdivision area prior to final plat approval and the Planning Commission or Planning Director, as applicable, finds that the following standards have been satisfied, or can be satisfied by condition of approval.

A. Streets.

1. General. *The location, width and grade of streets shall be considered in their relation to existing and planned streets, to the generalized or reasonable layout of streets on adjacent undeveloped parcels, to topographical conditions, to public convenience and safety, to accommodate various types of transportation (automobile, bus, pedestrian, bicycle), and to the proposed use of land to be served by the streets. The functional class of a street aids in defining the primary function and associated design standards for the facility. The hierarchy of the facilities within the network in regard to the type of traffic served (through or local trips), balance of function (providing access and/or capacity), and the level of use (generally measured in vehicles per day) are generally dictated by the functional class. The street system shall assure an adequate traffic or circulation system with intersection angles, grades, tangents, and curves appropriate for the traffic to be carried. Streets should provide for the continuation, or the appropriate projection, of existing*

principal streets in surrounding areas and should not impede or adversely affect development of adjoining lands or access thereto.

To accomplish this, the emphasis should be upon a connected continuous pattern of local, collector, and arterial streets rather than discontinuous curvilinear streets and cul-de-sacs. Deviation from this pattern of connected streets should only be permitted in cases of extreme topographical challenges including excessive slopes (35 percent-plus), hazard areas, steep drainageways, wetlands, etc. In such cases, deviations may be allowed but the connected continuous pattern must be reestablished once the topographic challenge is passed. Streets should be oriented with consideration of the sun, as site conditions allow, so that over 50 percent of the front building lines of homes are oriented within 30 degrees of an east-west axis.

Internal streets are the responsibility of the developer. All streets bordering the development site are to be developed by the developer with, typically, half-street improvements or to City standards prescribed by the City Engineer. Additional travel lanes may be required to be consistent with adjacent road widths or to be consistent with the adopted Transportation System Plan and any adopted updated plans.

An applicant may submit a written request for a waiver of abutting street improvements if the Transportation System Plan prohibits the street improvement for which the waiver is requested. Those areas with numerous (particularly contiguous) under-developed or undeveloped tracts will be required to install street improvements. When an applicant requests a waiver of street improvements and the waiver is granted, the applicant shall propose a fee amount that will be reviewed by the City Manager or the Manager's designee. The City Manager or the Manager's designee will revise the proposed fee as necessary and establish the amount to be paid on a case-by-case basis. The applicant shall pay an in-lieu fee for improvements to the nearest street identified by the City Manager or Manager's designee as necessary and appropriate. The amount of the in-lieu fee shall be roughly proportional to the impact of the development on the street system as determined in subsection (A)(22) of this section.

Streets shall also be laid out to avoid and protect tree clusters and significant trees, but not to the extent that it would compromise connectivity requirements per this subsection (A)(1), or bring the density below 70 percent of the maximum density for the developable net area. The developable net area is calculated by taking the total site acreage and deducting Type I and II lands; then up to 20 percent of the remaining land may be excluded as necessary for the purpose of protecting significant tree clusters or stands as defined in CDC 55.100(B)(2).

Response:

No new streets are proposed and if re-development of Parcel 1 would occur no new streets would be necessary.

2. Right-of-way and roadway widths. In order to accommodate larger tree-lined boulevards and sidewalks, particularly in residential areas, the standard right-of-way widths for the different street classifications shall be within the range listed below. But instead of filling in the right-of-way with pavement, they shall accommodate the amenities (e.g., boulevards, street trees, sidewalks). The exact width of the right-of-way shall be determined by the City Engineer or the approval authority. The following ranges will apply:

<u>Street Classification</u>	<u>Right-of-Way</u>
Highway 43	60 - 80
Major arterial	60 - 80
Minor arterial	60 - 80
Major collector	60 - 80
Collector	60 - 80
Local street	40 - 60
Cul-de-sac	40 - 60
Radii of cul-de-sac	48 - 52
Alley	16

Additional rights-of-way for slopes may be required. Sidewalks shall not be located outside of the right-of-way unless to accommodate significant natural features or trees.

Response:

Suncrest is a collector street but fully developed with a 50-foot right-of-way and no additional right-of-way dedication is necessary.

3. Street widths. Street widths shall depend upon which classification of street is proposed. The classifications and required cross sections are established in Chapter 8 of the adopted TSP.

Response:

No new streets are proposed. Street improvements on Suncrest Drive connect the curbs to the south of the property.

4. The decision-making body shall consider the City Engineer's recommendations on the desired right-of-way width, pavement width and street geometry of the various street types within the subdivision after consideration by the City Engineer

Response:

Pursuant to the pre-application meeting no dedication will be required.

Additionally, when determining appropriate street width, the decision-making body shall consider the following criteria:

a. When a local street is the only street serving a residential area and is expected to carry more than the normal local street traffic load, the designs with two travel and one parking lane are appropriate.

Response:

No new streets are proposed. Improvements are proposed on the existing Suncrest Drive.

6. Reserve strips. *Reserve strips or street plugs controlling the access to streets are not permitted unless owned by the City.*

Response:

No reserve strips are proposed.

7. Alignment. *All streets other than local streets or cul-de-sacs, as far as practical, shall be in alignment with existing streets by continuations of the centerlines thereof. The staggering of street alignments resulting in "T" intersections shall, wherever practical, leave a minimum distance of 200 feet between the centerlines of streets having approximately the same direction and otherwise shall not be less than 100 feet.*

Response:

No new streets are proposed. The alignment of Suncrest Drive will remain the same

8. Future extension of streets. *Where necessary to give access to or permit a satisfactory future subdivision of adjoining land, streets shall be extended to the boundary of the subdivision and the resulting dead-end streets may be approved without turnarounds. (Temporary turnarounds built to Fire Department standards are required when the dead-end street is over 100 feet long.)*

Response:

This is a minor partition with no proposed streets. No turnarounds are required by the Fire Marshall on the private drive. There are no future extensions

9. Intersection angles. *Streets shall be laid out to intersect angles as near to right angles as practical, except where topography requires lesser angles, but in no case less than 60 degrees unless a special intersection design is approved. Intersections which are not at right angles shall have minimum corner radii of 15 feet along right-of-way lines which form acute angles. Right-of-way lines at intersections with arterial streets shall have minimum curb radii of not less than 35 feet. Other street intersections shall have curb radii of not less than 25 feet. All radii shall maintain a uniform width between the roadway and the right-of-way lines. The intersection of more than two streets at any one point will not be allowed unless no alternative design exists.*

Response:

No new streets or intersections are proposed.

10. Additional right-of-way for existing streets. Wherever existing street rights-of-way adjacent to or within a tract are of inadequate widths based upon the standards of this chapter, additional right-of-way shall be provided at the time of subdivision or partition.

Response:

No additional right-of-way is proposed or needed.

11. Cul-de-sacs. Cul-de-sacs are not allowed except as required by topography, slope, site limitations, and lot shapes. Cul-de-sacs shall have maximum lengths of 400 feet and serve no more than 12 dwelling units, unless by variance per Chapter 75 CDC.

Response:

No cul-de-sac turnaround is proposed or needed.

12. Street names. No street names shall be used which will duplicate or be confused with the names of existing streets within the City. Street names that involve difficult or unusual spellings are discouraged. Street names shall be subject to the approval of the Planning Commission or Planning Director, as applicable.

Response:

No new streets are proposed and no new names are needed.

13. Grades and curves. Grades shall not exceed 8 percent on major or secondary arterials, 10 percent on collector streets, or 15 percent on any other street unless by variance. Willamette Drive/Highway 43 shall be designed to a minimum horizontal and vertical design speed of 45 miles per hour, subject to Oregon Department of Transportation (ODOT) approval. Arterials shall be designed to a minimum horizontal and vertical design speed of 35 miles per hour. Collectors shall be designed to a minimum horizontal and vertical design speed of 30 miles per hour. All other streets shall be designed to have a minimum centerline radii of 50 feet. Super elevations (i.e., banking) shall not exceed four percent. The centerline profiles of all streets may be provided where terrain constraints (e.g., over 20 percent slopes) may result in considerable deviation from the originally proposed alignment.

Response:

No new streets are proposed, existing grades will be used.

14. Access to local streets.

Response:

No new streets or intersections are proposed..

15. Alleys.

Response:

No alleys are proposed.

16. Sidewalks. *Sidewalks shall be installed per CDC 92.010(H), Sidewalks. The residential sidewalk width is six feet plus planter strip as specified below. Sidewalks in commercial zones shall be constructed per subsection (A)(3) of this section. See also subsection C of this section. Sidewalk width may be reduced with City Engineer approval to the minimum amount (e.g., four feet wide) necessary to respond to site constraints such as grades, mature trees, rock outcroppings, etc., or to match existing sidewalks or right-of-way limitations.*

Response:

A new 6-foot sidewalk is proposed to extend the walk across the frontage, connecting the existing walks on the south side of the property.

17. Planter strip. *The planter strip is between the curb and sidewalk providing space for a grassed or landscaped area and street trees. The planter strip shall be at least 6 feet wide to accommodate a fully matured tree without the boughs interfering with pedestrians on the sidewalk or vehicles along the curbline. Planter strip width may be reduced or eliminated, with City Engineer approval, when it cannot be corrected by site plan, to the minimum amount necessary to respond to site constraints such as grades, mature trees, rock outcroppings, etc., or in response to right-of-way limitations.*

Response:

A landscape strip will be provided that will match the existing strip to the south side of the property.

18. Streets and roads shall be dedicated without any reservations or restrictions.

Response:

No dedication is proposed.

19. *All lots in a subdivision shall have frontage on a public street. Lots created by partition may have access to a public street via an access easement pursuant to the standards and limitations set forth for such accessways in Chapter 48 CDC.*

Response:

The existing driveway on the subject property will provide access to all the proposed parcels. The accessway will be 20-foot wide with a 12-foot paved surface.

20. *Gated streets. Gated streets are prohibited in all residential areas on both public and private streets. A driveway to an individual home may be gated.*

Response:

No gated streets are proposed.

21. *Entryway treatments and street isle design. When the applicant desires to construct certain walls, planters, and other architectural entryway treatments within a subdivision*

Response:

No entryway treatment is proposed

22. *Based upon the determination of the City Manager or the Manager's designee, the applicant shall construct or cause to be constructed, or contribute a proportionate share of the costs, for all necessary off-site improvements identified by the transportation analysis commissioned to address CDC 85.170(B)(2) that are required to mitigate impacts from the proposed subdivision. The proportionate share of the costs shall be determined by the City Manager or Manager's designee, who shall assume that the proposed subdivision provides improvements in rough proportion to identified impacts of the subdivision. Off-site transportation improvements will include bicycle and pedestrian improvements as identified in the adopted City of West Linn TSP.*

Response:

This is a minor partition and this section does not apply.

B. Blocks and lots.

1. *General. The length, width, and shape of blocks shall be designed with due regard for the provision of adequate building sites for the use contemplated; consideration of the need for traffic safety, convenience, access, circulation, and control; and recognition of limitations and opportunities of topography and solar access.*

Response:

This is a minor 3-lot partition and no new street is proposed.

2. *Sizes. The recommended block size is 400 feet in length to encourage greater connectivity within the subdivision. Blocks shall not exceed 800 feet in length between street lines, except for blocks adjacent to arterial streets or unless topographical conditions or the layout of*

adjacent streets justifies a variation. Designs of proposed intersections shall demonstrate adequate sight distances to the City Engineer's specifications. Block sizes and proposed accesses must be consistent with the adopted TSP.

Response:

No blocks are proposed.

3. Lot size and shape. *Lot size, width, shape, and orientation shall be appropriate for the location of the subdivision, for the type of use contemplated, for potential utilization of solar access, and for the protection of drainageways, trees, and other natural features. No lot shall be dimensioned to contain part of an existing or proposed street. All lots shall be buildable, and the buildable depth should not exceed two and one-half times the average width. "Buildable" describes lots that are free of constraints such as wetlands, drainageways, etc., that would make home construction impossible. Lot sizes shall not be less than the size required by the zoning code unless as allowed by planned unit development (PUD).*

Depth and width of properties reserved or laid out for commercial and industrial purposes shall be adequate to provide for the off-street parking and service facilities required by the type of use proposed.

Response:

The lots meet or exceed the required minimum size and shape per the R-10 code

4. Access. *Access to subdivisions, partitions, and lots shall conform to the provisions of Chapter 48 CDC, Access, Egress and Circulation.*

Response:

The new parcels 2 & 3 will use the existing driveway, currently serving the existing house. No emergency turn around is required by the Fire Marshall.

5. Through lots and parcels.

Response:

No through lots or parcels are proposed.

6. Lot and parcel side lines. *The lines of lots and parcels, as far as is practicable, should run at right angles to the street upon which they face, except that on curved streets they should be radial to the curve.*

Response:

Lot lines will be at right angles to the right-of-way as far as practicable.

7. Flag lots

Response:

The pole for parcel 1 will be the access for all three parcels.

8. *Large lots. In dividing tracts into large lots or parcels which, at some future time, are likely to be redivided, the approval authority may require that the blocks be of such size and shape, and be so divided into building sites, and contain such easements and site restrictions as will provide for extension and opening of streets at intervals which will permit a subsequent division of any tract into lots or parcels of smaller size. Alternately, in order to prevent further partition of oversized lots, restrictions may be imposed on the subdivision or partition plat.*

Response:

Parcel 1 will have approximately 24,664 square feet and could be divided if the house were removed.

C. Pedestrian and bicycle trails.

1. *Trails or multi-use pathways shall be installed, consistent and compatible with federal ADA requirements and with the Oregon Transportation Planning Rule, between subdivisions, cul-de-sacs, and streets that would otherwise not be connected by streets due to excessive grades, significant tree(s), and other constraints natural or manmade. Trails shall also accommodate bicycle or pedestrian traffic between neighborhoods and activity areas such as schools, libraries, parks, or commercial districts. Trails shall also be required where designated by the Parks Master Plan.*

Response:

No trails or pathways are proposed. Sidewalks will be constructed along the frontage on Suncrest Drive.

2. *The all-weather surface (asphalt, etc.) trail should be eight feet wide at minimum for bicycle use and six feet wide at minimum for pedestrian use. Trails within 10 feet of a wetland or natural drainageway shall not have an all-weather surface, but shall have a soft surface as approved by the Parks Director. These trails shall be contained within a corridor dedicated to the City that is wide enough to provide trail users with a sense of defensible space. Corridors that are too narrow, confined, or with vegetative cover may be threatening and discourage use. Consequently, the minimum corridor width shall be 20 feet. Sharp curves, twists, and blind corners on the trail are to be avoided as much as possible to enhance defensible space. Deviations from the corridor and trail width are permitted only where topographic and ownership constraints require it.*

Response:

No trails or pathways are proposed. A concrete sidewalk will be installed along the frontage.

3. *Defensible space shall also be enhanced by the provision of a three- to four-foot-high matte black chain link fence or acceptable alternative along the edge of the corridor. The fence shall help delineate the public and private spaces.*

Response:

No defensible space is proposed.

4. *The bicycle or pedestrian trails that traverse multi-family and commercial sites should follow the same defensible space standards but do not need to be defined by a fence unless required by the decision-making authority.*

Response:

This is single family and no defensible space is proposed.

5. *Except for trails within 10 feet of a wetland or natural drainageway, soft surface or gravel trails may only be used in place of a paved, all-weather surface where it can be shown to the Planning Director that the principal users of the path will be recreational, non-destination-oriented foot traffic, and that alternate paved routes are nearby and accessible.*

Response:

No trails or pathways are proposed.

6. *The trail grade shall not exceed 12 percent except in areas of unavoidable topography, where the trail may be up to a 15 percent grade for short sections no longer than 50 feet. In any location where topography requires steeper trail grades than permitted by this section, the trail shall incorporate a short stair section to traverse the area of steep grades.*

Response:

No trails or pathways are proposed.

D. Transit facilities.

1. *the applicant shall consult with Tri-Met and the City Engineer to determine the appropriate location of transit stops, bus pullouts, future bus routes, etc., contiguous to or within the development site. If transit service is planned to be provided within the next two years, then facilities such as pullouts shall be constructed per Tri-Met standards at the time of development. More elaborate facilities, like shelters, need only be built when service is existing or imminent. Additional rights-of-way may be required of developers to accommodate buses.*

Response:

No transit facilities are proposed

2. The applicant shall make all transit-related improvements in the right-of-way or in easements abutting the development site as deemed appropriate by the City Engineer.

Response:

No transit facilities are proposed.

3. Transit stops shall be served by striped and signed pedestrian crossings of the street within 150 feet of the transit stop where feasible. Illumination of the transit stop and crossing is required to enhance defensible space and safety. ODOT approval may be required.

Response:

No transit facilities are proposed.

4. Transit stops should include a shelter structure bench plus eight feet of sidewalk to accommodate transit users, non-transit-related pedestrian use, and wheelchair users. Tri-Met must approve the final configuration.

Response:

No transit facilities are proposed.

E. Lot grading. Grading of building sites shall conform to the following standards unless physical conditions demonstrate the propriety of other standards:

1. All cuts and fills shall comply with the excavation and grading provisions of the Uniform Building Code

Response:

No lot grading is proposed. Site work along Sucrest Drive will not have final slopes greater than 2:1.

2. The character of soil for fill and the characteristics of lot and parcels made usable by fill shall be suitable for the purpose intended.

Response:

No lot grading is proposed. Some grading will be required to construct the improvements on Suncrest Drive and the foundation for the new house on Parcel 2.

3. *If areas are to be graded (more than any four-foot cut or fill), compliance with CDC 85.170(C) is required.*

Response:

No lot grading is proposed. The minor grading for the street improvements will be accomplished pursuant to an approved construction plan.

4. *The proposed grading shall be the minimum grading necessary to meet roadway standards, and to create appropriate building sites, considering maximum allowed driveway grades*

Response:

Minor street grading is proposed. The minor grading for the street improvements in Suncrest Drive will be accomplished pursuant to the approved plans.

5. *Where landslides have actually occurred, where the area is identified as a hazard site in the West Linn Comprehensive Plan Report, or where field investigation by the City Engineer confirms the existence of a severe landslide hazard, development shall be prohibited unless satisfactory evidence is additionally submitted by a registered geotechnical engineer which certifies that methods of rendering a known hazard site safe for construction are feasible for a given site. The City Engineer's field investigation shall include, but need not be limited to, the following elements:*

- a. Occurrences of geotropism.*
- b. Visible indicators of slump areas.*
- c. Existence of known and verified hazards.*
- d. Existence of unusually erosive soils.*
- e. Occurrences of unseasonably saturated soils.*

The City Engineer shall determine whether the proposed methods or designs are adequate to prevent landslide or slope failure. The City Engineer may impose conditions consistent with the purpose of these ordinances and with standard engineering practices including limits on type and intensity of land use, which have been determined necessary to assure landslide or slope failure does not occur.

Response:

No landslides are known to have occurred on or near this site. The property has not been identified as a hazard site in the West Linn Comprehensive Plan Report.

6. *All cuts and fills shall conform to the Uniform Building Code.*

Response:

No lot or street grading is proposed. The minor grading for the street improvements will conform to all codes.

7. *On land with slopes in excess of 12 percent, cuts and fills shall be regulated as follows:*

- a. Toes of cuts and fills shall be set back from the boundaries of separate private ownerships at least three feet, plus one-fifth of the vertical height of the cut or fill. Where an exception is required from that requirement, slope easements shall be provided.*
- b. Cuts shall not remove the toe of any slope where a severe landslide or erosion hazard exists (as described in subsection (G)(5) of this section).*
- c. Any structural fill shall be designed by a registered engineer in a manner consistent with the intent of this code and standard engineering practices, and certified by that engineer that the fill was constructed as designed.*
- d. Retaining walls shall be constructed pursuant to Section 2308(b) of the Oregon State Structural Specialty Code.*
- e. Roads shall be the minimum width necessary to provide safe vehicle access, minimize cut and fill, and provide positive drainage control.*

Response:

Street grading is proposed. The minor grading for the street improvements in Suncrest Drive will accomplished pursuant to the approved plans.

8. *Land over 50 percent slope shall be developed only where density transfer is not feasible. The development will provide that:*

- a. At least 70 percent of the site will remain free of structures or impervious surfaces.*
- b. Emergency access can be provided.*
- c. Design and construction of the project will not cause erosion or land slippage.*
- d. Grading, stripping of vegetation, and changes in terrain are the minimum necessary to construct the development in accordance with subsection J of this section.*

Response:

There are no Type 1 or II lands on the property

F. Water.

1. *A plan for domestic water supply lines or related water service facilities shall be prepared consistent with the adopted Comprehensive Water System Plan, plan update, March 1987, and subsequent superseding revisions or updates.*

Response:

No extension of the public water system is proposed. An existing public main in Suncrest will be tapped for a new water service lateral.

2. *Adequate location and sizing of the water lines.*

Response:

No extension of the public water system is proposed. An existing public main in Suncrest Drive will serve the property.

3. *Adequate looping system of water lines to enhance water quality.*

Response:

No extension of the public water system is proposed. No looping is required for this minor partition.

4. *For all non-single-family developments, there shall be a demonstration of adequate fire flow to serve the site.*

Response:

This is a single family development and therefore not a requirement.

5. *A written statement, signed by the City Engineer, that water service can be made available to the site by the construction of on-site and off-site improvements and that such water service has sufficient volume and pressure to serve the proposed development's domestic, commercial, industrial, and fire flows.*

Response:

At the pre-application meeting it was noted that water flows were adequate for this development and a future waterline reconstruction in Suncrest was identified on the CIP

G. Sewer.

1. *A plan prepared by a licensed engineer shall show how the proposal is consistent with the Sanitary Sewer Master Plan (July 1989). Agreement with that plan must demonstrate how the*

sanitary sewer proposal will be accomplished and how it is gravity-efficient. The sewer system must be in the correct basin and should allow for full gravity service.

Response:

The sanitary sewer service will be a gravity connection with the extension of the public main in Suncrest Drive and then individual service laterals for all Parcels. The pre-application meeting did not indicate any capacity issues.

2. Sanitary sewer information will include plan view of the sanitary sewer lines, including manhole locations and depth or invert elevations.

Response:

The new sewer main and service laterals for Parcels are shown on the plans.

3. Sanitary sewer lines shall be located in the public right-of-way, particularly the street, unless the applicant can demonstrate why the alternative location is necessary and meets accepted engineering standards.

Response:

The existing sanitary sewer is located in Suncrest Drive and is the most direct connection to the subject property. This is the last property requiring sanitary on Suncrest.

4. Sanitary sewer line should be at a depth that can facilitate connection with down-system properties in an efficient manner.

Response:

The sewer extension will serve this last property needing service. The plan illustrates the depth and route.

5. The sanitary sewer line should be designed to minimize the amount of lineal feet in the system.

Response:

The connections to the public sewer minimize the distance from available public sewer for gravity service.

6. *The sanitary sewer line shall avoid disturbance of wetland and drainageways. In those cases where that is unavoidable, disturbance shall be mitigated pursuant to Chapter 32 CDC, Water Resource Area Protection, all trees replaced, and proper permits obtained. Dual sewer lines may be required so the drainageway is not disturbed.*

Response:

The service laterals are not in wetlands or environmental sensitive areas and none are near this site.

7. *Sanitary sewer shall be extended or stubbed out to the next developable subdivision or a point in the street that allows for reasonable connection with adjacent or nearby properties.*

Response:

No additional developable land exists to be served.

8. *The sanitary sewer system shall be built pursuant to DEQ, City, and Tri-City Service District sewer standards. The design of the sewer system should be prepared by a licensed engineer, and the applicant must be able to demonstrate the ability to satisfy these submittal requirements or standards at the pre-construction phase.*

Response:

The extension will be designed by an engineer and meet the requirements of the DEQ and City.

9. *A written statement, signed by the City Engineer, that sanitary sewers with sufficient capacity to serve the proposed development and that adequate sewage treatment plant capacity is available to the City to serve the proposed development.*

Response:

At the pre-application meeting and subsequent meeting for this application did not require an extension and found adequate capacity for this partition.

H. Storm.

1. *A stormwater quality and detention plan shall be submitted which complies with the submittal criteria and approval standards contained within Chapter 33 CDC. It shall include profiles of proposed drainageways with reference to the adopted Storm Drainage Master Plan.*

Response:

On site disposal of for all Parcels is proposed. Preliminary investigation indicates that this is feasible.

2. Storm treatment and detention facilities shall be sized to accommodate a 25-year storm incident. A registered civil engineer shall prepare a plan and statement which shall be supported by factual data that clearly shows that there will be no adverse off-site impacts from increased intensity of runoff downstream or constriction causing ponding upstream. The plan and statement shall identify all on- or off-site impacts and measures to mitigate those impacts. The plan and statement shall, at a minimum, determine the off-site impacts from a 25-year storm.

Response:

Onsite disposal of the storm water is proposed. The final design will be determined with the building permit application. No additional improvements are needed or proposed.

3. Plans shall demonstrate how storm drainage will be collected from all impervious surfaces including roof drains. Storm drainage connections shall be provided to each dwelling unit/lot. The location, size, and type of material selected for the system shall correlate with the 25-year storm incident.

Response:

Onsite disposal of the new impervious surfaces is proposed. Preliminary investigations indicate that this is feasible for individual facilities. With building permit application the facility will be sized to meet the city requirements for onsite disposal without any connection to the public system.

4. Treatment of storm runoff shall meet municipal code standards.

Response:

Onsite disposal will treat and dispose of the storm water to meet the City requirements.

1. Utility easements. Subdivisions and partitions shall establish utility easements to accommodate the required service providers as determined by the City Engineer. The developer of the subdivision shall make accommodation for cable television wire in all utility trenches and easements so that cable can fully serve the subdivision.

Response:

A new 8-foot PUE will be created along the Suncrest Drive frontage to accommodate public utilities.

J. Supplemental provisions.

1. Wetland and natural drainageways. Wetlands and natural drainageways shall be protected as required by Chapter 32 CDC, Water Resource Area Protection. Utilities may be routed through the protected corridor as a last resort, but impact mitigation is required.

Response:

There are no wetlands or natural drainage ways on or near this site.

2. Willamette and Tualatin Greenways. The approval authority may require the dedication to the City or setting aside of greenways which will be open or accessible to the public. Except for trails or paths, such greenways will usually be left in a natural condition without improvements. Refer to Chapter 28 CDC for further information on the Willamette and Tualatin River Greenways.

Response:

This property is not in the Willamette or Tualatin Greenway

3. Street trees. Street trees are required as identified in the appropriate section of the municipal code and Chapter 54 CDC.

Response:

A drainage swale is proposed and the planning plan will include trees where possible.

4. Lighting. To reduce ambient light and glare, high or low pressure sodium light bulbs shall be required for all subdivision street or alley lights. The light shall be shielded so that the light is directed downwards rather than omni-directional.

Response:

There is an existing street light on the opposite side of Suncrest just northerly of the proposed common access. No additional street lights are proposed. The existing street light is shown on the plans.

. Dedications and exactions. The City may require an applicant to dedicate land and/or construct a public improvement that provides a benefit to property or persons outside the property that is the subject of the application when the exaction is roughly proportional. No exaction shall be imposed

unless supported by a determination that the exaction is roughly proportional to the impact of development.

Response:

No dedication is proposed.

6. Underground utilities. All utilities, such as electrical, telephone, and television cable, that may at times be above ground or overhead shall be buried underground in the case of new development. The exception would be in those cases where the area is substantially built out and adjacent properties have above-ground utilities and where the development site's frontage is under 200 feet and the site is less than one acre. High voltage transmission lines, as classified by Portland General Electric or electric service provider, would also be exempted. Where adjacent future development is expected or imminent, conduits may be required at the direction of the City Engineer. All services shall be underground with the exception of standard above-grade equipment such as some meters, etc.

Response:

All Parcels will have underground power and communication lines.

Underground utilities will be provided to parcel 2.

7. Density requirement. Density shall occur at 70 percent or more of the maximum density allowed by the underlying zoning. These provisions would not apply when density is transferred from Type I and II lands as defined in CDC 02.030. Development of Type I or II lands are exempt from these provisions. Land divisions of three lots or less would also be exempt.

Response:

Partitions are exempt from these requirements.

8. Mix requirement. The "mix" rule means that developers shall have no more than 15 percent of the R-2.1 and R-3 development as single-family residential. The intent is that the majority of the site shall be developed as medium high density multi-family housing.

Response:

The property is zoned R-10, and therefore this standard does not apply.

9. Heritage trees/significant tree and tree cluster protection. All heritage trees, as defined in the Municipal Code, shall be saved. Diseased heritage trees, as determined by the City Arborist, may be removed at his/her direction. All non-heritage trees and clusters of trees (three or more trees with overlapping dripline; however, native oaks need not have an overlapping dripline) that are considered significant by virtue of their size, type, location, health, or numbers shall be saved

pursuant to CDC 55.100(B)(2). Trees are defined per the municipal code as having a trunk six inches in diameter or 19 inches in circumference at a point five feet above the mean ground level at the base of the trunk.


Response:

All the trees on the site have been tagged, inventoried and shown on the tentative plan documents and per the attached arborist report. An Arborist has made a site visit to confirm the size, species, and relative health of the trees. Attached is the arborist report. Some of the trees have signs of disease, deformed crowns and crooked stems which upon additional inspection may find that those trees may become a hazard. The City arborist has visited the site and finds no significant trees. The total drip line + 10' area is 11,376 sq ft of crown area and 2153 sq ft (19%) of tree crown tree area is proposed to be saved.

10. *Annexation and street lights. Developer and/or homeowners association shall, as a condition of approval, pay for all expenses related to street light energy and maintenance costs until annexed into the City, and state that: "This approval is contingent on receipt of a final order by the Portland Boundary Commission, approving annexation of the subject property." This means, in effect, that any permits, public improvement agreements, final plats, and certificates of occupancy may not be issued until a final order is received. (Ord. 1377, 1995; Ord. 1382, 1995; Ord. 1401, 1997; Ord. 1403, 1997; Ord. 1408, 1998; Ord. 1425, 1998; Ord. 1442, 1999; Ord. 1463, 2000; Ord. 1526, 2005; Ord. 1544, 2007; Ord. 1584, 2008; Ord. 1590 § 1, 2009)*

Response:

Existing street lights are shown on the tentative plan. No additional street lights are proposed.



VICINITY MAP
NTS

DEVELOPER


Centurion Homes
Phil Gentemann
7128 SW Gonzaga No. 200
Portland, Oregon 97223
Ph. 503-620-2047

PLANNER/ENGINEER

Theta, LLC
Bruce Goldson, P.E.
P.O. Box 1345
Lake Oswego, Oregon 97035
Ph. 503-481-8822

SURVEYOR

Centerline Concepts
729 Molalla Avenue No. 1&2
Oregon City, Oregon 97045
Ph. 503-650-0188



ZONE: R-10
AREA: 49,304 S.F.

DATUM:
SANITARY MANHOLE AT
SUNCREST AND RIDGEBROOK
#30-16-1-2-13, EL. 679.78

SHEET INDEX

- 1 TENTATIVE PLAN
- 2 SLOPE ANALYSIS
- 3 EXISTING CONDITIONS
- 4 DRIVEWAY PROFILE
- 5 ARBORIST EXHIBIT

THREE LOT PARTITION TENTATIVE PLAN



DESIGNED: BDG			
DRAWN: BJS			
SCALE: 1" = 30'			
DATE: October, 2014			
FILE: Suncrest II Preapp1	DATE	NO.	REVISION

Theta, LLC
ENGINEERING - SURVEYING - PLANNING
P.O. Box 1345
Lake Oswego, Oregon 97035
503-481-8822
email: thtaweng@comcast.net

Centurion Homes
Phil Gentemann
7128 SW Gonzaga No. 200
Portland, Oregon 97223
Ph. 503-620-2047

19345 Suncrest Drive
West Linn, Oregon 97068
T.2S. R.1E., Section 23BC, Lot 900

SHEET:
1/5



SLOPE ANALYSIS

TYPE 4	15% TO 25%	1,113 S.F.	2.6%
TYPE 3	0% TO 15%	42,299 S.F.	97.4%
		34,700 S.F.	

THREE LOT PARTITION TENTATIVE PLAN

2014-122A

DESIGNED: BDG			
DRAWN: BJS			
SCALE: 1" = 30'			
DATE: October, 2014			
FILE: Suncrest II Preapp1	DATE	NO.	REVISION

Theta, llc
ENGINEERING - SURVEYING - PLANNING
PO Box 1345
Lake Oswego, Oregon 97035
503/481-8822
email: thetaeng@comcast.net

Centurion Homes
Phil Gentemann
7128 SW Gonzaga No. 200
Portland, Oregon 97223
Ph. 503-620-2047

19345 Suncrest Drive
West Linn, Oregon 97068
T.2S. R.1E., Section 23BC, Lot 900

SHEET:
2/5

TAX LOT 900
 LOCATED IN THE N.W. 1/4 SECTION 23, T.2S., R.1E., W.M.,
 CITY OF WEST LINN, CLACKAMAS COUNTY, OREGON
 OCTOBER 13, 2014 SCALE 1"=30'

SURVEY NOTES:

THE DATUM FOR THIS SURVEY IS BASED UPON THE RIM OF SANITARY MANHOLE NUMBER 30-16-1-2-13 AT THE INTERSECTION OF SUNCREST DRIVE AND RIDGEBROOK DRIVE. THE ELEVATION IS 679.78', CITY OF WEST LINN AS-BUILTS.

A TRIMBLE S6-SERIES ROBOTIC INSTRUMENT WAS USED TO COMPLETE A CLOSED LOOP FIELD TRAVERSE.


AREA OF SUBJECT PARCEL: 37,422 S.F. OR 0.86 ACRES

THE BASIS OF BEARINGS FOR THIS SURVEY IS PER MONUMENTS FOUND AND HELD PER PARTITION PLAT NUMBER 1996-001, RECORDS OF CLACKAMAS COUNTY.

THE PURPOSE OF THIS SURVEY IS TO RESOLVE AND DETERMINE THE PERIMETER BOUNDARY OF THE SUBJECT PROPERTY, TO SHOW ALL PERTINENT BOUNDARY ISSUES AND ENCROACHMENTS. NO PROPERTY CORNERS WERE SET IN THIS SURVEY.

NO WARRANTIES ARE MADE AS TO MATTERS OF UNWRITTEN TITLE, SUCH AS ADVERSE POSSESSION, ESTOPPEL, ACQUESCENCE, ETC.

NO TITLE REPORT WAS SUPPLIED OR USED IN THE PREPARATION OF THIS MAP. THERE MAY EXIST EASEMENTS, CONDITIONS, OR RESTRICTIONS THAT COULD AFFECT THE TITLE OF THIS PROPERTY. NO ATTEMPT HAS BEEN MADE IN THIS SURVEY TO SHOW SUCH MATTERS THAT MAY AFFECT TITLE.



SIGNED ON:

REGISTERED
 PROFESSIONAL
 LAND SURVEYOR

OREGON
 NOVEMBER 30, 2007
 JAMES BURTON BROWN
 60379

VALID THROUGH DECEMBER 31, 2015

CENTERLINE CONCEPTS
 LAND SURVEYING, INC.
 729 MOLALLA AVE., SUITE 1 & 2
 OREGON CITY, OREGON 97045
 PHONE 503.650.0188 FAX 503.650.0189

DRAWN BY:MPW CHECKED BY:JBB ACCOUNT # 150-M:PROJECTS\

EXISTING CONDITIONS



DESIGNED: BDG			
DRAWN: BJS			
SCALE: 1" = 30'			
DATE: October, 2014			
FILE: Suncrest II Preapp1	DATE	NO.	REVISION

Theta, llc
 ENGINEERING - SURVEYING - PLANNING
 PO Box 1345
 Lake Oswego, Oregon 97035
 503.481-8822
 email: thetaeng@comcast.net

Centurion Homes
 Phil Gentemann
 7128 SW Gonzaga No. 200
 Portland, Oregon 97223
 Ph. 503-620-2047

19345 Suncrest Drive
West Linn, Oregon 97068
T.2S. R.1E., Section 23BC, Lot 900

SHEET:
3/5



2014-122A

DESIGNED: BDG			
DRAWN: BJS			
SCALE: 1" = 30'			
DATE: October, 2014			
FILE: Suncrest II Preapp1	DATE	NO.	REVISION

Theta, llc
 ENGINEERING - SURVEYING - PLANNING
 PO Box 1345
 Lake Oswego, Oregon 97035
 503-481-8822
 email: thetaeng@comcast.net


Centurion Homes
 Phil Gentemann
 7128 SW Gonzaga No. 200
 Portland, Oregon 97223
 Ph. 503-620-2047

PRIVATE DRIVEWAY CENTERLINE PROFILE


19345 Suncrest Drive
 West Linn, Oregon 97068
 T.2S. R.1E., Section 23BC, Lot 900

SHEET:

4/5



NOTE:
THE TREES MARKED WITH AN "X" ARE DEAD OR IN VERY
POOR CONDITION AND NEED TO BE REMOVED PER
ARBORIST REPORT.



SUNCREST TREE INVENTORY

#	SPECIES	DIAMETER	#	SPECIES	DIAMETER
3	DOUGLAS FIR	22.5"/17"	40	DOUGLAS FIR	10"
4	DOUGLAS FIR	18.5"	41	DOUGLAS FIR	8"
5	MAPLE	7"	42	MAPLE	13.5"
6	MAPLE	8.5"	43	MAPLE	15.5"/9.5"
7	SEQUOIA	24.5"	44	MAPLE	13"
8	SEQUOIA	26.5"	45	DOUGLAS FIR	8"
9	SEQUOIA	30.5"	46	DOUGLAS FIR	13.5"
10	ALDER	6"	47	DOUGLAS FIR	7"
11	DOUGLAS FIR	8"	48	MAPLE	10.5"
12	MAPLE	6"/8.5"	49	SCOTCH PINE	14.5"
13	SEQUOIA	34.5"	50	DOUGLAS FIR	21.5"
14	MAPLE	11"	51	MAPLE	13.5"
15	HAWTHORN	10"	52	DOUGLAS FIR	22.5"
16	SEQUOIA	20.5"	53	DOUGLAS FIR	18"
17	DOUGLAS FIR	23"	492	TULIP	18.5"
18	SEQUOIA	18.5"	493	CHERRY	6.5"
19	DOUGLAS FIR	12.5"	494	MAPLE	28"
20	MAPLE	9.5"	495	DOUGLAS FIR	28"
22	SEQUOIA	15"	496	DOUGLAS FIR	21"
23	SEQUOIA	14"	497	DOUGLAS FIR	12"
25	MAPLE	9.5"	498	DOUGLAS FIR	18"
26	SEQUOIA	9"	499	DOUGLAS FIR	18.5"
27	SEQUOIA	25"	500	MAPLE	12.5"/14"
28	MAPLE	9.5"			
29	MAPLE	8.5"			
30	DOUGLAS FIR	17"			
31	SEQUOIA	14"			
32	SEQUOIA	18"			
33	SEQUOIA	20"			
34	SEQUOIA	12"			
35	MAPLE	10"			
36	DOUGLAS FIR	20"			
37	DOUGLAS FIR	13"			
38	CHERRY	10"			
39	SEQUOIA	10"			

2014-122A

ARBORIST EXHIBITS

DESIGNED:	BDG		
DRAWN:	BJS		
SCALE:	1" = 30'		
DATE:	October, 2014		
FILE:	Suncrest II Arborist	DATE	NO. REVISION

Theta, llc

ENGINEERING • SURVEYING • PLANNING

PO Box 1345
Lake Oswego, Oregon 97035

503/481-8822
email: thetaeng@comcast.net

Centurion Homes
Phil Gentemann
7128 SW Gonzaga No. 200
Portland, Oregon 97223
Ph. 503-620-2047

19345 Suncrest Drive
West Linn, Oregon 97068
T.2S. R.1E., Section 23BC, Lot 900

SHEET:
5/5

Preliminary Storm Drainage Report

19345 Suncrest Road, West Linn

Site Conditions:

This parcel is approximately 1.13 acres with an existing home near Suncrest Drive. The site had an on-site septic system in the past for the existing house. The application is to divide the property by partition in three residential lots. The existing house would remain on approximately 0.64 acres and the balance would be two new parcels in the front of 10,620 sq ft each. There is no public storm system along the frontage. There is ample room for on-site disposal of the impervious roof water.

Hydrologic Soils Group:

The Oregon Soil Survey was used to determine the soil type and Hydrologic Soil Group.

Map unit symbol	map unit name	rating
78C	Saum silt loam	C

Group C soils have a moderate infiltration rate when thoroughly wet. The Oregon Soil Survey lists the infiltration rate at 6.5410 microns/ second or approximately 1 inches/hr

Proposed Solution:

Using The Oregon Rain Garden Guide, and the King County Hydrographic program the proposed RAIN GARDEN and infiltration trench was sized to collect the impervious roof water from the proposed residential house and a gravel trench for the driveway

Impervious area house estimate: 3000 Sq ft. = 0.07acres

CN - SCS Curve Number 98 roof

Storm Event- A ten year storm event was used to size the facility

ROOF AREA-----

KING COUNTY DEPARTMENT OF PUBLIC WORKS

Surface Water Management Division

HYDROGRAPH PROGRAMS

Version 4.21B

1 - INFO ON THIS PROGRAM

2 - SBUHYD

3 - MODIFIELD SBUHYD

4 - ROUTE

5 - ROUTE2

6 - ADDHYD

7 - BASEFLOW

8 - PLOTHYD

9 - DTATA

10 - REFAC

11 - RETURN TO DOS

ENTER OPTION:

2

SBUN/SCS METHOD FOR COMPUTING RUNOFF HYDROGRAPH

STORM OPTIONS;

1 - S.C.S. TYPE-1A

2 - 7-DAY DESING STORM

3 - STORM DATA FILE

SPECIFY STORM OPTION:

1

S.C.S. TYPE-1A RAINFALL DISTRIBUTION

ENTER: FREQ(YEAR), DURATION(HOUR), PRECIP(INCHES)

10,24,3.20

XXXXXXXXXXXXXXXXXXXX S.C.S.TYPE-1A DISTRIBUTION XXX

XXXXXXXXXXXXX 10-YEAR 24-HOUR STORM xxxx 3.20" TOTAL PRECIP. XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

ENTER: A(PERV),CN(PERV),A(IMPERV),CN(IMPERV),TC FOR BASIN NO. 1

0.0,86,0.07,98,5

DATA PRINT OUT:

AREA(ACRES)	PERVIOUS	IMPERVIOUS	TC(MINUTES)
-------------	----------	------------	-------------

	A	CN	A	CN	
.1	.0	86	.1	98	5.0
PEAK-Q(CFS)	T-PEAK(HRS)		VOL(CU-FT)		
.06	7.67		754		

ENTER [d:][path]filename[.ext] FOR STORAGE OF COMPUTED HYDROGRAPH:

C:sun

SPECIFY: C - CONTINUE, N - NEWSTORM, P - PRINT, S - STOP

S

ENTER OPTION:

10

R/D FACILITY DESIGN ROUTINE

SPECIFY TYPE OF R/D FACILITY:

1 - POND	4 - INFILTRATION POND
2 - TANK	5 - INFILTRATION TANK
3 - VAULT	6 - GRAVEL TRENCH/BED

4

ENTER: POND SIDE SLOPE (HORIZ. COMPONENT)

3

ENTER: EFFECTIVE STORAGE DEPTH(ft) BEFORE OVERFLOW

.5

ENTER: VERT-PERN(min/in) PERM-SURFACE (0 = SIDES ONLY, 1 = SIDES AND BOTTOM)

60,1

ENTER [d:][path]filename[.ext] OF PRIMARY DESIGN INFLOW HYDROGRAPH:

C:sun

PRIMARY DESIGN INFLOW PEAK = .06 CFS

ENTER PRIMARY DESIGN RELEASE RATE(cfs):

0

ENTER NUMBER OF INFLOW HYDROGRAPHS TO BE TESTED FOR PERFORMANCE (5 MAXIMUM)

0

ENTER: NUMBER OF ORIFICES, RISER-HEAD(*ft), RISER-DIAMETER(in)

0,0.5,6

RISER OVERFLOW DEPTH FOR PRIMARY PEAK INFLOW = .05 ft

SPECIFY ITERATION DISPLAY: Y - YES, N - NO

N

SPECIFY: R - REVIEW/REVISE INPUT, C - CONTINUE

C

INITIAL STORAGE VALUE FOR ITERATION PURPOSES: 888 CU-FT

PERFORMANCE:	INFLOW	TARGET-OUTFLOW	ACTUAL-OUTFLOW	PK-STAKE	STORAGE
DESIGN HYD:	.06	.00	.00	.67	224

Preliminary Design Solution:

Impervious Roof:

A square rain garden approximately 15-feet and 12" deep with an additional 2" overflow depth would be sufficient for 3000 sq ft of impervious area. The final design will size the facility based on the actual impervious roof area.

Conclusion:


Infiltration of the new impervious surfaces is a satisfactory solution for this development.

Prepared By:

Bruce D. Goldson, PE

Theta, llc

December 5, 2014



EXPIRES: 06-30-15

Robert Mazany and Associates
Tree and Landscape Consulting Service


MEMORANDUM

TO: Philip Gentemann
Centurian Homes, Inc.

FROM: Robert Mazany, ASCA
Registered Consulting Arborist #133

DATE: November 17, 2014

RE: 19345 Suncrest Drive – West Linn



This report has been prepared to update my October 29, 2014 preliminary draft report. The attached Field Note Narrative includes all trees on the site identified by specie, diameter and condition.

Additional information may be submitted based on future site and plan reviews as the project progresses. Minor shifting of the construction envelope, five to ten feet, to the north may allow for additional root zone protection for trees designated to be retained.

Please contact me if you have questions or when I may be of further assistance.

Field Note Narrative
19345 Suncrest Drive – West Linn



<u>Tree No.</u>	<u>Specie</u>	<u>Diameter</u>	<u>Condition/Comment</u>
19	Douglas fir	12.5"	Dead – Remove.
37	Douglas fir trunk ruptures – Remove.	13.0"	Poor – Lower crown 40% dead with serious
36	Douglas fir	20.0"	Poor – Weak stem union at 6 feet with some separation in sub-dominant stem. Risk/failure potential sufficient to recommend removal.
30	Douglas fir disease and decay. Consider removal.	17.0"	Fair/Poor – Trunk ruptures indicate internal
35	Bigleaf maple some failure potential. Consider removal.	10.0"	Fair- There is a weak stem union at 10 feet with
43	Bigleaf maple separation. Consider removal.	15.5"/9.5"	Fair – Weak stem union at one foot with some
50	Fir bark. High risk failure potential. Remove.	21.5"	Poor – Weak stem union at 20 feet with included
46	Douglas fir risk/failure potential. Remove.	18.5"	Fair – Double stem at 15 feet with some
499	Douglas fir potential dictates removal.	18.5"	Poor – Triple stem at 15 feet. Risk/failure
40	Douglas fir	10.0"	Poor – Dead.
47	Douglas fir	6.5"	Poor – Remove.
494	Bigleaf maple union has some risk/failure potential. Removal recommended.	28.0" @ 3'	Fair/Poor – Triple stem at 5 feet. Weak stem
493	Weeping cherry	6.5"	Fair.
492	Tulip tree/Yellow poplar	18.5"	Fair.
500	Bigleaf maple separation to ground. Monitor for changes.	14.0"/12.5"	Fair – Weak stem union at 3 feet with some
3	Fir separation. Some risk/failure potential.	22.5"/17.0"	Fair – Double stem at 2 feet with some

<u>Tree No.</u>	<u>Specie</u>	<u>Diameter</u>	<u>Condition/Comment</u>
4	Fir	18.5"	Fair.
17	Douglas fir	23.0"	Fair.
38	Cherry sp.	10.0"	Fair.
20	Maple	9.5"	Fair.
12	Maple	10.0"	Fair.
28	Maple	9.5"	Fair.
11	Douglas fir	8.0"	Fair.
12	Maple	6.0"/8.5"	Fair.
25	Maple	9.5"	Fair.
29	Maple	8.5"	Fair.
14	Maple	11.0"	Fair.
6	Maple	8.5"	Fair.
16	Redwood	20.5"	Fair.
9	Sequoia	30.5"	Fair.
18	Redwood	18.5"	Fair.
23	Redwood	14.0"	Fair.
27	Redwood	25.0"	Fair.
22	Redwood	15.0"	Fair.
33	Redwood	20.0"	Fair.
23	Redwood	14.0"	Fair.
41	Fir	8.0"	Poor.
34	Fir	13.0"	Fair.
39	Redwood	10.0"	Fair.

<u>Tree No.</u>	<u>Specie</u>	<u>Diameter</u>	<u>Condition/Comment</u>
32	Redwood	18.0"	Fair.
8	Sequoia	26.5"	Fair.
7	Redwood	24.5"	Fair.
13	Sequoia	34.5"	Fair.
48	Maple	10.5"	Fair.
44	Maple	13.0"	Fair.
42	Maple	13.5"	Fair.
51	Maple	13.5"	Fair.
46	Fir	13.5"	Fair/Poor.
49	Scotch pine	14.5"	Fair/Poor.
499	Fir	18.5"	Fair/Poor – Triple stem at 10 feet with some risk/failure potential.
52	Fir	22.5"	Fair/Poor – Sub-dominant stem at 15 feet with separation. Some risk/failure potential.
53	Fir	18.0"	Fair.
45	Fir	8.0"	Poor – Crown 60% dead. Understory tree.
497	Fir	12.0"	Fair.
498	Fir	18.0"	Fair.
496	Fir	21.0"	Fair/Poor – Sub-dominant stem failure at 8 feet.
495	Fir	28.0"	Fair – Sub-dominant stem at 15 feet. Double stem at 60 feet. Both have serious risk/failure potential.
494	Maple	28.0" @ 3'	Fair.

Observations/Recommendations

1. With these exceptions noted the remaining trees are in fair condition.
2. For health and safety all retained trees should be pruned to ANSI A-300 Crown Cleaning standards for deadwood removal of one inch and larger diameter. Interior thinning not to exceed 15 percent branch (live tissue) removal.
3. Attached Tree and Plant Preservation/Protection Specifications should be adhered to throughout the duration of construction.
4. The majority of the Douglas fir are in fair/poor condition with high crowns and dead lower branches from the density of the stand. These and some of the maple should be removed.
5. The redwood species are the most desirable and should be considered to be selectively retained.
6. Option/layout 1 for parcels appear to be one which will allow for the retention of more of the healthier trees.
7. Due to the current density of the stand, trees should not be retained individually but left in contiguous stands to minimize the potential from wind-throw failure.
8. Stumps of trees removed within 20 feet of those to be retained should be ground below grade, not grubbed, to minimize impacts on adjacent root systems.



VICINITY MAP
NTS

DEVELOPER


Centurion Homes
Phil Gentemann
7128 SW Gonzaga No. 200
Portland, Oregon 97223
Ph. 503-620-2047

PLANNER/ENGINEER

Theta, LLC
Bruce Goldson, P.E.
P.O. Box 1345
Lake Oswego, Oregon 97035
Ph. 503-481-8822

SURVEYOR

Centerline Concepts
729 Molalla Avenue No. 1&2
Oregon City, Oregon 97045
Ph. 503-650-0188



ZONE: R-10
AREA: 49,304 S.F.

DATUM:
SANITARY MANHOLE AT
SUNCREST AND RIDGEBROOK
#30-16-1-2-13, EL. 679.78

SHEET INDEX

- | | |
|---|---------------------|
| 1 | TENTATIVE PLAN |
| 2 | SLOPE ANALYSIS |
| 3 | EXISTING CONDITIONS |
| 4 | DRIVEWAY PROFILE |
| 5 | ARBORIST EXHIBIT |

THREE LOT PARTITION TENTATIVE PLAN

DESIGNED: BDG			
DRAWN: BJS			
SCALE: 1" = 30'			
DATE: October, 2014			
FILE: Suncrest II Preapp1	DATE	NO.	REVISION

Theta, LLC

ENGINEERING - SURVEYING - PLANNING


PO Box 1345
Lake Oswego, Oregon 97035

503/481-8822
email: thetaeng@comcast.net

Centurion Homes
Phil Gentemann
7128 SW Gonzaga No. 200
Portland, Oregon 97223
Ph. 503-620-2047

19345 Suncrest Drive
West Linn, Oregon 97068
T.2S. R.1E., Section 23BC, Lot 900

SHEET:
1/5



2014-122A

DESIGNED:	BDG			
DRAWN:	BJS			
SCALE:	1" = 30'			
DATE:	October, 2014			
FILE:	Suncrest II Preapp1	DATE	NO.	REVISION

Theta, LLC

ENGINEERING - SURVEYING - PLANNING

PO Box 1345
Lake Oswego, Oregon 97035

503/481-8822

email: thetaeng@comcast.net

Centurion Homes
Phil Gentemann
7128 SW Gonzaga No. 200
Portland, Oregon 97223
Ph. 503-620-2047

19345 Suncrest Drive
West Linn, Oregon 97068
T.2S. R.1E., Section 23BC, Lot 900

SHEET:
2/5



TAX LOT 900
LOCATED IN THE N.W. 1/4 SECTION 23, T.2S., R.1E., W.M.,
CITY OF WEST LINN, CLACKAMAS COUNTY, OREGON
OCTOBER 13, 2014 SCALE 1"=30'

SURVEY NOTES:

THE DATUM FOR THIS SURVEY IS BASED UPON THE RIM OF SANITARY MANHOLE NUMBER 30-16-1-2-13 AT THE INTERSECTION OF SUNCREST DRIVE AND RIDGEBROOK DRIVE. THE ELEVATION IS 679.78', CITY OF WEST LINN AS-BUILTS.

A TRIMBLE S6-SERIES ROBOTIC INSTRUMENT WAS USED TO COMPLETE A CLOSED LOOP FIELD TRAVERSE.


AREA OF SUBJECT PARCEL: 37,422 S.F. OR 0.86 ACRES

THE BASIS OF BEARINGS FOR THIS SURVEY IS PER MONUMENTS FOUND AND HELD PER PARTITION PLAT NUMBER 1996-001, RECORDS OF CLACKAMAS COUNTY.

THE PURPOSE OF THIS SURVEY IS TO RESOLVE AND DETERMINE THE PERIMETER BOUNDARY OF THE SUBJECT PROPERTY, TO SHOW ALL PERTINENT BOUNDARY ISSUES AND ENCROACHMENTS. NO PROPERTY CORNERS WERE SET IN THIS SURVEY.

NO WARRANTIES ARE MADE AS TO MATTERS OF UNWRITTEN TITLE, SUCH AS ADVERSE POSSESSION, ESTOPPEL, ACQUIESCENCE, ETC.

NO TITLE REPORT WAS SUPPLIED OR USED IN THE PREPARATION OF THIS MAP. THERE MAY EXIST EASEMENTS, CONDITIONS, OR RESTRICTIONS THAT COULD AFFECT THE TITLE OF THIS PROPERTY. NO ATTEMPT HAS BEEN MADE IN THIS SURVEY TO SHOW SUCH MATTERS THAT MAY AFFECT TITLE.



SIGNED ON:

REGISTERED
PROFESSIONAL
LAND SURVEYOR

OREGON
NOVEMBER 30, 2007
JAMES BURTON BROWN
60379

VALID THROUGH DECEMBER 31, 2015



CENTERLINE CONCEPTS
LAND SURVEYING, INC.

729 MOLALLA AVE., SUITE 1 & 2
OREGON CITY, OREGON 97045
PHONE 503.650.0188 FAX 503.650.0189
DRAWN BY:MPW CHECKED BY: JBB ACCOUNT # 150-
M:\PROJECTS\

EXISTING CONDITIONS

DESIGNED:	BDG		
DRAWN:	BJS		
SCALE:	1" = 30'		
DATE:	October, 2014		
FILE:	Suncrest II Preapp1	DATE	NO.
			REVISION



Theta, llc
ENGINEERING - SURVEYING - PLANNING
PO Box 1345
Lake Oswego, Oregon 97035

503/481-8822
email: thetaeng@comcast.net

Centurion Homes
Phil Gentemann
7128 SW Gonzaga No. 200
Portland, Oregon 97223
Ph. 503-620-2047

19345 Suncrest Drive
West Linn, Oregon 97068
T.2S. R.1E., Section 23BC, Lot 900

SHEET:
3/5



PRIVATE DRIVEWAY CENTERLINE PROFILE

2014-122A

DESIGNED:	BDG		
DRAWN:	BJS		
SCALE:	1" = 30'		
DATE:	October, 2014		
FILE:	Suncrest II Preapp1	DATE	NO.
			REVISION

Theta, LLC
ENGINEERING - SURVEYING - PLANNING
PO Box 1345
Lake Oswego, Oregon 97035
503/481-8822
email: thetaeng@comcast.net

Centurion Homes
Phil Gentemann
7128 SW Gonzaga No. 200
Portland, Oregon 97223
Ph. 503-620-2047

19345 Suncrest Drive
West Linn, Oregon 97068
T.2S. R.1E., Section 23BC, Lot 900

SHEET:

4/5

