


STANDARD ALLEY CROSS-SECTION



ALTERNATIVE ALLEY CROSS-SECTION

NOTE:

1. UNLESS OTHERWISE APPROVED BY THE CITY ENGINEER, ALLEYS SHALL BE CONSTRUCTED OF PLAIN CONCRETE PAVEMENT. IF PAVED WITH ASPHALT, PAVING SHALL BE CONSTRUCTED TO FINAL GRADE USING 2 OR MORE LIFTS. FINAL LIFT SHALL BE PLACED ONLY AFTER ACCEPTANCE OF THE FIRST LIFT AT A TIME AS DIRECTED OR APPROVED BY THE CITY ENGINEER.
2. 6" OF 3/4"-0" AGGREGATE BASE SHOULDER
3. CROSS-SLOPE MAY VARY WITH APPROVAL BY THE CITY ENGINEER.

Standard Drawing No.
WL-RD013
Effective Date:
02/22/19

Title: STANDARD STREET CROSS-SECTION
ALLEY

Approved: 
City Engineer

 CITY OF
West Linn
PUBLIC WORKS DEPARTMENT - STANDARD DRAWINGS
22500 Salamo Road, West Linn OR 97068
Phone: 503-722-5500
www.westlinnoregon.gov

NOTE:
All material and workmanship shall be in accordance with the City of West Linn Standard Construction Specifications.

The selection and use of this Standard Drawing, while designed in accordance with generally accepted engineering principles and practices, is the sole responsibility of the user and should not be used without consulting a Registered Professional Engineer.

File
WL-RD013.dwg